Oxford English for Electrical and Mechanical Engineering

Eric H. Glendinning Norman Glendinning

Oxford University Press

Technical contents

Page	Unit	Торіс	Technical syllabus
11	1	Engineering	General
16	2	Courses	General
22	3	Materials	Engineering materials
26	4	Mechanisms	Mechanisms, Cams
31	5	Forces	Statics and Dynamics
36	6	Electric motor	Electrotechnology
42	7	Student	Electrical
46	8	Central heating	Automatic systems
50	9	Safety at work	General
55	10	Young engineer	General, Engineering design
58	11	Washing machine	Automatic systems, Transducers
65	12	Racing bicycle	Mechanics, Gear systems
72	13	Lasers	Mechanical technology
77	14	Technician	Robotics, General
79	15	Refrigerator	Fluid mechanics
84	16	Scales	Automatic systems, Strain gauges
91	17	Portable generator	Electrotechnology, Power generation
98	18	Road breaker	Pneumatics
106	19	Disc brakes	Hydraulics
112	20	Staff engineer	General, Process control
116	21	Lawn-mower	Engineering design
123	2.2	Corrosion	Mechanical technology, Corrosion
128	23	Maglev train	Electrical machines, Motor selection
137	24	Computer Alded Design (CAD)	CAD
140	25	Supercar	General
146	26	Graphs	General
152	27	Waste recycling	Technical plant
157	28	Robotics	Robotics, Stepper motors
165	29	Careers	General
169	30	Applying for a job	General, Company structure

Contents

	Page		
Unit 1	11	Engineering	g - what's it all about?
	11	Tuning-in	
	12	Reading	Introduction
	13	Language study	deals with /is concerned with
	14	Word study	Word stress
	14	Writing	
	15	Listening	
Unit 2	16	Choosing a	course
	16	Tuning-in	
	17	Reading	Having a purpose
	21	Writing	Letter writing, 1: requesting information
Unit 3	21	Engineering	g materials
	22	Tuning-in	
	22	Reading	Scanning tables
	24	Language study	Making definitions
	25	Writing	Adding information to a text
Unit 4	26	Mechanism	s
	26	Tuning-in	
	26	Reading	Scanning a text
	27	Writing	Ways of linking ideas, 1
	29	Language study	Dealing with technical terms
	29	Speaking practice	
Unit 5	31	Forces in en	gineering
	31	Tuning-in	
	31	Reading 1	Predicting
	33	Reading 2	Grammar links in texts
	34	Language study	The present passive
	34	Listening	Listening to lectures

Unit 6 36 The electric motor

- 36 Tuning-in
- 36 Reading
- Skimmina
- 39 Language study Describing function
- 39 Writing
- Describing components
- 41 Word study

Unit 7 42 An engineering student

- 42 Tuning-in
- 42 Listening
- Comparing and contrasting 44 Writing
- Unit 8 46 Central heating

 - 46 Tuning-in
 - 46 Reading Predicting
 - 48 Language study Time clauses
 - 49 Word study

Unit 9 50 Safety at work

- 50 Tuning-in
- 51 Reading Understanding the writer's purpose
- 53 Language study Making safety rules
- 53 Writing Ways of linking ideas, 2

Unit 10 55 Young engineer

- Tuning-in
- Listening
- 57 Writing Describing and explaining
- Speaking practice

Unit 11 58 Washing machine

58 Tuning-in

- Reading diagrams 58 Reading
- Language study If/Unless sentences
- Explaining a diagram 63 Writing

	Page		
Unit 12		Racing bicy	cle
	65	Tuning-in	
	67	Reading	Prediction
	68	Language study	Describing reasons
	68	Writing	Describing contrast
	69	Word study	Properties of materials
	70	Speaking practice	r sopro ne s cy some s mis
	70	Technical reading	Gear systems
Unit 13	72	Lasers	
	72	Tuning-in	
	72	Reading	
	73	Language study	used to for
	73	Word study	Noun + noun compounds
	74	Writing	Describing a process, 1: sequence
	76	Technical reading	Laser cutting
Unit 14	77	Automation	technician
	77	Tuning-in	
	77	Listening	
	78	Speaking practice	Talking about specifications
Unit 15	79	Refrigerator	
	79	Tuning-in	
	80	Reading	Dealing with unfamiliar words, 1
	81	Language study	Principles and laws
	82	Word study	Verbs and related nouns
	82	Writing	Describing a process, 2: location
Unit 16	84	Scales	
	84	Tuning-in	
	85	Reading 1	Meaning from context
	85	Reading 2	Comparing sources
	87	Language study	Cause and effect, 1

88 Technical reading Strain gauges

Pane

Unit 17 91 Portable generator

91	Tuning-in	
91	Reading	Reading diagrams
93	Language study	Cause and effect, 2
94	Word study	Verbs with -ize/-ise
94	Writing	Describing a process, 3: sequence and location

96 Technical reading Wave power

Unit 18 98 Road breaker

98	Tunin	

- 98 Reading
- 101 Language study Allow and prevent links
- 103 Writing Explaining an operation
- Technical reading Air skates
- 105 Speaking practice

Unit 19 106 Disc brakes

106	Tuning-in	
107	Reading	Combining skills
108	Language study	Verbs with up and down
108	Word study	Verbs + -en
109	Writing	Explaining an operation
110		Water-based hydraulics

Unit 20 112 Staff engineer

- 112 Tuning-in
- 114 Listening
- 115 Language study Verbs with on and off

Unit 21 116 Lawn-mower

- 116 Tuning-in
- 118 Reading 1
- Predicting 119 Reading 2 Grammar links, 2
- 119 Language study Describing functions
- 120 Word study
 - Noun + noun, 2: function
- 121 Writing Description and explanation
- 122 Speaking practice Explaining function

	Page		
Unit 22	123	Corrosion	
	123	Tuning-In	
	124	Reading	Skimmina
	125	Language study	Cause and effect, 3
	126	Speaking practice	
	126	Technical reading	Corrosion of materials
Unit 23	128	Maglev train	1
	128	Tuning-in	
	129	Reading 1	Inferring
	130	Reading 2	Dealing with unfamiliar words, 2
	131	Language study	Prediction
	133	Writing	Explanations
	134	Technical reading	Motor selection: operating environment
Unit 24	137	Computer A	ided Design (CAD)
	137	Tuning-in	
	137	Listening	
	138	Language study	Necessity: have to and need (to)
Unit 25	140	Supercar	
	140	Tuning-In	
	142	Reading	Predicting: using first sentences
	144	Language study	Certainty
	145	Writing	Summaries
Unit 26	146	Graphs	
	146	Tuning-in	
	147	Language study	Describing graphs
	149	Word study	Common vertis in engineering
	149	Writing	Describing a graph
	151	Technical reading	Properties and applications of carbon steels
Unit 27	152	Waste recycl	ing plant
	152	Tuning-in	
		Reading	Transferring information, making notes
	155	Language study	Possibility: can and could
	156	Writing	Describing a process, 4: reason and method

Page

Unit 28 157 Robotics

 157
 Tuning-in

 157
 Reading 1
 Revising skills

 159
 Reading 2
 Transferring information

 162
 Language study
 Concession: even if and although

 163
 Technical reading
 Styper motors

Unit 29 165

Careers in engineering

- 165 Tuning-in
- 167
 Reading
 Inferring from samples

 168
 Speaking practice
 Role play

 168
 Listening
 Inferring from samples

Unit 30 169 Applying for a job

- 169
 Tuning-in

 169
 Reading
 Unferstanding job advertisements

 172
 Speaking practice
 Role play

 172
 Writing at CV and letter of application

 175
 Technical reading
 Computer Structure
- 177 Student A Speaking practice
- 181 Student B Speaking practice
- 185 Glossary of engineering terms

Engineering – what's it all about?

Tuning-in

List the main branches of engineering. Combine your list with others in your group. Then read this text to find out how many of the branches listed are mentioned.

Engineering is largely a practical activity. It is about putting ideas into action. Civil engineering is concerned with making bridges, roads, airports, etc. Mechanical engineering deals with the design and manufacture of tools and machines. Electrical engineering is about

5 the generation and distribution of electricity and its many applications. Electronic engineering is concerned with developing components and equipment for communications, computing, and so on.

Mechanical engineering includes marine, automobile, aeronautical, to heating and ventilating, and others. Electrical engineering includes electricity generating, electrical installation, lighting, etc. Mining and medical engineering belong partly to mechanical and partly to electrical.

Task 2

Tank 1

Complete the blanks in this diagram using information from the text.



Reading Introduction

In your study and work, it is important to finisk about what you are going to coal before your acad. This helps you to link old and next wonetedge and to make guesses about the meaning of the text. It is also important to have a clear purpose so that you choose the best way to read. In this book, you will find tasks to make you think before you read and tasks to help you to have a clear purpose when you read.

Task 3

Study these illustrations. They show some of the areas in which engineers work. Can you identify them? What kinds of engineers are concerned with these areas – electrical, mechanical, or both?



Task 4

Now read the following texts to check your answers to Task 3. Match each text to one of the illustrations above.

Transport: Cars, trains, ships, and planes are all products of mechanical engineering. Mechanical engineers are also involved in support services such as roads, rail track, harbours, and bridges.

Food processing: Mechanical engineers design, develop, and make the machines and the processing equipment for harvesting, preparing and preserving the foods and drinks that fill the supermarkets.

Medical engineering: Body scanners, X-ray machines, life-support systems, and other high-tech equipment result from mechanical and electrical engineers combining with medical experts to convert ideas to into life-saving and preserving products.

Building services: Electrical engineers provide all the services we need in our homes and places of work, including lighting, heating, ventilation, air-conditioning, refrigeration, and lifts.

Energy and power: Electrical engineers are concerned with the

15 production and distribution of electricity to homes, offices, industry, hospitals, colleges and schools, and the installation and maintenance of the equipment involved in these processes.

Source: Adapted from Turning /dees into action, Institution of Mechanical Engineers, and Engineering a Career, Institution of Electronics and Electrical Incorporated Engineers.

Language study deals with/is concerned with

What is the link between column A and column B?

Α	в
mechanical	machines
electrical	electricity

Column A lists a branch of engineering or a type of engineer. Column B lists things they are concerned with. We can show the link between them in a number of wavs:

- 1 Mechanical engineering deals with machines.
- 2 Mechanical engineers deal with machines.
- 3 Mechanical engineering is concerned with machines.
- 4 Mechanical engineers are concerned with machines.
- 5 Machines are the concern of mechanical engineers.

Match each item in column A with an appropriate item from column B and link the two in a sentence.

A

- 1 marine
- 2 aeronautical
- 3 heating and ventilating
- 4 electricity generating
- 5 automobile
- 6 civil
- 7 electronic
- 8 electrical installation
- 9 medical

B

- a air-conditioning
- b roads and bridges
- c body scanners
- d cables and switchgear
- e communications and equipment
- f ships
- g planes
- h cars and trucks
- i power stations

Word study Word stress

Words are divided into syllables. For example:

engine	en.gine
engineer	en.gin.eer
engineering	en.gin.eer.in

Each syllable is pronounced separately, but normally only one syllable is stressed. That means it is said more slowly and clearly than the other syllables. We say 'mpine but copin' nor. A good dictionary will show the stressed syllables.

Task 6

Listen to these words. Try to mark the stressed syllables.

- machinery
- 2 mechanical
- 3 machine
- 4 install
- 5 installation
- 6 electricity
- 7 electrical
- 8 electronics
- 9 aeronautical
- 10 ventilation

Writing

Task 7

Fill in the gaps in the following description of the different branches of engineering using information from this diagram and language you have studied in this unit.



The main branches of engineering are civil. , and electronic Mechanical engineering is machinery and limits. This branch of engineering includes , and heating and venilating. The list three are concerned with transport: , cars and planes. The list with airconductioning, reflycation, etc.

Two branches of engineering include both ¹² and ¹³, engineers. These are mining and ¹³, engineering. The former deals with mines and mining equipment, the latter with hospital ¹³ of all kinds.

Listening

Listen to these short extracts. To which branch of engineering do these engineers belong?

Listen again. This time note the words which helped you decide on your answers.

Task 8

Task 9

Choosing a course



Tuning-in

Task 1

2

Study this list of points to consider when deciding whether to study engineering. Tick [,/] the statements which refer to you. Then ask your partner which statements refer to him or her.

- 1 You enjoy practical projects creating and investigating things.
- 2 You like finding out how things work.
- 3 You are interested in improving the environment.
- 4 You like helping people.
- 5 You enjoy solving problems.
- 6 You enjoy organizing activities.
- 7 You enjoy science programmes on TV or on the radio.
- 8 You sometimes read articles on scientific or engineering topics.
- 9 You have a lot of determination and stamina.

If you have ticked most of these statements, engineering is the right course of study for you.

Source: Adapted from Cyberpunks and Technophobes, BBC Education

Task 2

Task 3

Task 4

Fill in the gaps in this text. Each gap represents one word. Compare your answers with your partner. More than one answer is possible for many of the gaps.

In the United Kingdom you can ¹ engineering at a college of further education or a university. Most college courses ² from one to two years. University undergraduate courses ¹ engineering last from three to four years.

A college will take " after four years of secondary school education. Most students study full-time, " duy-release courses are available for people who " in local engineering companies. Students will be given a certificate" a diploma at the " of their course.

Most university students will have completed six ² of secondary school. Others will have taken a diploma course at college. ²⁰ give degrees. A Bachelor's degree ¹¹ three to four years. A Master's ¹² recuires a further year.

Listen to the text and note the words used on the tape for each gap.

Reading Having a purpose

As a student of engineering or as a professional engineer, you have to read a great deal. Make a list of some of the kinds of texts you may read. It is important that you develop the most effective skills for getting the information you want quickly and accurately when you read.

There are examples on the following pages of some of the kinds of texts you may read in your studies or working life. Match them to this list:

- 1 table
- 2 index
- 3 contents
- 4 book title
- 5 manual
- 6 price list of components
- 7 college brochure
- 8 iob advertisement

17

Mechanisms	123
Motion and force	124
Forces	125
Levers	126
Linkages	128
Inclined plane	130
Lifting systems	132
Rotary systems	134
Gear systems	134
Shafts and couplings	140
Bearings and lubrication	142
Clutchos and brakes	144
Camis	146
Crank-sliders	147

Electrical Applications 3

David W. Tyler CEng, MIEE

Code	Type	Price ear
RK65V	PCB Latch PI2w	200
8X96E	PCB Latch PI 3w	25p
WIIM	PCB Latch PI 4w	23p
F1338	PCB Latch PI 5w	350
YW12N	PC8 Latch PI 6w	42p
YW13P	PCB Latch PI 8w	48p
RK66W	PCB Latch PI 10w	54p
YW140	PC8 Latch PI 12w	58p
BH6TR	PCB Latch PI 17w	60p

C

efficiency, 127, 163 effort 126 elasticity, 189 electric motor, see n electrical energy 60 electrical system producing motion, advantages and disadvantages, 178 electricity, safety with, 87 electrocardiography, 30 electromagnetic radiation, 56 electromechanical counters, 71 electronic(s), 61-122 constructional techniques, 83-8 designing with, 64-5, 69, 116-21 digital, 89-122 materials/fittio used in. 50, 62-3 systems, 65

SALES ENGINEER

Sinclair is one of the UK's largest private engineering groups, with an international reputation. The sealing systems operation requires a Technical Seles Engineer to sell the world-renowned Chesterfield range of products throughout the fislands.

You should have previous sales and mechanical engineering experience with a bias to maintenance products and mechanical engineering.

The successful candidate will ideally be between 30 and 45 years of age living in the Midlands with a mechanical engineering background.

The company offer a good basic salary, commission and company car. Apply in writing, with full CV to: J. FORD

SINCLAIR SEALING SYSTEMS LTD. 16 CANYON ROAD, NETHERTON INDUSTRIAL ESTATE.

BIRMINGHAM B2 OER Closing date 17 December 19-

SINCLAIR

Step	Action
2	Open the top cover
2	Set the MTR switch to MTR mode, that is, move it to the left.
2	Close the top cover
2	Switch the system off
5	Wait 5 seconds

Bearing	Shaft limits mm		
mm	Heavy loading	Light loading	
-12	-	+0.003 -0.005	
12.1-30	-	+0.005 -0.003	
30.1-50	-	+0.007 -0.003	
50.1-75	+0.018 -0.003	+0.013 -0.000	
75.1-100	+0.023 -0.005	+0.016 -0.003	
100.1-120	+0.028 -0.010	+0.020	

NATIONAL CERTIFICATE MODULES IN REFRIGERATION (EVENING)

This course provides students with a refrigeration, including system elements. procedures and the need for safe working.

When you read, it is important to have a clear purpose. Here are some of the purposes you may have for reading the above texts. Match one purpose to

- finding a job
- pricing a component
- finding out how to do something 4
- looking for specific information on a topic
- choosing a course
- 8 looking for a specification

Task 6

Choosing a course requires careful reading of college and university brochures. Your purpose here is to find the most appropriate course for each of the following prospective students. Use the Course Guide which follows and answer using the course code.

- 1 A student who has just left school and wants to become a technician.
- 2 A student who wants to design ships.
- 3 A student who wants to get an engineering degree and also improve his knowledge of languages.
- 4 A student who wants a degree eventually but whose qualifications at present are enough to start an HND course.
 - 5 A student who wants to work as an engineer with the air force.
- 6 A technician employed by a company which installs electrical wiring in factories.
- 7 A student with a National Certificate in Electrical Engineering who is prepared to spend another two years studying to improve her qualifications.
- 8 A student interested in how micro-organisms can be used in industry.

EE22	Higher National Diploma in Electronic and Electrical Engineering. Two years, full-time. For potential electronic and electrical engineers: The first year is common and the second year allows students to specialize in either electronic orelectrical engineering subjects. Successful students may continue to a degree course.
EE17	National Certificate in Electrical Engineering. One year, full-time. For potential technicians or for those who wish to gain entry to an HND course.
EE3	Higher National Certificate Course in Electrical Engineering. Two years, day-release. This course provides the technical education required for senior technicians employed in the electrical installation industry.
H300	Bachelor of Engineering (B Eng) – Mechanical Engineering for Europe. Four years, full-time, including one year study and work attachment in France or Germany.
H400	Bachelor of Engineering (B Eng) – Aeronautical Engineering: Three years, full-time, or four years including one year of professional training in the aircraft industry.
HJ36	Bachelor of Engineering (B Eng) – Naval Architecture and Ocean Engineering. Three years, full-time.
H340	Bachelor of Science (Engineering) – Mechanical

H250

Bachelor of Engineering (B Eng) – Manufacturing Management. A two-year HND course in engineering followed by two years of technology and management designed to produce managers qualified in high technology.

Further information may be obtained by contacting one of these information centres and requesting the appropriate course leaflet by code number.

All E courses:

All H courses:

Information Centre Fraser College Parlett Street Glasgow GL2 2KL Information Centre Maxwell University Hunter Square Glasgow GL1 5PN

Writing Letter writing, 1: requesting information

Write a letter to either the college or the university mentioned in Task 6 asking for information on a course which interests you. Set out your letter like this:

> 11 Route de St Pargeau 18900 Russe FRAMER

> > 30 August 199-

Information Centre Framer College Parlett Street GLASGON GL2 2KL UK

Dear Sir/Madan

Please send me further information on course EE17 -National Certificate in Electrical Engineering.

Yours faithfully

Donial Romaro

Daniel Romero





Ribbed plastic pipes stacked near a road construction site where they will be Isid for drainage along the sides of a new section of motorway.

Tuning-in

Task 1

List the materials you know which are used in engineering. Combine your list with the others in your group and classify the materials as metals, thermoplastics, etc.

Reading Scanning tables

In engineering it is important to practise reading tables, charts, diagrams, and graphs because so much information is presented in these ways. We will start in this unit with a table.

Scanning is the best strategy for finding information in a table. With scanning, you know before you read what sort of information you are searching for. To san a table, you more your eyes up and down the columns unit your find the word or words you want. To scan quickly, you must learn to ignore any information which will no thelp you with your task. Scan the table which follows to find a material which is:

1 soft

Timk 2

- 2 ductile
- 3 malleable
- 4 tough
- 5 scratch-resistant
- 6 conductive and malleable
- 7 durable and hard
- 8 stiff and brittle
- 9 ductile and corrosion-resistant
- 10 heat-resistant and chemical-resistant

Waterials	Properties	Uses
Wetals		
Kuminium	Light, soft, ductile, highly conductive, corrosion-resistant.	Aircraft, engine components, foll, cooking utensils
Caper	Very malleable, tough and ductile, highly conductive, corrosion-resistant.	Electric wiring, PCBs, tubing
itmus (65% copper, 35% mmc)	Very corrosion-resistant. Casts well, easily machined. Can be work hardened. Good conductor.	Valves, taps, castings, ship fittings, electrical contacts
alid steel (iron with	High strength, ductile, tough, fairly malleable. Cannot be hardened and tempered. Low cost. Poor corrosion resistance.	General purpose
high carbon steel (iron with 0.7% to 1.4% carbon)	Hardest of the carbon steels but less ductile and malleable. Can be hardened and tempered.	Cutting tools such as drills, files, saws
Thermoplastics		
ABS	High impact strength and toughness, scratch-resistant, light and durable.	Safety helmets, car components telephones, kitchenware
tarylic	Stiff, hard, very durable, clear, can be polished easily. Can be formed easily.	Aircraft canopies, baths, double glazing
Nylon	Hard, tough, wear-resistant, self- lubricating.	Bearings, gears, casings for power tools
Thermosetting plastics		
ipoxy resin	High strength when reinforced, good chemical and wear resistance.	Adhesives, encapsulation of electronic components
Polyester resin	Stiff, hard, brittle, Good chemical and heat resistance.	Moulding, boat and car bodies
irea formaldehyde	Stiff, hard, strong, beittle, heat- resistant, and a good electrical insulator.	Electrical fittings, adhesives

Task 3

Scan the table to find-

- A metal used to make aircraft
- 2 Plastics used for adhesives
- Steel which can be hardened
- 4 An alloy suitable for castings
- 5 A plastic with very low friction
- A material suitable for safety helmets
- A metal suitable for a salt-water environment
- 8 A metal for general construction use but which should be protected from corrosion
- 9 A plastic for car bodies
- 10 The metal used for the conductors in printed circuit boards

Language study Making definitions

Study these facts from the table about aluminium:

- 1 Aluminium is a light metal.
- Aluminium is used to make aircraft.

We can link these facts to make a definition of aluminium:

1+2 Aluminium is a light metal which is used to make aircraft,

Task 4

Use the table on the previous page to make definitions of each of the materials in column A. Choose the correct information in columns B and C to describe the materials in column A.

Δ	В	с
An alloy Athermoplastic Athermoplastic Mild steel A conductor An insulator High carbon steel Brass A thermosetting plastic	a metal a material an alloy	allows heat or current to flow easily remains rigid at high temperatures does not allow heat or current to flow easily contains iron and 0.7% to 1.4% carbon hecomes plastic when heated contains iron and 0.15% to 0.3% carbon formed by mixing other metals or elements consists of orgoner and zinc

Writing Adding information to a text

Study this text about aluminium.

Aluminium is used to make aircraft, engine components, and many items for the kitchen.

We can add extra information to the text like this:

Aluminium, which is light, soft, and ductile, is used to make alteraft, engine components – for example, cylinder heads – and many items for the kitchen, such as pots.

Note that the extra information is marked with commas or dashes:

which

- for example. ... -

, such as

Tassik 5

Add this extra information to the following text about plastics.

- 1 Plastics can be moulded into plates, car components, and medical aids.
- 2 Thermoplastics soften when heated again and again.
- 3 Thermosetting plastics set hard and do not alter if heated again.
- 4 ABS is used for safety helmets.
- 5 Nylon is self-lubricating.
- 6 Nylon is used for motorized drives in cameras.
- 7 Acrylic is a clear thermoplastic.
- 8 Acrylic is used for aircraft canopies and double glazing.
- 9 Polyester resin is used for boat and car bodies.
- 10 Polyester resin is hard and has good chemical and heat resistance.

Plastics are synthetic materials. They can be softened and moulded into useful articles. They have many applications in engineering. There are two types of plastics: thermoolastics and thermosetting plastics.

ABS is a thermoplastic which is tough and durable. Because it has high impact strength, it has applications where sudden loads may occur.

Nylon is a hard, tough thermoplastic. It is used where silent, low-friction operation is required.

Acrylic can be formed in several ways, It is hard, durable, and has many uses.

Polyester resin is a thermosetting plastic used for castings. It has a number of useful properties.



Tuning-in

Task 1

Identify these simple mechanisms. Try to explain the principles on which they operate.









Reading Scanning a text

Scanning is the best strategy for searching for specific information in a text. Move your eyes up and down the text until you find the word or words you want. Again, try to ignore any information which will not help you with your task.

Task 2

Scan the text opposite quickly to find out which of these mechanisms are mentioned.

- 1 cam
- 2 tap
- 3 pendulum
- 4 foot pump
- 5 escalator

26

Mechanisms

Mechanisms are an important part of everyday life. They allow us to do simple things like switch on lights, turn taps, and open doors. They also make it possible to use escalators and lifts, travel in cars, and fly from continent to continent.

- 5 Mechanisms play a vital role in industry. While many industrial processes have electronic control systems, it is still mechanisms that deliver the power to do the work. They provide the forces to press steel sheets into car body panels, to lift large components from place to place. to force plastic through dies to make pipes.
- 10 All mechanisms involve some kind of motion. The four basic kinds of motion are:

Rotary: Wheels, gears, and rollers involve rotary movement.

Oscillating: The pendulum of a clock oscillates – it swings backwards and forwards.

15 Linear: The linear movement of a paper trimmer is used to cut the edge of the paper.

Reciprocating: The piston in a combustion engine reciprocates.

Many mechanisms involve changing one kind of motion into another type. For example, the reciprocating motion of a piston is changed

20 into a rotary motion by the crankshaft, while a cam converts the rotary motion of the engine into the reciprocating motion required to operate the valves.

Task 3

Now read the text to find the answers to these questions.

- What does a cam do?
- 2 What does oscillating mean?
- 3 How are plastic pipes formed?
- 4 What simple mechanisms in the home are mentioned directly or indirectly?
- 5 What is the function of a crankshaft?
- 6 Give an example of a device which can produce a linear movement.
- 7 How are car body panels formed?
- 8 What do mechanisms provide in industry?

Writing Ways of linking ideas, 1

When we write, we may have to describe, explain, argue, persuade, complain, etc. In all these forms of writing, we use ideas. To make our writing effective, we have to make sure our readers can follow our ideas. One way of helping our readers is to make the links between the ideas in our writing.

What are the links between these pairs of ideas? What words can we use to mark the links?

- 1 Mechanisms are important to us.
- 2 They allow us to travel.
- 3 Mechanisms deliver the power to do work.
- 4 They play a vital role in industry.
- 5 Friction is sometimes a help.
- 6 It is often a hindrance.

Sentence 2 is a reason for sentence 1. We can link 1 and 2 like this:

Mechanisms are important to us because/since/as they allow us to travel.

Sentence 4 is the result of sentence 3. We can link 3 and 4 like this:

Mechanisms deliver the power to do work so they play a vital role in industry. Mechanisms deliver the power to do work; therefore they play a vital role in industry.

Sentence 6 contrasts with sentence 5. We can link 5 and 6 like this:

Friction is sometimes a help but it is often a hindrance.

Task 4

Show the links between these sets of ideas using appropriate linking words.

- Copper is highly conductive. It is used for electric wiring.
- 2 Weight is measured in newtons. Mass is measured in kilograms.
- 3 Nylon is used for bearings. It is self-lubricating
- 4 ABS has high impact strength. It is used for safety helmets.
- 5 The foot pump is a class 2 lever. The load is between the effort and the fulcrum.
- 6 Friction is essential in brakes. Friction is a nuisance in an engine.



7 The upper surface of a beam is in compression. The lower surface is in tension.



8 Concrete beams have steel rods near the lower surface. Concrete is weak in tension.

Language study Dealing with technical terms

One of the difficult things about the English of engineering is that there are many technical terms to learn. Newer terms may be the same, or almost the same, in your own language. But many terms will be quite different and you may not always remember them.

When this happens, you will have to use whatever English you know to make your meaning clear.

The same thing may happen in reverse when you know a technical term but the person you are communicating with does not recognize it. This may happen in the Speaking practice tasks in this book. Again, when this happens, you will have to make your meaning clear using other words.

The technical words in column A are similar in meaning to the more general English in column B. Match them,

- A oscillates rotates
- 3 paringanter
- 4 has a linear motion
- 5 converts
- 6 motion
- 7 escalator
- 8 sheets

- в
- changes
- b large, thin, flat pieces
- moving stairs
- d goes round and round
 - movement
 - goes in a line
- g swings backwards and forwards
- h goes up and down

Task 6

Tank 5

Try to explain how this simple mechanism operates using whatever English you know. Write your explanation down. Compare your explanation with the technical explanation given on page 4 of the Answer Book, Learn any technical terms which are unfamiliar to you.



Treadle linkage

Speaking practice

Work in pairs, A and B. Each of you has a diagram of a cam. Describe your diagram to your partner. Your partner should try to reproduce your diagram from the system description you provide.

Student A: Your diagram is on page 177. Student B: Your diagram is on page 181.

Thes text on the next page will help you with the vocabulary you need.

Task 7

Cams are shaped pieces of metal or plastic fixed to, or part of, a rotating shaft. A 'follower' is held against the cam, either by its own weight or by a spring. As the cam rotates, the follower moves. The way in which it moves and the distance it moves depends on the

5 shape of the carn. Rotary carns are the most common type. They are used to change rotary motion into either reciprocating or oscillating motion.

If you do not understand what your partner says, these questions and phrases may be helpful.

- 1 Could you say that again/repeat that, please?
- 2 What do you mean by X?
- 3 Where exactly is the X2
- 4 What shape is the X7
- 5 How does the X move?

If your partner does not understand you, try to rephrase what you say,

Forces in engineering

Tuning-in

Working in your group, try to explain these problems.

- Why doesn't the ship sink?
- What makes the spring stretch and what keeps the weight up?
- Why doesn't the box slide down the slope?



Reading 1 Predicting

As you learnt in Unit 1, 14 is important to think about what you are going to read before you read. Do not start to read a text immediately. One way to help your reading is to think about the words which might appear in the text. The title might help to focus your thoughts. Which words might appear in a text with the title *Forexis in ongineering*?

Task 2

Sector T

The text you are going to read is called *Forces in engineering*. Here are some of the words it contains. Can you explain the link between each word and the title of the text?

weight	buoyancy	equilibrium
elasticity	magnitude	resultant
newton	gravity	

Task 3

Now read the text. Use the information in the text to check the explanations you made in Task 1.

Forces in engineering

To solve the ship problem, we must look at the forces on the ship (Fig. 1). The weight, W, acts downwards. That is the gravity force. The buovancy force. B, acts upwards. Since the ship is in equilibrium, the resultant force is zero, so the magnitudes of B and W must be the same.



Another very important force in engineering is the one caused by elasticity. A good example of this is a spring. Springs exert more force the more they are stretched. This property provides a way of measuring force. A spring balance can be calibrated in newtons the

10 unit of force. The block in Fig. 2 has a weight of 10 newtons. The weight on the balance pulls the spring down. To give equilibrium, the spring pulls up to oppose that weight. This upward force, F1, equals the weight of the block W



It is important to get the distinction between mass and weight

15 absolutely clear. Mass is the quantity of matter in an object. Weight is the force on that object due to gravity. Mass is measured in kilograms, whereas weight, being a force, is measured in newtons.

We have looked at buoyancy, elasticity, and gravity. There is a fourth force important in engineering, and that is friction. Friction is a help in

20 some circumstances but a hindrance in others. Let us examine the forces on the box (Fig. 3). Firstly, there is its weight, W, the gravity force, then there is the reaction, R, normal to the plane, R and W have a resultant force trying to pull the box down the slope. It is the friction force. F. acting up the slope, that stops it sliding down.



Reading 2 Grammar links in texts

One of the ways in which sentences in a text are held together is by grammar links. In this extract, note how each expression in italics links with an earlier expression.

Another very important force in engineering is the one caused by elasticity. A good example of this is a spring. Springs exert more force the more they are stretched. This property provides a way of measuring force.

Sometimes these links cause problems for readers because they cannot make the right connection between words in different parts of a text.

Study these common grammar links:

- A repeated noun becomes a pronoun. Springs becomes they.
- A word replaces an earlier expression. Force in engineering becomes one.
- 3 A word replaces a whole sentence or clause. Sovings exert more force the more they are stretched becomes This property.

With which earlier expressions do the words in italics link? Join them as in the example above.

Friction in machines is destructuve and wasteful. It causes the moving parts to wear and it produces heat where it is not wanted. Engineers reduce friction by using very highly polished materials and by lubricating their surfaces with oil and grease. They also use ball

5 bearings and roller bearings because rolling objects cause less friction than sliding ones.

Source: S. Larkin and L. Bernbaum (eds.), The Penguin Book of the Physical World

Task 4

Language study The present passive

Study these instructions for a simple experiment on friction.



- Place a block of wood on a flat surface.
- Attach a spring balance to one end of the block.
- Apply a gradually increasing force to the balance.
- 4 Note the force at which the block just begins to move.
- 5 Pull the block along so that it moves at a steady speed.
- Note the force required to maintain movement.
- 7 Compare the two forces

When we describe this experiment, we write:

A block of wood is placed on a flat surface. A spring balance is attached to one end of the block.

This description uses the present passive. We form the present passive using is/are + past participle

Task 5

Complete this description of the experiment using the present passive.

A block of wood 1 on a flat surface. A spring balance 2

to one end of the block. A gradually increasing force 3

balance. The force at which the block just begins to move 4

along at a steady speed. The force required to maintai

movement* . The two forces 7 . It is found that the first

force is greater than the second.

What does this experiment show?

Listening Listening to lectures

The listening passage you are going to hear is an extract from a typical engineering lecture. Here are some of the features of lectures.

1 Incomplete sentences: Spoken language is not divided neatly into sentences and paragraphs. For example: Now what I thought I might do today ... What we are going to talk of ...

- 2 Repetition and rephrasing: Locturers often say the same thing more than once and in more than one way. For example: It will turn, recolu-
- 3 Signpost expressions: Lecturers often use expressions to help the students know what they are going to do next, what is important, etc. For example: What we are going to talk of is the extension of a force.

Task 6	In the same way as when reading, it is helpful to think about the topic of a lecture before you listen. The topic here is <i>The Moment of a Force</i> . Can you explain the links between these words from the lecture and the topic? Use a dictionary to help you if necessary.			
	turning pivot fukrum	distance perpendicular hinge	product leverage	
Task 7		o the lecture to check y		
Task 8	During the la words in Tae	ecture, the lecturer dru sk 6 can be used to tall	w this diagram on the board. Which of the s about the diagram?	
		Biomen - Bi - Bi - Construction - Construc		
Task 9	lecturer is it We're going If you can U But what yy Something Firm thinkin Why do we Is that und Well that is	ndicating each time? S g to talk about the mon hink of a spanner ou have to remember i simple to illustrate. g of a practical job. put a handle there on erstood? All right? s then a little explanati	s	
	 b Showing th c Checking th d Introducin e Giving examples 	ng an important point hat the lecture is over hat the students can fo ig the topic of the lectu imples to illustrate the	points	
Task 10	informatic What adva What is th Why is it s engine?	on given by the lecture antage does a longer sp	sanner offer in loosening a tight nut? ng the moment of a force? pply a force at right angles in a motor car n edge?	



The electric motor

Tuning-in

Task 1

Working in your group, list as many items as you can in the home which use electric motors. Which room has the most items?

Reading Skimming

In Unit 3 yea studied scanning – locating specific information quickly. Another useful strategy is reading a text quickly to get a general idea of the kind of information it contains. You can then decide which parts of the text are worth reading in more detail later, depending on your reading purpose. This strategy is called skinning.

Task 2

Skim this text and identify the paragraphs which contain information on each of these topics. The first one has been done for you.

- a What electric motors are used for paramanh I
- b The commutator
- e Why the armature turns
- d Electromagnets
- e Effect of putting magnets together
- f The armature

In an electric motor an electric current and magnetic field produce a turning movement. This can drive all sorts of machines, from wrist-watches to trains. The motor shown in Fig. 1 is for washing machine. It is a universal motor, which can run on direct current or s alternating current.

An electric current hanning through a wire produces a magnetic field around the wire. If an electric current flows around a loop of wire with a bar of iron riggh it, the iron becomes magnetized, it is called an electromagnetic use and becomes a north pole and the 19 other a south pole, depending on which way the current is flowing around the bloso.



Fig. 1

If you put two magnets close together, like poles – for example, two north poles – repel each other, and unlike poles attract each other.

15 In a simple electric motor, like the one shown in Fig. 2, a plece of iron with loops of wire round it, called an armature, is placed between the north and south poles of a stationary magnet, known as the field magnet. When electricity flows around the armature wire, the iron becomes an electromagnet.



- 20 The attraction and repulsion between the poles of this armature magnet and the poles of the field magnet make the armature turn. As a result, its north pole is close to the south pole of the field magnet. Then the current is reversed so the north pole of the armature magnet becomes the south pole. Once again, the
- 25 attraction and repulsion between it and the field magnet make it turn. The armature continues turning as long as the direction of the current, and therefore its magnetic poles, keeps being reversed.

To reverse the direction of the current, the ends of the armature wire are connected to different halves of a split ring called a

commutator. Current flows to and from the commutator through small carbon blocks called brushes. As the armature turns, first one half of the commutator comes into contact with the brush delivering the current, and then the other, so the direction of the current keeps being reversed.

Source: Adapted from 'Inside out: Electric Motor', Education Guardian



Match each of these diagrams with the correct description, A, B, C, or D. One of the descriptions does not match any of the diagrams. (The diagrams are in the correct sequence, but the descriptions are not.)



A

The armature turns a quarter of a turn. Then electric contact is broken because of the gap in the commutator, but the armature keeps turning because there is nothing to stop it.

в

When current flows, the armature becomes an electromagnet. Its north pole is attracted by the south pole and repelled by the north pole of the field magnet.

С

When a universal motor is run on direct current, the magnetic poles in the armature change while those of the field magnet remain constant.

D

When the commutator comes back into contact with the brushes, current flows through the armature in the opposite direction. Its poles are reversed and the turn continues.
Language study Describing function

Try to answer this question:

What does an electric motor do?

When we answer a question like this, we describe the function of something. We can describe the function of an electric motor in this way:

An electric motor converts electrical energy to mechanical energy.

We can emphasize the function like this:

The function of an electric motor is to convert electrical energy to mechanical energy.

Match each of these motor components to its function, and then describe its function in a sentence.

Component armature bearings brushes commutator drive shaft

4

6 field windings

Function

- a transfers rotation from the motor
- b create an electromagnetic field
- c converts electromagnetic energy to rotation
- d reverses the current to the armature
 - support the drive shaft
 - supply current to the armature

Writing Describing components

Task 5

Task 4

Dismantle this simple dc motor into its components by completing the labelling of the chart below.





39

Now study this description of the motor.

A simple dc motor consists of a field magnet and an armature. The armature is placed between the poles of the magnet. The armature is made up of a loop of wire and a split ring known as a commutator. The loop is connected to the commutator. Current is supplied to the motor through carbon blocks called brushes.

To write a description, you need to use language to:

- dismantle a piece of equipment into its main parts. These expressions will help;
 - A A is made up of X and Y is composed of Y
- 2 name components:

Carbon blocks oilled brushes.

3 locate components:

The armature is placed between the poles.

4 connect components:

The loop is connected to the commutator.

Task 6

Complete the text with the help of the diagram on the next page. Use the following words:

are made up is placed is composed consists

A transformer of two coils, a primary and a secondary. The coils are wound on a former which is mounted on a core. The coils of a number of loops of wire, The core of thin pieces of soft ron. Uand T-shaned incess are used. The former on the less of the T.

Now label the diagram opposite using the completed text.



Word study

Study these expressions for describing how components are connected to each other.

- A is bolted to B. = A is connected to B with bolts.
- A is welded to B. = A is connected to B by welding.
- A is fixed to B. = no specific method given.

Task 7

Explain each of these methods of connection.

- 1 screwed
- 2 soldered
- 3 attacha
- 4 wired
- 5 bonded
- 6 glued
- 7 riveted
- 8 welded
- 9 brazed
- 10 nailed



An engineering student



Tuning-in

Task 1

List some of the subjects studied by engineering students. Share your list with others in your group.

Task 2

Find out what these terms mean in education. Use a dictionary if necessary.

- 1 pass
- 2 resit
- assessment.
- 4 fail
- 5 drop out
- 6 period
- 7 full-time
- 8 module

Listening

When listening, it is important to have a clear purpose so that you can concentrate on the parts of the message which best meet your needs. It also helps to think about what you will hear before you listen. The next two tasks will help you to prepare for listening and to have a clear purpose. Task 3

You are going to hear an interview with David, a student of electrical engineering at a Scottish college of further education. He is a mature student with previous service in the Navy.

Here is David's weekly timetable. Some of the information is missing. Before you listen, try to answer these questions about the timetable.

- 1 What time does David start each day?
- 2 When does he finish?
- 3 How long is a class?
- 4 How many classes does he have each week?
- 5 What do the numbers mean after each class, e.g. 150?
- 6 How often does he have breaks?

8.45-10.15	MONDAY Design	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
	and make 150	053	063	138	051
		a.m.b	r e a k		
10.30-12.00	Design and make		Tutorial		
	150	140	063	406	051
		LUNCH	BREA	К	
13.00-14.30		Maths	Communications		Maths
	510	510	606	510	510
		p. m.	break		
14.45-16.15	Technology 053	Principles 138	Technology 038	Principles 051	Self-study

Task 4

Listen to Parts 1 and 2 of the interview in turn. Answer these questions. Compare_your answers with a partner.

Part 1

- 1 What is the name of David's course?
- 2 How long is the course?
- 3 How old is David?
- 4 How long was he in the Navy?
- 5 How many types of submarines are there?

Part 2

6 How many weeks of teaching does he have left?

7 How is the course assessed?

8 What happens if you fail the tests once?

9 How many are in his class?

10 What kind of problems has he had?

Task 5	690	Listen to Part 3 of the interview. Try to complete the information missing from the timetable. Compare your answers with a partner.
Task 6	11 12 13 14	What kind of sports can you practise there? What is he going to do after the Certificate?
Task 7	1 2 3 4 5 6	Why did students drop out of the class? Why did he dislike school? Why do most students find PSD a bit of a muisance? Why does he want to know when it's raining?

Writing Comparing and contrasting

Task 8

Write your own timetable in English.

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
Now comp	lete this table. N	ote any similaritie	s and difference	s between

Now complete this table. Note any similarities and differences between David's week and your own.

David's subjects	Hours per week	Your subjects	Hours per week

Write a short comparison and contrast of your timetable and David's. These expressions may be useful:

more time/hours/classes/maths than less time/maths/physics than fewer hours/classes than not as much time/maths/physics as not as many hours/classes as start/finish carlier/later than

Note that less and much are used for things which cannot be counted.



Central heating

Tuning-in

Task 1

How can you heat a house in cold weather? List the possible ways.

Reading Predicting

In Unit 5 we learnt how using the title can help us to predict the contents of a text. Diagrams are also very useful in helping the reader to make the right guesses about what a text will contain. Before you read a text, read the title and look at any diagrams it contains.

Task 2

Using the diagram, try to explain the function of these components:

- 1 the pilot light
- 2 the heat exchanger fins
- 3 the flue
- 4 the thermostat
- 5 the pump



Scan this text quickly to check the explanations you made in Task 2. You may not find all the information you want.

Gas central heating

Most gas central heating works on the 'wet' system of heat transfer between water flowing through pipes. A typical system includes a boiler, a network of pipes, a feed, an expansion tank, radiators, and a hot water storage system.

- 5 In conventional boilers, water is heated by gas burners. It is then pumped around the central heating system and the hot water storage cylinder. The flow of gas to the burner is controlled by a valve (or valves) which can be operated by a time switch or by a boiler thermostat, hot water cylinder thermostat, or by a thermostat located in one of the rooms.

Air is necessary for complete combustion and is supplied to the burners either from inside the house, when adequate ventilation must be ensured, or directly from outside through a balanced flue.

Water is circulated through a heat exchanger above the burner. The 15 heat exchanger is made of tubes of cast iron or copper, which resist corrosion. Both types use fins to increase the surface area in contact with water, which improves the transfer of heat. A thermostat located in the boiler causes the gas control valve to shut off when the water temperature reaches the pre-set level.

- 20 After being pumped through a diverter or priority valve, water circulates around either one of two loops of pipework, which act as heat exchangers. One loop passes through the inside of the hot water storage cylinder in a coil arrangement. Heat is transferred to the surrounding water, which can then be drawn off from this 25 cylinder from various hot taps in the house when required. The
- loop then returns to the boiler for re-heating.

The other loop of the circuit passes to the radiators, which provide room heating. Several radiators are generally connected, where one pipe provides the hot water input and the other carries the cold as water back to the boiler. In this way, all radiators receive hot water

- directly from the boiler.
 - Source: 'Inside out: Central Heating', Education Guardian

Put these statements in the correct sequence. The first and last have been done for you.

- Water is circulated through a heat exchanger.
- The loop returns to the boiler for re-heating.
- One loop passes through the inside of the hot water storage cylinder in a coll of pipes.
- Water is heated by gas burners.
- The hot water is pumped through a diverter valve. e
- The other loop of the circuit passes to the radiators.
- Cold water from the radiators returns to the boiler.

Use the statements in Task 4 to label the stages shown in this diagram of a heating system.



Language study Time clauses

What is the relationship between these pairs of actions? How can we link each pair to show this relationship?

- 1 Cold water passes through a heat exchanger.
- The water is heated.
- 2 The water is heated.
 - It reaches a pre-set temperature.
- 3 The water is heated.
 - It is pumped to a diverter valve.
- 4 The water temperature reaches the right level. The gas control valve shuts off.

The gas control valve shuts off.

We can show how actions are linked in time by using time clauses.

We can use as to link two connected actions happening at the same time. For example:

1 As cold water passes through a heat exchanger, the water is heated.

We can use until to link an action and the limit of that action. For example:

2 The water is heated until it reaches a pre-set temperature.

Note that until normally comes between the stages.

We can use *after* to show that one action is followed by another action. For example:

3 After the water is heated, it is pumped to a diverter valve.

We can use when to show that one action happens immediately after another. For example:

4 When the water temperature reaches the right level, the gas control valve shuts off.

Note that when the time word comes first in the sentence, a comma (.) is used after the time clause.

Taek 5

- Link these sets of actions with appropriate time words.
- The system is switched on
- Cold water passes through a heat exchanger in the boiler.
- 2 The water passes through the heat exchanger. The water becomes hotter and hotter. The water reaches a pre-set level.
- The water temperature reaches the pre-set level. A thermostat causes the gas control valve to shut off.
- The water is pumped to a diverter valve.
- The water goes to the hot water cylinder or the radiators. 5
- Hot water passes through the inside of the hot water storage cylinder in a coil arrangement. Heat is transferred to the surrounding water.
- The hot water flows through the radiators.
- 7 The water passes through the radiators. The water returns to the boiler.

Word study

The words listed in the first column of this table are common in descriptions of technical plant. They describe how substances are moved from one stage of the process to the next. Some of these words can be used for any substance: others are more specific. Write an X under Solids, Liquids, or Gases if the word on the left can be used to talk about them. The first example has been done for you.

Solids	Liquids	Gases
X	X	X



Safety at work



Tuning-in

Task 1

What do these warning labels on chemicals mean? Match each label to the correct warning.

- a Highly flammable
- b Harmful
- c Explosive
- d Corrosive
- e Oxidizing
- f Toxic



List some of the potential dangers in your laboratory, workshop, or place of work. How is the risk of these hazards reduced?

Tentk 3

Study the safety instructions from a workshop below, and then answer these

- Who are the instructions for?
- Who wrote them?
- What was the writer's purpose?
 - Wear protective clothing at all times.
 - 2 Always wear eye protection when operating lathes, cutters, and grinders and ensure the guard is in place.
 - Keep your workplace tidy.
 - The areas between benches and around machines must be kept clear.
 - 5 Tools should be put away when not in use and any breakages and losses reported.
 - 6 Machines should be cleaned after use.

Reading Understanding the writer's purpose

Knowing what the writer's purpose is, who the writer is, and who the intended readers are can help us to understand a text. The safety instructions in Task 3 are clearly intended to encourage employees to be safety conscious and reduce the risk of accidents. The writer is perhaps a supervisor or the company safety officer, and the intended readers are machine operatives. Knowing these things can help us to work out the meaning of any part of the text we may not understand

Study the company document on safety on the next page, and then answer

- 1 Who is this document for?
 - a machine operatives
 - b managers
 - all employees
 - d injured employees
- 2 Who wrote this document?
 - a trade union representative b technician
 - c manager

 - d medical staff
- 3 What is the writer's intention?
 - a to prevent accidents
 - b to ensure speedy help for injured employees.
 - c to protect the company
 - d to warn about dangers.

Accident investigation

Whenever an accident occurs that results in an injury (medical case), damage of equipment and material, or both, prompt accident investigation by the immediate manager is required. A written preliminary investigation will be completed by the end of the particular shift or business day on which the accident occurred.

In no event should there be a delay of more than 24 hours. Failure to comply with this requirement may subject the immediate manager to disciplinary action up to and including discharge.

Without adequate accident investigation data the Company may be subjected to costs, claims, and legal action for which it has no defence.

As a minimum, the preliminary accident investigation report will include the following:

- 1 Name, occupation, and sex of injured worker.
- 2 Place and date / time of accident.
- 3 Description of how the accident happened.
- 4 Immediate causes of the accident unsafe acts and unsafe conditions.
- 5 Contributing causes manager safety performance, level of worker training, inadequate job procedure, poor protective maintenance, etc.
- 6 Witness(es)-name and department.
- 7 Corrective action taken when.

The employee who was injured and any employee(s) who witnessed the incident should be separately interviewed as soon as possible. A copy of the report must be submitted to the Manager – Human Resources for neview. Another copy of the report is to be retained for a period of not less than the injured employee's length of employment plus five (5) verses.

Task 5

Study this brief report of an accident. In which points does it not meet company policy on reporting accidents?

To:	Name	Department & Location	Date
	Manager	Human Resources	17 May
From:	Name	Department & Location	Tel.
	D. Taylor	Mech. Eng. Workshop	6200
Subject	Preliminar	y Report, Accident, 12 M	ay
	last week, received a the Eve Ros	ing a brass component on Remeth Oliver, machini n injury to bis eye. He w spital where I understand n. I believe the accident Sness.	st. ms taken t d he was

Language study Making safety rules

What are the differences in meaning, if any, between these statements?

- 1 Wear protective clothing.
- 2 Always wear protective clothing.
- 3 Protective clothing must be worn.

We can make safety rules in these ways:

1 Using an imperative.

Wear protective clothing.

Do not wear loose-fitting clothing.

2 Abways/never are used to emphasiae that the rule holds in all cases.

Always wear protective clothing.

Never wear loose-fitting clothing.

3 We can use a modal verb for emphasis.

Protective clothing must be worn.

Protective clothing should be worn.

Study this list of unsafe environmental conditions (hazards). Write safety rules to limit these hazards using the methods given above. For example:

- inadequate lighting
 - Lighting must be adequate, or Lighting should be adequate.
- 1 uneven floors
- 2 unguarded machinery
- 3 untidy workbenches
- 4 untidy workplaces
- 5 badly maintained machinery
- 6 carelessly stored dangerous materials
- 7 inadequate ventilation
- 8 damaged tools and equipment
- 9 machinery in poor condition
- 10 equipment used improperly
- 11 equipment operated by untrained personnel
- 12 apprentices working without supervision

Writing Ways of linking ideas, 2

In Unit-4 we learnt that to make our writing effective, we have to make sure our readers can follow our ideas. We learnt how to mark reasons, results, and contrasts in our writing.

What are the links between these ideas? What words can we use to mark the links?

- 1 The accident happened.
- 2 The operator's carelessness.
- 3 The supervisor was not present.

Sentence 2 is a reason for sentence 1. Sentence 3 is an additional reason. We can mark the links between them like this:

The accident happened because of the operator's carelessness. In addition/moreover, the supervisor was not present.

We use because of to introduce a reason which is a noun or noun phrase. We use in addition and moreover to introduce an additional reason.

What are the links between these ideas? What words can we use to mark the links?

- 4 Suitable protection should be worn.
- 5 Safety helmets should be used where there is a danger of falling objects.

Sentence 5 is an example to illustrate sentence 4. We can mark this in this way:

Suitable protection should be worn. For example/For instance. safety helmets should be used where there is a danger of failing objects.

Task 7

Show the links between these sets of ideas using appropriate linking words from this unit and from Unit 4.

- Many accidents happen. Workers' cardessness
- 2 Education can reduce accidents. It is important that all workers provive training in basic safety.
- 3 Eye injuries can be serious. Goggles must be worn for grinding and cutting.
- 4 Safety gloves provide protection for the hands. They prevent burns. They reduce the danger of cuts.
- 5 Safety shoes protect the feet against falling objects. They prevent the feet setting caught in machinery.
- 6 Respirators should be worn in dusty conditions. Dust can damage the lungs.
- 7 Safety gear exists for every danger. Each year people are injured. They refuse or forget to wear the right year.

10 Young engineer



Tuning-in

Task 1

Lucy Porter is a recent winner of the Young Engineer for Britain award. Study this diagram of her invention. Discuss these questions in your group:

- 1 What is it?
- 2 Who is it for?
- 3 How does it work?



Listening

		5			
Task 2	120		ther invention and career plans. As you		
		listen, check your answers to Ta-	sk 1.		
Task 3		Now listen again. Here are some the correct sequence. The first on	of the things Lucy talks about. Put them in		
	a	Her career plans.			
	ь	What happens next with her inse	ntian		
	c	How it works.			
	d		incering.		
		Changes in the design. What her invention is called.			
	8	What materials she used.	1		
	ĥ	Who it is intended for.			
		How she made the prototype.			
	i	How she got the idea			
	k	Her views on engineering as a care	for moment		
Task 4					
Task 4		Now make notes on what Lucy say	ys about the above topics.		
Task 5		Label the diagram in Task 1 with t			
	1	rope	and the second second		
	2	handle			
	3	pulley			
	4	A-frames			
	5	cross-piece			
	6	seat			
Task 6	_	Put these stars in the			
		sequence. The first and last have be	development of the swing in the correct		
	а	problem identified	1		
	b	prototype built in wood	1		
	c	metal version built			
	d	design modified			
	e	patent applied for			
	f	models built to test design			
	g	prototype modified			
		prototype tested			
		design drawn			
	1	manufacturer licensed to produce	10		
Task 7	1000	Now listen again and answer these	and the state of the second		
	1.1	How did the invention get its name?	more detailed questions.		
	2 1	What did she use to test designed by			
	3 1	What did she use to test designs which seemed viable? Why did she make the first swing from wood?			
	4 1	What are the advantages of a metal fi	m wood/ fame?		

Writing Describing and explaining

You are going to write a brief description and explanation of Lucy's invention. It will consist of two paragraphs.

Paragraph I

Toroth 2

Use the labelled diagram in Task 1 and the information from the tape to write a brief description of Lacy's invention. Your description should answer these questions:

- 1 What is it called?
- 2 What is it for?
- 3 What does it consist of?
- 4 How are the parts connected?
- 5 What is it made of?

Use the language of description studied in Unit 6.

Paragraph 2

The following steps explain how the swing works. Put them in the correct sequence. Then use so and when to link them into a paragraph.

The rope pulls the seat forwards.

Repetition of these actions causes a swinging motion. The child pulls down on the handle.

The seat swings back under the weight of the child.

The child releases the handle.

Speaking practice

Work in pairs, A and B.

Student A: Play the part of the interviewer. Base your questions on the topics in Task 3, and any other questions you may wish to add. For example:

a Her career plans. - What are nour career plans?

Student B: Play the part of the swing inventor.

Conduct the interview.

11 Washing machine

Tuning-in

Task 1

Many items found in the home contain control systems. The washing machine is one of the most complex. List some of the factors the control system of a washing machine must handle. This diagram may help you.



Fig.1 Cross-section through a washing machine

Reading Reading diagrams

In engineering, diagrams carry a great deal of information. They can also help you to understand the accompanying text. For this reason, it is helpful to try to understand any diagram before reading the text.

Task 2

Study the diagram again. Try to explain the function of each of these items.

- Pump
- 2 Motor

- 3 Shock absorber
- Solenoid valves
- 5 Heater
- 6 Pressure sensor
- 7 Door lock and sensor
- 8 Temperature sensor
- 9 Fan

Task 3

Read this text to check your answers to Task 1.

Control systems in the home

Most devices in the home have some sort of control. For example, you can control the volume of a TV by using a remote control. The building blocks of a control system are:



The input can be any movement or any change in the environment. 5 For example, a drop in temperature may cause a heating system to come on.

The control may change the size of the output (for example, adjusting the sound of a TV). Often this involves changing one kind of input into a different kind of output. For example, opening a window may set off a burglar alarm.

Outputs can be of many kinds. An alarm system may ring a bell, flash lights, and send a telephone message to the police.

Most control systems are closed loops. That means they incorporate a way of checking that the output is correct. In other

15 words, they have feedback. The thermostat in a central heating system (Fig. 2) provides constant feedback to the control unit.



Fig. 2

The control system of a modern washing machine has to take into account several different factors. These are door position, water level, water temperature, wash and spin times, and drum speeds.

29 Most of them are decided when you select which washing program to use.

Fig. 3 shows a block diagram of a washing machine control system. You can see that this is quite a complex closed loop system using feedback to keep a check on water level, water temperature, and 26 drum speeds.

۴



Fig.3

The control unit is the heart of the system. It receives and sends out signals which control all the activities of the machine. It is also capable of diagnosing faults which may occur, stopping the program, and informing the service engineer what is wrong. It is a small, dedicated computer which, like other computers, uses the

anguage of logic.

Source: P. Fowler and M. Horsley, 'Control systems in the home', CD7: Technology

Task 4

Read the following text to find the answers to these questions:

- 1 What device is used to lock the door?
- 2 What provides feedback to the control unit about the door position?

Text 1

Door position

The machine will not start any program unless the door is fully closed and locked. When the door is closed, it completes an electrical circuit which heats up a heat-sensitive pellet. This evanands as it nets hot, subhing a mechanical lock into place and the sense of the sen

5 closing a switch. The switch signals the control unit that the door is closed and locked. Only when it has received this signal will the control unit start the wash program.

Now work in pairs, A and B.

Student A: Read Texts 2 and 3. Student B: Read Texts 4 and 5.

Complete your section of the table opposite. Then exchange information with your partner to complete the whole table.

Control factor Operating device Feedback by 1 Doer position heat-emittive peldst switch 2 Water level 4 4 3 Water level 4 4 4 Wateh only on times 4 4 5 Dram speeds 4 4

Text 2

Water level

When a wash program first starts it has to open the valves which allow the water in. There are usually two of these valves, one for hot water and one for cold. Each must be controlled separately depending on the water temperature needed for that program. The

5 valves are solenoid operated, i.e. they are opened and closed electrically.

The rising water level is checked by the water level sensor. This is a pressure sensor. The pressure of the air in the plastic tube rises as it is compressed by the rising water. The pressure sensor keeps the

10 control unit informed as to the pressure reached and the control unit uses the information to decide when to close the water inlet valves.

Text 3

Water temperature

The temperature sensor, a type of thermometer which fits inside the washer drum, measures the water temperature and signals it to the control unit. The control unit compares it with the temperature needed for the program being used. If the water temperature is too

5 low, the control unit will switch on the heater. The temperature sensor continues to check the temperature and keep the control unit informed. Once the correct temperature is reached, the control unit switches off the heater and moves on to the next stage of the program.

Text 4

Clock

The control unit includes a memory which tells it how long each stage of a program should last. The times may be different for each program. The electronic clock built into the control unit keeps the memory of the control unit informed so that each stage of each

s program is timed correctly.

Text 5

Drum speed

During the washing and spinning cycles of the program, the drum has to spin at various speeds. Most machines use three different speeds: 53 rpm for washing; 83 rpm for distributing the load before spinning; 100 rpm for spinning.

5 The control unit signals the motor to produce these speeds. The motor starts up slowly, then gradually increases speed. The speed sensor, a tschogenerator, keeps the control unit informed as to the speed that has been reached. The control unit uses the information to control the power to the motor and so controls the speed of the

to drum at all times.

Language study If/Unless sentences

Task 5

Fill in the blanks in this table using the information in Fig. 3 and the texts in Task 4.

Sensor	Condition	Control unit action
Water	level low	open inlet valves
	level high enough	
Water temperature		switch on heater
	high enough	
Drum speed		
		decrease motor speed

The conditions which the sensors report determine the action of the control unit. We can link each condition and action like this:

If the water level is low, the inlet values are opened.

Task 6

Write similar sentences for the other five conditions given.

Now study this example:

Sensor	Condition	Control unit action
Door	Door open Door closed	Machine cannot start Machine can start

We can link these conditions and actions as follows:

- 1 If the door is open, the machine cannot start.
- 2 If the door is closed, the machine can start.
- 3 Unless the door is closed, the machine cannot start.

We use unless when an action cannot or will not happen if a prior condition is not true. In example 3, Unless means If ... not. We can rewrite 3 as:

If the door is not closed, the machine cannot start.

Complete these sentences using Unless and your knowledge of engineering.

- 1 Unless the ignition is switched on, a car cannot
- 2 Unless the pilot light is on, gas central heating will not
- 3 Unless the diverter value is switched to central heating, the radiators will not
- 4 Unless there is current flowing in the primary coil of a transformer, there will be no current in the coil.
- 5 Unless there is in the cylinders, a petrol engine will not start.
- 6 Unless the doors are . a lift will not operate.
- 7 Unless mild steel is painted, it will
- 8 Unless electrical equipment is earthed, it may be

Writing Explaining a diagram

Study this diagram of a pressure sensor. Explain how it works by linking each pair of actions with appropriate time words.





- A wash programme first starts. It opens the valves to allow the water in.
- 2 The water level in the drum rises. The air in the plastic tube is compressed.
- 3 The pressure rises. The diaphragm moves upwards.
- 4 This continues. The switch contacts are separated.
- 5 This happens. The fill valves are closed.

Task 8

Task 9

Join the following groups of statements to make longer sentences. Use the words printed in *italias* above each group. You may omit words and make whatever changes you think are necessary in the word order and punctuation of the sentences. Join the sentences to make a paragraph.

1 which

The temperature sensor measures the water temperature. The temperature sensor is a type of thermometer.

2 and

The temperature sensor fits inside the washer drum.

The temperature sensor signals the water temperature to the control unit. 3 which

. would

The control unit compares the water temperature with the temperature. The temperature is needed for the programme being used.

+ 11

The water temperature is too low. The control unit will switch on the beater.

5 and

The temperature sensor continues to check the temperature. The temperature sensor keeps the control unit informed.

6 When ... and

The correct temperature is reached.

The control unit switches off the heater.

The control unit moves on to the next stage of the programme.

Racing bicycle



Tuning-in

Label this diagram of a bicycle with these terms,

pedals	chain	chain-wheel
seat	gears	brakes
handlebars	frame	toe-clips



Fig. 1

Check your answers by listening to this description.

isk 2

Task 3

Compare Fig. 2 (below) with the bicycle shown in Fig. 1 and Task 2. What differences can you note? Write your answers in this table.

Improvement (Fig. 2)

Conventional (Fig. 1)

Spoked wheels

Gear lever on the frame

Tubular aluminium-alloy frame

Pedals with toe-clips

Steel gears

Ordinary handlebars

Lightweight frame made from aircraft gitide aluminism alfoy: composite such as carbon fibre, or die cast aluminism. The frame shown is a low profile machine, which decreases the wind resistance experienced by the rider. Anrodynamic handlebars. These also reduce the rider's wind resistance without reducing by too much the power that can be applied to the pectals. They are called 'triathion' bars because they were developed by a professional American triathiete, Dave Socio. They became popular with racing socials after Greg LeMond used them when he won the 1989 Toox de France.

Cipless pedals, which operate like ski-bindings

Disc wheels. These reduce the wind resistance usually encountered by spoked wheels. Heavier disc wheels also act like a flywheel and so conserve momentum. Gear change mechanisms and brake lowers are combined so that it takes liss time to switch between applying the brakes and changing gears. Normally the gear levers are on the feared.

Aluminium alloy or stanium genrs, precision engineered to change from one gear to the next in jumps. This increases the speed of gear changes and decreases the changes of elipping a gear.

Fla.2

Task 4

Check your answers to Task 3 in column 1 opposite. Then study Fig. 2 again to find reasons for each improvement.

Reason

Reading Prediction

Task 5

dy this extract from the text you are going to read.

Bicycles, and especially racing bicycles, have much in common with aircraft:

What similarities between racing bicycles and aircraft do you think the text will cover? Note your predictions.

Task 6

Read this text to check your answers to Task 5.

Racing bicycle

The standard design of the bicycle has been in existence for about 100 years. But in the past 10 years there have been more changes than during any other decade.

Bicycles, and especially racing bicycles, have much in common s with aircraft, both are designed to minimize wind resistance, maximize energy efficiency, respond instantly to the demands placed on them, yet weigh yery little without losing strength. So, much of the technology used in aerospace has found its way into racing bioveles.

10 The heart of the bicycle is its frame. It must be strong, light, flexible enough to absorb bumps, but not so much that it wastes the energy the rider transmits by pedalling.

Bicycle frame designers share many aims with aircraft engineers, who must design wings which are strong, light, aerodynamic, and

55 efficient at converting engine power into lift. Yet the wings must be flexible enough to abaorb turbulence without wasting the engine's thrust. Therefore, the modern bicycle frame and aircraft wing share both materials and design features. Many racing bicycle frames which consist of tubes joined together are made from aluminium

20 alloys similar to those used in aviation. The French company, Vitus,

glues the tubes together using the same techniques as those used for connecting aircraft components.

In recent years, aircraft manufacturers such as Boeing have been experimenting with composite materials like Cheval and carbon

25 fibres. It is no surprise that some racing bicycle frames are now manufactured from the same materials.

Perhaps the most innovative frame to date is constructed from diecast magnesium alloy. Its designer, Frank Kirk, formerly worked in aerospace.

30 Components which fit on bicycle frames have also benefited from aerospace engineering. Many components, such as gears, brakes, handlebars, and wheels, are both aerodynamic and othen made from aluminium alloys or titanium – another light, strong metal used in aircraft.

Language study Describing reasons

We can describe the reasons for an improvement or design change in a number of ways. Study this example:

Improvement/Design change Reason

Disc wheels

Reduce wind resistance.

How many ways do you know to link an improvement and the reason for it? Try to complete this sentence by adding the reason given.

New racing bicycles have disc wheels

Using to + verb is the easiest way to link improvement and reason. For example:

New racing bicycles have disc wheels to reduce wind resistance.

Another simple way is to use a linking word. You studied this in Unit 5. For example:

New racing bicycles have disc wheels because/since/as this reduces wind resistance.

A more difficult way is to use so that which must be followed by a clause. For example:

New racing bicycles have disc wheels so that wind resistance is reduced.

Task 7

Link each improvement and reason in Task 4 using the methods given above.

Writing Describing contrast

In engineering, it is often necessary to compare and contrast different proposals, solutions to problems, and developments. In this unit we will focus on contrast – describing differences.

We can show differences in a table like this:

Conventional	Improved bicycle
Spoked wheels	Disc wheels
Gear lever on the frame	Combined gear change and brake lever
Tubular aluminium-alloy frame	Carbon fibre frame
Pedals with toe-clips	Clipless pedals
Steel gears	Precision-engineered titanium gears
Ordinary handlebars	Aerodynamic handlebars

We can describe differences using:

1 the comparative form of the adjective or adverb. For example:

The new bicycle is lighter than the old. The new bicycle is more aerodynamic than the old. Titanium wars can be changed more casily.

2 the connecting words but/whereas, in contrast. For example:

On new bicycles the gear and brake lever are combined, whereas on old ones, the gear lever is on the frame. Odd bicnebs have saved wheels. In contrast, the new bicucle has disc wheels.

3 using expressions such as unlike/different from. For example:

Unlike the conventional bicycle, the new bicycle has a carbon fibre frame. The new bicycle is **different from** the conventional one in that the gears are made of titantum.

Note that these expressions assume that the reader is familiar with the materials used in the conventional bicycle, which are not mentioned.

Describe the differences between a conventional and an improved bicycle using the information in the table above and appropriate expressions from the list provided.

Word study Properties of materials

Study these examples of adjective and noun pairs for describing the properties of materials.

Adjective	Noun
flexible	flexibility
light	lightness
strong	strength

Task 9

Now fill in the gaps in this table with the missing adjectives and nouns.

Adjective	Noun
	wind resistance
elastic	
	plasticity
tough	
soft	
rigid	
wear-resistant	
	brittleness
hard	

Speaking practice

Task 10

Work in pairs, A and B.

Student A:	Your task is to explain to your partner how to adjust the distance between the saddle and the handlebars of a racing bicycle. Use
	the text and diagrams on pages 177/8 to help you.
Student B:	Your task is to explain to your partner how to adjust the height and till of the handlebars of a racing bicycle. Use the text and
	diagrams on pages 181/2 to help you.

Technical reading Gear systems



Bicycles use a chain and sprocket system to transmit rotary motion from the driver shaft to the driven shaft because of its strength and because it will not slip. When it comes to working out speed changes, you use the number of teeth on the sprockets. For 5 example, looking at the system in Fig. 3:



Driven sprocket has 15 teeth.

Number of teeth on driven sprocket

Gear speed ratio = +

Number of teeth on driver sprocket

= 15 or 1:4

Task 11

Calculate the gear ratios of a bicycle with the system shown in Fig. 4 below. It has a double chain-wheel and five driven sprockets on the rear wheel but only the combinations shown below are recommended. You may need a calculator,



Fig. 4

Chain-wheel	teeth	Sprocket	teeth	Ratic
a	51	1	15	1:3.4
		2	17	
ь	42	3 3	21 21	
		4	24	
		5	28	

71

13 Lasers

	Tuning-in
Task 1	What are lasers? List any applications you know for lasers.
	Reading
Task 2	Read this text to check your answers to Task 1.
	Lasers (Light Amplification by Stimulated Emission of Radiation) are devices which amplify light and produce beams of light which are very intense, directional, and pure in colour. They can be solid state, gas, semiconductor, or liquid.
	5 When lasers were invented in 1980, some people thought they could be used as 'death ray'. In the 1980, the United States experimented with lasers as a defence against nuclear missiles. Nowadays, they are used to identify targets. But agarts. But agart, they have many applications in engineering. to communications, medicine, and the arts.
	In engineering, powerful laser bears can be focused on a small area. These bears can be have the conservation material in a very precise way. They can be used for chilling diamonds, cutting complex tables in materials from plastics table, for spot velding to the state of the state of the state of the state of the state state biddening aircraft engine structures. Sam bases can able to use to measure and dign efforts.
	Lasers are ideal for communications in space. Laser light can eary many more information channels than microwaves because of its high frequency. In addition, it can travel long distances without being displayed attendit. Lasers can addite used for information disca are ready lasers.
	A medicine, law hears on the section of hear hears on the section of hear hears of the section of hears and thears and th

Tank 3

Task 4

Complete this table of laser applications using information from the text opposite. You may also add any applications you know of which are not included in the text.

naged

Language study used to for

Study these examples of laser applications:

- 1 Laser beams can be used to measure and align structures.
- 2 They can be used for drilling diamonds.
- 3 They can be used for light displays.

We can describe applications with used to + infinitive or used for + -ing or noun.

Describe the applications of lasers using the information in your table in Task 3 and the structures given above.

Word study Noun + noun compounds

We can use adjectives to describe an object in greater detail. For example:

light	electric light
a motor	an electric motor
steel	stainless steel
gears	helical gears

We can also use nouns. For example:

laser light
an air motor
carbon steel
titanium gears

Many relationships are possible in noun compounds. For example:

an air motor carbon steel titanium gears a motor which uses air steel which contains carbon gears made of titanium

Task 5

Put each of these examples in the correct column.

carbon blocks aluminium alloy carbon fibre a gas burner roller bearings a circuit board a plastic pipe magnesium alloy a power tool a ball bearing a concrete beam a diesel boat a spring balance a plastic tube steel sheets

uses	is made of	contains

Task 6

What new relationships can you find in the examples below? Rewrite each compound to show the relationship. For example:

- a foot pump a ribbon cable
- in success however.
- 1 chain wheel
- 2 disc wheel
- 3 foot brake
- 4 a hand throttle
- 5 strain gauge
- a pump which is operated by foot a cuble which is like a ribbon a lever for operating goars
 - 6 college lecturer
 - 7 toe-clip
 - 8 boiler thermostat
 - 9 safety helmet
 - 10 aircraft engineer

Writing Describing a process, 1: sequence

When we write about a process, we have to:

- 1 Sequence the stages
- 2 Locate the stages
- 3 Describe what happens at each stage
- Explain what happens at each stage

In this unit, we will study how to sequence the stages.
Consider these stages in the operation of a washing machine.

- 1 The drum is filled with water.
- 2 The water is heated to the right temperature.
- 3 Soap is added.
- 4 The drum is rotated slowly.
- 5 The dirty water is pumped out.
- 6 Clean water is added.
- 7 The drum is rotated much faster and the water pumped out.
- 8 The clean clothes are removed.

Instead of numbers, we can show the correct order using sequence words.

First the drum is tilled with water.

Then the water is heated to the right temperature.

Next soap is added.

After that, the drum is rotated slowly,

Next the dirty water is pumped out.

Then clean water is added.

After that, the drum is rotated much faster and the water pumped out.

Finally, the clean clothes are removed.

Task 7

Study this diagram. It shows an extruder for forming plastic pipes. Describe the extruder.



Task 8

Now put these stages in the process in the correct sequence.

- a The hot plastic is forced through the die to form a continuous length of pipe.
- b The rotating screw forces the plastic past heaters.
- c The plastic granules are mixed and placed in the hopper.
- d The pipe is cooled and cut to suitable lengths.
- e The plastic melts.

Task 9

Describe the correct order using sequence words. Add to your description of the process your description of the extender from Task 7. Form your text into a paragraph.

Technical reading Laser cutting

Task 10

Engineers have to read sales literature describing the products and services of companies. Read the following sales literature to answer these questions:

- 1 Who is this text for?
- 2 What service does the company provide?
- 3 What are the design benefits of laser cutting?
- 4 Can lasers cut non-metals?
- 5 What limitations are there on the service they provide?
- 6 How does the service cut lead time?

DESIGN ENGINEERS - DEVELOPMENT ENGINEERS - BUYERS - STOCK CONTROLLERS

Frustrated?

By having to restrict designs to suit manufacturing processes? By the difficulty and high cost of producing accurate prototypes? By the high cost and lengthy lead times associated with press tools? By the high stock levels necessitated by minimum batch sizes?

If your answer to any of the above is yes ...

WE HAVE THE SOLUTION!

OUR NEW 1500 WATT CNC-CONTROLLED LASER CUTTER IS AT YOUR DISPOSAL.

The Process

Laser technology is not new, but it is only recently that the full benefits have become available to manufacturers.

Taking light and passing it through a series of lenses makes the light source so great that its power density is several million times that of the sun – this laser energy is then used to cut almost any material.

The light is directed down towards a CNC-controlled table making it very easy to produce accurate complicated shapes without distortion, giving burr-free, smooth, and perfectly square edges.

Source: Eraba Limited

The Materials

The laser is suitable for outting:

- All types of steel including stainless and spring steel.
- Most non-ferrous metals.
- Plastics, wood, fibreglass, and almost any other material you care to mention!

The Capacity

Carbon Steel – up to 13 mm Stainless Steel – up to 10 mm Plastics – up to 40 mm Wood – up to 40 mm Rubber – up to 40 mm

Table movement 1650 mm x 1250 mm

The Advantages

Short lead time No tooling costs Low set-up costs Extremely accurate Highest quality Minimal heat affected zones Design flexibility

14 Automation technician



Tuning-in

Task 1

You are going to hear an interview with Alistair, a technician with an American company based in the United Kingdom. His company produces cellular communication equipment. Try to list some of the products his company might make.

Listening

Listen to Part 1 of the interview. Check your answers to Task 1 and answer these questions.

- 1 What is his job title?
- 2 What does his section build?
- 3 What type of machines are they?
- 4 What does a Fuji robot do?
- 5 What do his machines do?
- 6 What three types of sensors does a robot have?

Task 3		Ter		
Task 3		Listen to Part 2 of the inter		stions.
	1	How long has he been with		
	2	How many technicians are	in his section?	
	3 4	When does he start work?	i and a second day	
	\$	What does he do first when Name one thing he might d		
	6	Name one thing he might d Why does he visit plants in		
	7	Why does ne visit plants in) Where has he been?	Europe:	
	8	What does he dislike about	travelling?	
Task 4	(2.5)	Listen to Part 3 of the inter	view and answer these que	stions.
	1	What did the company he p	reviously worked for make	
	2	Name one thing he feels wa		
	3	What qualification does he		
	4	How long did it take to get t		
	5	During his work placement		
	6	What kind of companies did		
	7	What was one of the perks of	of the job?	
Task 5	020	Listen to the interview agai work experience.	in and complete the gaps in	this record of Alistair
Period		Type of company	Product	Job title
		Type of company	Product	Job title Automation technician
	years	Type of company	Product Telephone exchange	Automation
	years month			Automation technician
			Telephone exchange	Automation technician Student placemen
2 years		is Instrument makers	Telephone exchange Talking about specifications of the design specificati	Automation Lechnician Student placemen lons
2 years		Instrument makers Speaking practice Work in pairs, A and B. Se	Telephone exchange Talking about specifications of the design specification with help from your parts	Automation technician Student placemen lons ons for your drawing ter.
2 years		ss Instrument makers Speaking practice Work in pairs, A and B. So are missing. Complete them Before you start, make sure	Telephone exchange Talking about specifications of the design specification with help from your parts	Automation technician Student placemen lons ons for your drawing ter.
2 years	month	s Instrument makers Speaking practice Work in pairs. A and B. So are missing. Complete them Belore you start, make sure expressions in full: max, maximum min, minimum	Telephone exchange Talking about specifications of the design specification with help from your parts	Automation technician Student placemen lons ons for your drawing ter.
2 years	month 1 2 3	s Instrument makers Speaking practice Work in pairs. A and B. So are missing. Complete them Eclorey you stark, make sure expressions in full: mox. maximum min. minimum dia. diameter	Telephone exchange Talking about specifications of the design specification with help from your parts	Automation technician Student placemen lons ons for your drawing ter.
Period 2 years Task 6	month 1 2 3 4	s Instrument makers Speaking practice Work in pairs. A and B. So are missing. Complete then Belore you start, make sure expressions in full: max. maximum dia. diameter om centinere	Telephone exchange Talking about specifications of the design specification with help from your parts	Automation technician Student placemen lons ons for your drawing ter.
2 years	montl 1 2 3 4 5	s Instrument makers Speaking practice Work in pairs. A and B. So are missing. Complete them before you start, make sure expressions in full: max. maximum min. minimum min. minimum min. minimum min. diameter cm centimeter ka kilogram	Telephone exchange Talking about specifications of the design specification with help from your parts	Automation technician Student placemen lons ons for your drawing ter.
2 years	month 1 2 3 4	s Instrument makers Speaking practice Work in pairs. A and B. So are missing. Complete then Belore you start, make sure expressions in full: max. maximum dia. diameter om centinere	Telephone exchange Talking about specifications of the design specification with help from your parts	Automation technician Student placemen lons ons for your drawing ter.

8 ± plus or minus

You may look at each other's drawings after you have exchanged information.

Student A: Your specifications are on page 178. Student B: Your specifications are on page 182.

15 Refrigerator

Tuning-in

Task 1

Study this diagram. It explains how a refrigerator works. In your group try to work out the function of each of the numbered components using the information in the diagram.



Reading Dealing with unfamiliar words, 1

You are going to read a text about refrigerators. Your purpose is to find out how they operate. Read the first paragraph of the text below. Underline any words which are unfamiliar to you.

Refrigeration preserves food by lowering its temperature. It slows down the growth and reproduction of micro-organisms such as bacteria and the action of enzymes which cause fond to rot

You may have underlined words like *micro-organisms*, *bacteria*, or *enzymes*. These are words which are uncommon in engineering. Before you look them up in a dictionary or try to lind translations in your own language. Unlink ID you need to know the meaning of these words to understand how refrigerators operate?

You can ignore unfamiliar words which do not help you to achieve your reading purpose.

Task 2

Now read the text to check your explanation of how a refrigerator works. Ignore any unfamiliar words which will not help you to achieve this purpose.

Fridge

Refrigeration preserves food by lowering its temperature. It slows down the growth and reproduction of micro-organisms such as bacteria and the action of enzymes which cause food to rot.

Refrigeration is based on three principles. Firstly, if a liquid is

5 heated, it changes to a gas or vapour. When this gas is cooled, it changes back into a liquid. Secondly, if a gas is allowed to expand, it cools down. If a gas is compressed, it heats up. Thirdly, lowering the pressure around a liquid helps it to boil.

To keep the refrigerator at a constant low temperature, heat must

10 be transferred from the inside of the cabinet to the outside. A refrigerant is used to do this. It is circulated around the fridge, where it undergoes changes in pressure and temperature and changes from a liquid to a gas and back again.

One common refrigerant is a compound of carbon, chlorine, and fluorine known as R12. This has a very low boiling point: -29°C. At normal room temperature (about 20°C) the liquid quickly turns into

normal room temperature (about 20°C) the liquid quickly turns into gas. However, newer refrigerants which are less harmful to the environment, such as KLEA 134a, are gradually replacing R12.

The refrigeration process begins in the compressor. This compresses the gas so that is heats up, it there pumps the gas into a condenser, a long tube in the shape of a signap, Augher warm gas passes through the condenser; it heats the surrounding and code down. By the time it leaves the condenser, it has condensed back into a liquid.

25 Liquid leaving the condenser has to flow down a very narrow tube (a capillary tube). This prevents liquid from leaving the condenser too quickly, and keeps it at a high pressure. As the liquid passes from the narrow capillary tube to the larger tubes of the evaporator, the pressure quickly drops. The liquid

30 turns to vapour, which expands and cools. The cold vapour absorbs heat from the fridge. It is then sucked back into the compressor and the process begins again.

The compressor is switched on and off by a thermostat, a device that regulates temperature, so that the food is not over-frozen.

Source: 'Inside out: Fridge', Education Guardian

Language study Principles and laws

Study these extracts from the text above. What kind of statements are they?

- 1 If a liquid is heated, it changes to a gas or vapour.
- 2 If a gas is allowed to expand, it cools down,
- 3 If a gas is compressed, it heats up,

Each consists of an action followed by a result. For example:

ction

it changes to a gas or vapour

These statements are principles. They describe things in science and engineering which are always true. The action is always followed by the same result.

Principles have this form:

If/When (action - present tense), (result - present tense),

Task 3

Link each action in column A with a result from column B to describe an important engineering principle.

A Action

- a liquid is heated
- 2 a gas is cooled
- 3 a gas expands
- 4 a gas is compressed
- 5 a force is applied to a body
- 6 a current passes through a wire
- 7 a wire cuts a magnetic field
- 8 pressure is applied to the surface of an enclosed fluid
- 9 a force is applied to a spring fixed at one end

B Result

- a it heats up
- b there is an equal and opposite reaction
- c it changes to a gas
- d it extends in proportion to the force
- it is transmitted equally throughout the fluid
- f a current is induced in the wire
- g it cools down
- h it sets up a magnetic field around the wire
- i it changes to a liquid

Word study Verbs and related nouns

Task 4

Each of the verbs in column A has a related noun ending in -er or -or in column B. Complete the blanks. You have studied these words in this and earlier units. Use a dictionary to check any spellings which you are not certain about.

	A Verbs	B Nouns		
	For example: refrigerate	refrigerator		
1	condense			
2		evaporator		
3	compress			
4	resist			
5		charger		
6	generate			
7	conduct			
8		exchanger		
9	radiate			
10	control			

Writing Describing a process, 2: location

Study this diagram. It describes the refrigeration process.



In Unit 13 we learnt that when we write about a process, we have to:

- 1 Sequence the stages
- 2 Locate the stages
- 3 Describe what happens at each stage
- 4 Explain what happens at each stage

or		

sequence location description The refrigeration process begins in the compressor. This compresses the gas explanation so that it heats up

so that it heats up.

In this unit we will study ways to locate the stages.

Put these stages in the refrigeration process in the correct sequence with the help of the diagram above. The first one has been done for you.

- a The liquid enters the evaporator.
- b The gas condenses back into a liquid.
- c The vapour is sucked back into the compressor.
- d The gas is compressed. I
- e The liquid turns into a vapour.
- f The gas passes through the condenser.

g The liquid passes through a capillary tube.

h The high pressure is maintained.

There are two ways to locate a stage in a process.

- 1 Using a preposition + noun phrase. For example:
 - The liquid turns to vapour in the evaporator. The gas cools down in the condenser.
- 2 Using a where-clause, a relative clause with where rather than which or who, to link a stage, its location, and what happens there. For example:

The warm gas passes through the condenser, where it heats the surroundings and cools down.

The refrigerant circulates around the fridge, where it undergoes changes in pressure and temperature.

Task 6 Complete each of these statements.

- 1 The gas passes through the compressor, where
- 2 It passes through the condenser, where
- 3 The liquid passes through a capillary tube, where
- 4 The liquid enters the evaporator, where
- 5 The cold vapour is sucked back into the compressor, where

Task 7

Task 5

Add sequence expressions to your statements to show the correct order of events. For example:

First the gas passes through the condenser ...

Make your statements into a paragraph adding extra information from the text in Task 2 if you wish. Then compare your paragraph with paragraphs 6, 7, and 8 from the text.





Tuning-in

Task 1

Complete this table of common quantities and forces to be measured in engineering, the units in which they are measured, and the instruments you use to measure them.

Quantity/Force	Unit	Instrument
Current		Ammeter
	Newton	Force gauge
Velocity	km/hr	
	'C	Thermometer
Thickness		Micrometer
	Ohm	Ohmmeter
Voltage		
Pressure		Manometer

Ta		

_

How can you measure weight accurately? What alternatives are there? If you cannot name the instruments, draw them.

Task 3

What do you think are the advantages of electronic scales over mechanical scales?

Reading 1 Meaning from context

Task 4

Read the first two paragraphs of this text and try to fill in the missing words. More than one answer is possible for some of the blanks. Then check your answer to Task 3 using the completed text.

Electronic scales

The electronic kitchen scale take a larger load and is

accurate than its mechanical counterpart. Whereas a

scale may have a capacity of about 3kg, broken 4

25g units, the electronic scale can 5 a

load of " to 5kg broken into units of 5g or even 2g.

The scale 7 by converting the load increase on its

platform * weighing area into a weight reading

⁹ the liquid crystal display (LCD). It is controlled ¹⁰ a

microprocessor and can therefore 11

from ounces to grams at the touch of a button. The compact internal

components also make it small and 12 to store.

Reading 2 Comparing sources

When we read, we may wish to look at more than one source of information on a topic to:

- 1 get extra information
- 2 find a text we can understand
 - 3 check points where texts disagree

In the tasks which follow, we will compare information from a diagram and a text.



Task 6

Scan this text to find information on the load cell, the strain gauge, and the circuit board. Note any information in the text which is new, i.e. additional or different to the information obtained from the diagram.

Electronic scales use a weighing device called a load cell underneath the platform. The load cell, an aluminium alloy beam, eliminates the need for springs, cogs, or other moving parts which can wear, break, or cause inaccuracy in mechanical scales.

5 A strain gauge is bonded on the load cell. The strain gauge consists of a small piece of metal foil which detects any bending of the beam. A controlled input voltage is supplied to the strain gauge from a battery-powered circuit.

When a load is placed on the platform, it causes the load cell to to bend very slightly. This, in turn, causes a change in strain, which triggers a change in the electrical resistance of the strain gauge.

As the resistance changes, so does the output voltage from the strain gauge. In short, the change in voltage across the strain gauge is proportional to the load on the platform.

- 15 The voltage from the gauge is small and has to be amplified and then converted into a digital signal. This signal is fed to a specially programmed microprocessor, which converts it into a weight reading. This is displayed on the LCD. The display will automatically switch off a few minutes after winching is finished.
- 20 thereby saving battery power.

Source: 'Inside out: Electronic scales', Education Guardian

Language study Cause and effect, 1

Study these actions. What is the relationship between them?

- 1 A load is placed on the platform.
- 2 The load cell bends very slightly.
- 3 The strain gauge is stretched.
- 4 The electrical resistance increases.

In each case, the first action is the cause and the second action is the effect. We can link a cause and effect like this:

- 1+2 A load is placed on the platform, which causes the load cell to bend very slightly.
- 3+4 The strain gauge is stretched, which causes the electrical resistance to increase.

In these examples, both the cause and the effect are clauses – they contain a subject and a verb. Study this example:

Cause: The strain anare is stretched.

Effect: An increase in electrical resistance.

The effect is a noun phrase. We can link cause and effect like this:

The strain gauge is stretched, which causes an increase in electrical resistance. In Unit 22 we will study other ways to link a cause and an effect.

Task 7

The diagram below is a cause and effect chain which explains how a strain gauge works. Each arrow shows a cause and effect link. Match these actions with the correct boxes in the diagram.

- a An increase in resistance
- b A load is placed on the scale.
- c A drop in voltage across the gauge.
- d The load cell bends very slightly.
- e They become longer and thinner.
- f The strain gauge conductors stretch.
- g The strain gauge bends.



Now practise linking each pair of actions, i.e. 1+2, 2+3, and so on.

Technical reading Strain gauges

Task 8

Read the text below to find the answers to these questions.

- 1 What principle do strain gauges operate on?
- 2 Why is it an advantage to have a long length of conductor formed into many rows in a strain gauge?
- 3 If you want to measure strain in a member, how do you position the strain gauge?
- 4 Why is an amplifier necessary?
- 5 Why is a dummy gauge included in the circuit?
- 6 What is the function of VR2?
- 7 Why would you adjust the output to exactly zero?
- 8 In the circuit shown, how is the amplifier output displayed?

Strain gauges

Strain gauges measure the amount of strain in a member. They work on the principle that the electrical resistance of a wire changes as it is stretched, becoming longer and thinner. The more it is stretched, the greater its resistance. Mathematically, this is written method.

as:

Resistance a Length or R a L

By arranging the wire in tightly packed rows, quite long lengths can be fitted on to a small pad (Fig. 1). Modern strain gauges are made not of wire, but by etching a pattern into metal foil which is stuck to a polvester backing (Fig. 2).

- In use, a gauge is stuck on to the surface of the member being tested. Its active axis is flowed along the direction in which you want to measure the strain. Movements on the passive axis will have no real effect on it. The gauge must then be connected to an electronic circuit. Fig. 3 shows a block diagram of the complete circuit. The
- 15 resistance of the gauge is compared with the resistance of fixed value resistors in the circuit. Any differences in resistance are converted into voltage differences. These very small changes in voltage are amplified before being displayed.



Fig. 1 strain gauge



Fig. 3 block diagram of the complete circuit



Fig. 4 strain gauge in circuit

The final circuit, shown in Fig. 4. includes a dummy gauge. This go compensates for any changes in the resistance of gauge. The caused by temperature changes. The active and dift active gauge form part of the Wheatscher bridge. With no forces applied to the active gauge the output from this part of the circuit should be zero. When forces are applied, the resistance of the active gauge

25 changes so the output voltage to the amplifier changes. The

89

amplifier magnifies that change so that it can be clearly seen on the meter. The three variable resistors in the circuit each allow different adjustments to be made. VR1 allows you to 'balance' the bridge, getting the resistances exactly equal. VR2 allows you to adjust the

³⁰ 'gain' of the amplifier, in other words, how much the voltage is amplified. By adjusting VR3 the output can be adjusted to exactly zero before a load is applied to the member being tested.

In practice, strain gauges tend to be used in pairs or groups, often measuring the strain in various parts of a structure at the same

25 time. When used like this they are often linked to a computer rather than a series of display meters. The computer keeps a constant check on the outputs from each of the strain gauges, making sure that no part of the structure is being loaded beyond normal limits.

Source: P. Fowler and M. Horsley, 'Control Systems in the Home', CDT: Technology



17 Portable generator

	Tuning-in	
Task 1	List the different ways in which electricity can be generated.	
	Reading Reading diagrams	
Task 2	Study the diagram below of a portable generator. Answer these question using the diagram and your own knowledge of engineering.	8
	What are its main parts ² What does the engine run on? What are the four strukes called? What site the intencision of the crankshuft? What site the difference between stater and rotor rave? What is the difference between stater and rotor?	
	intrical	stroke
"Power on"	engin	
Rotor windings	Cran	kshaft
Engine onioff switch	The robor turns in the state of a second state o	fo the
	Engine	ccess
Į		
	Exhaust Stater windings in which correct amercatul	

Fig. 1

Read this text to check as many of the answers as you can. You will not find complete answers to all of the questions.

Portable generator

Although most electricity comes from power stations, power can also be generated by far smaller means. Nowadays, electricity generators can be small enough to hold in the hand.

Portable generators are made up of two main parts: an engine, which powers the equipment, and an alternator, which converts motion into electricity.

The engine shown (Fig. 1) runs on petrol. It is started by pulling a cord. This creates a spark inside which ignites the fuel mixture.

In a typical four-stroke engine, when the piston descends, the air to inlet valve opens and a mixture of air and petrol is sucked in through a carburettor.

The valve closes, the piston rises on the compression stroke and a spark within the upper chamber ignites the mixture. This miniexplosion pushes the piston back down, and as it rises again the

15 furnes formed by the ignition are forced out through the exhaust valve.

This cycle is repeated many times per second. The moving piston makes the crankshaft rotate at great speed.

The cranisahaft extends directly to an alternator, which consists of 20 two main sets of windings – coils of insulated copper wire wound closely around an iron core. Choese L, adied statow windings, its in a fixed position and shaped like a broad ring. The other set, the armature windings, is wound on the rotor which is fixed to the rotating crankshaft. The rotor makes about 3,000 revolutions per 24 minute.

The rotor is magnetized and as it spins round, electricity is generated in the stator windings through the process of electromagnetic induction. The electric current is fed to the output terminals or sockets.

30 This type of generator can produce a 700 watt output, enough to operate lights, television, and some domestic appliances. Larger versions provide emergency power to hospitals and factories.

Source: Adapted from 'Inside out: Portable generator', Education Guardian

Task 4

Study this text on the four-stroke cycle. Then label each stroke correctly in Fig. 2 opposite.

In the four-stroke cycle, the piston descends on the intake stroke, during which the inlet valve is open. The piston ascends on the compression stroke with both valves closed and ignition takes place at the top of the stroke. The power or expansion stroke

s follows. The gas generated by the burning fuel expands rapidly, driving the piston down, both valves remaining closed. The cycle is completed by the exhaust stroke, as the piston ascends once more, forcing the products of combustion out through the exhaust valve. The cycle then repeats isself.



Fig. 2

Language study Cause and effect, 2

Study these pairs of actions. What is the link between each pair?

- 1 The gas expands.
- 2 This drives the piston down.

3 The piston ascends.

4 This forces the products of combustion out.

There are two links between the actions:

They happen at the same time. We can show this using As (see Unit 8).

1+2 As the gas expands, it drives the piston down.

3+4 As the piston escends, it forces the products of combustion out.

One is a cause and the other an effect.

1 Cause: The gas expands.

2 Effect: This drives the piston down.

3 Cause: The piston ascends.

4 Effect: This forces the products of combustion out.

We can show both the time link and the cause and effect link like this:

1+2 The gas expands, driving the piston down.

5+4 The piston ascends, forcing the products of combaction out.

T		

Link these actions in the same way.

Cause

- 1 The piston moves down the cylinder.
- 2 The piston creates a vacuum.
- 3 The piston moves up the cylinder.
- 4 The gas expands quickly.
- 5 The piston moves up and down.
- 6 The crankshaft spins round.
- 7 The armature of the alternator rotates.
- 8 The alternator runs at a steady 3,000 rpm.

Effect

This creates a partial vacuum. This draws in fuel from the carburettor.

This compresses the mixture.

This pushes the piston down.

This rotates the crankshaft.

This turns the rotor at 3.000 rom.

This induces a current in the stator windings.

This generates around 700 watts.

The alternator runs at a steady 5,000 rpin

Word study Verbs with -ize/-ise

Study this statement:

The rotor is magnetized.

What does it mean? Can you say it another way? We can rewrite this statement as:

The rotor is made magnetic.

Verbs ending in -ize/-ise have a range of meanings with the general sense of make + adjective.

Task 6

Rewrite these sentences replacing the phrases in italics with appropriate -ize/-ize verbs.

- 1 Some cars are fitted with a security device which makes the engine immobile.
- 2 In areas where the power supply fluctuates, for sensitive equipment a device to make the voltage stable is required.
- 3 Manufacturers seek to keep costs to a minimum and profits to a maximum.
- 4 Most companies have installed computers to control their production line.
- 5 Companies may make their operation more rational by reducing the variety of products they make.

Writing Describing a process, 3: sequence and location

Task 7

Fig. 3 opposite shows the distribution of power from power station to consumer. The statements which follow describe the distribution. Put the statements in the correct order with the help of the diagram. The first one has been done for you.



Fig. 3

- It is fed to distribution substations. а
- It is stepped up by a transformer to high voltages for long-distance distribution.
- It is distributed via the grid to supply points.
- It is distributed to the domestic consumer. d
- Electricity is generated at the power station at 25 kV.
- It passes via the switching compound to the grid.
- It is distributed via overhead or underground cables to intermediate substations.

Task 8

- Mark the sequence of stages using appropriate sequence words where you think this is heleful. Add the following information to your statements and make them into a text.
- At the main grid supply points, power is stepped down to 33 kV for distribution
- At intermediate substations, power is reduced to 11 kV for light industry.
- At the distribution substations, power is stepped down to 415 V. 3-phase, and 240 V. 1-phase.

Technical reading Wave power

Task 9

The two texts which follow describe two plants for generating electricity from wave power. Note the similarities and differences between the plants



Shut-off valve - this isolates the water column and air chamber from the turbine and generator when the plant is switched off.



When a wave enters the guily, the water column moves up and the air above is forced out through the turbine, making the rotors turn. When the wave recedes, air is drawn in through the turbine, but because of their special design the rotors keep turning in the same direction.

Fig. 4

This prototype wave-power plant on the Scottish island of Islay was constructed by building a concrete water column across a natural gully on the shoreline. Waves flowing in and out of the gully cause water in the column to move up and down. As the water moves up

5 it compresses the air above and forces it through a wide tube at the back of the water column. As the water moves down, air is drawn into the water column.

The moving air passes through a turbine coupled to a generator. Both the turbine and generator are unusual. The turbine is a Wells

turbine (named after its inventor) which keeps turning in one direction even though the air flow is constantly changing direction. It has two rotors, each with four blades.

The generator is a wound rotor induction motor, which acts as a generator when it is turning at speeds greater than 1.500 rpm.

- b) Below that speed in operates as a motor and takes power from the grid. This motor/generator is used because the turbine takes some time to build up to a speed where it can generate electricity. When the turbine slows down due to a tull in wave activity, the generator becomes an electric motor and keeps the turbine running at a
- 20 minimum speed so that it is ready to accept the power from the next batch of waves.

The plant is controlled by a computer. It includes a PLC (programmable logic controller), which monitors the operation of the motor/generator and the amount of electricity going to or being 25 taken from the grid. There is also testing equipment to monitor how much electricity the plant is producing and the efficiency of the water column, turbine, and generator.

This experimental plant generates 150 kW. Plans have been approved for the construction of a 1 MW scheme.

Source: Adapted from 'Inside out: Wave power', Education Guardian



Fig. 5

The world's first power station in the open sea is to be stationed off Dourneay in Scotland. The machine, called Osprey (Ocean Swell-Powered Renewable Energy), will stand in 18 mortes of water a kilometre out and not only harvest the larger waves, which produce

s higher outputs, but also gain power with waves from any direction.

The device is known as an oscillating water column. As a wave rises, air is pushed through an air turbine and sucked back again as the wave falls. The turbine has been designed by Professor Alan Wells, of Queen's University, Belfast. It will generate 2 megavatts.

10 There is potential for 300 Ospreys in Scottish waters which could provide 10 per cent of the country's peak electricity demand.



	Tuning-in
Task 1	In your group, make a list of any devices you know which use compressed air
Task 2	List any advantages compressed-air devices have compared with electrical devices.
	Reading
Task 3	Read the text below and the diagram opposite to check your answers to Tasks 1 and 2.
	Road breaker
	Air has considerable power when it is compressed. Compressed air is used to drive all sorts of machines, from construction tools to paint sprayers.
	Pneumatic or air-driven machines all make use of the force exerted 5 by air molecules striking a surface. Compressed air exerts a greater pressure than the air on the other state of the surface, which is at atmospheric pressure. The difference in pressure drives the machine.
	Peeumatic drills, or road breakers, are powered by compressed air 19 produced by a compression. Compressed air opwer is charge and safe. An air drevice does not risk creating sparks in an explosive atmosphere and can be used under wet conditions without draper of electric shocks. Compressed air is therefore the only type of power used in some mining or construction operations.
	15 A pneumatic drill works a little like an automatic hammer. The compressor pumps the compressed air to the drill through a hose. There if drives a piston up and down. The movement of the piston delivers repeated blows to the chisel that hammers into the road surface.
	30 Preasing the threats, or control lever, downwords releases the control ways. This allows compressed air to enset the drill. The air passes through the valve and down a chamber called a return chamber to the undersident of the plation. The sensure forces the plation to rise up the cylinder. As the plation rises, it covers the reliance of the undersident of the plation rises. It covers the reliance of the sense of the cylinder is the result of the reliance rising plation starts to covergence the air target down it.



Fig. 1

The increase in pressure forces the operating valve to open, admitting air to the top of the chamber and closing off air in the return chamber. As the pressure in the chamber increases to 620

30 kPa (90 psi), it forces the piston to strike the chisel. When the piston passes the exhaust, the air is released into the atmosphere and the valve closes. This opens the return chamber again, which allows the air to pass to the underside of the piston and restars the cycle.

Source: 'Inside out: Road breaker', Education Guardian



Put the following steps in the operation of the pneumatic drill in the correct sequence with the help of the diagrams. The first one has been done for you as an example.



The air passes through the valve and down the vertical air port.

b This allows compressed air into the drill.

c It forces the piston up the cylinder.

d Pressing the control lever opens the control valve.

e This admits compressed air to the top of the cylinder.

f The operating valve closes and the cycle starts again.

The pressure of air on top of the piston opens the operating valve.

As the piston passes the exhaust, the air leaves the cylinder.

The air expands, forcing the piston down.

Task 5

Now label these components of the drill.

- с_____
 - r.
 - E.
 - G

Language study Allow and prevent links

Fig. 4 shows the most basic components of a pneumatic system, a three-port valve (3PV) and a single acting cylinder (SAC). The steps below describe the operation of the system when the push button of the valve is pressed. The first step is a. Put the others in the correct sequence.



- a The push button is pressed.
- b Port 3 is blocked.

Timele 6

- c Ports 1 and 2 are connected.
- d The piston compresses the spring.
- e The spool is pushed down.
- f Air cannot escape.

g Compressed air flows through the valve to the SAC.

h The compressed air pushes the piston along.

Study these steps from the operation of the valve.

- 3 Ports 1 and 2 are connected.
- 4 Compressed air flows through the valve to the SAC.
- 5 Port 3 is blocked.
- 6 Air cannot escape.

What is the connection between Step 3 and Step 47 What is the connection between Step 5 and Step 67

Step 3 allows Step 4 to happen. We can link the steps in three ways like this:

- a Ports 1 and 2 are connected. This allows compressed air to flow through the value to the SAC.
- b Ports 1 and 2 are connected. This permits compressed air to flow through the valve to the SAC.
- Ports 1 and 2 are connected. This lets compressed air flow through the valve to the SAC.

Step 5 prevents something. We can link steps 5 and 6 like this:

Port 3 is blocked. This prevents air from escaping.

Task 7

Complete the blanks in this description of the operation of the valve with the button pressed.

the push button is pressed, the spool is pushed down,

² ports 1 and 2. This ³ compressed air to flow through the valve to the SAC. Port 3 is blocked, which ⁴ air from escaping. The compressed air pushes the piston along. ⁵ the spring.

Task 8

Fig. 5 shows the system with the push button of the valve released.





These are the steps in the operation. Fill in the blanks in the steps.

- a The push button is released.
- b The valve spring up the spool.
- c Ports 2 and 3 are²
- d Air from the SAC escapes through 3
- e Port 1 is4
- f Compressed air cannot enter the 5
- g The cylinder spring pushes the " back in.

Task 9

Now write your own description of how the system operates when the push button is released.

Writing Explaining an operation

These steps explain the operation of a road breaker. Link each set of steps into a sentence using the words or phrases provided. Omit unnecessary words and make any other changes required.

- Pressing ... allowing Press the control lever. This opens the control valve. This allows compressed air to enter the drill.
- 2forcing ... The air passes through the valve and down the return chamber to the underside of the piston. The pressure forces the piston to rise up the cylinder.
- As ... which The piston rises. The piston covers the exhaust. This prevents the air from escaping.
- 4 At the same time ... which The rising piston starts to compress the air. The air is trapped above it.
- 5admitting ... and closing ... The increase in pressure forces the operating valve to open. This admits air to the top of the chamber. This closes off air in the return chamber.
- 6 As ... The pressure in the chamber increases to 620 kPa. The pressure forces the piston to strike the chisel.
- 7 When ... and ... The piston passes the exhaust. The air is released into the atmosphere. The valve closes.
- 8 ... which ... and ... This opens the return chamber again. This allows the air to pass to the underside of the piston. This restarts the cycle.

Technical reading Air skates

Task 11

Task 10

Skim the following extract from a company's sales literature to identify the paragraphs which describe:

- a what an air skate consists of
- b the advantages of air skates
- c the differences between systems
- d sizes, loads, and lift height
- e air pressure required

AIR FILM MATERIAL HANDLING SYSTEMS

Material handling systems r using the air film principle are also known as Air Skates.

The handling of light to very 2 heavy objects using air film to float the load is easy and very economical. A weight of 1,000 kg requires a pulling force of only 1 kg.

An air film skate is composed a of a supporting backplate with an O-shaped flaxible cushion or element which is inflated by means of compressed air. The escaping air forms a thin film (approx. 0.02 mm) between the element and floor.

Three or more air skates and combine to ensure that the load starts floating and has the ability for cmri-cirectional movement. The load to be moved is lifted only a few centimetres and as a result of the low pressure (1-2 ber) no clouds of dust are formed and the floar pensore to amyoed.

The dimensions of the air s skates are very small. Four skates of 30 cm x 30 cm can lift 2,000 kg. The lift height is approx 1.5 cm. Four skates of 50 x 50 cm can lift 10,000 kg. The lift height is 1.5 cm. Combinations of air skates providing a lift capacity up to 100 tonnes are not

When an object is moved using an air film system, a regulator unit correctly distributes the compressed air to the air skates and can compensate for out-of balance loads. In this way the load can be moved affortlessly and positioned accurately.

The air skates operate on air 2 volume supplied by a compressor or pneumatic supply system working at a pressure of 5–10 bar (500–1000 kPa)

The air skates may be placed a separately under the load which is seasy accomplished due to the low height. Two basic systems are available, each with its own characteristics. The external







The specific application for each customer determines the choice of the system, the operating pressure, the element material, etc. Hence, it is necessary to obtain accurate details to get optimal effect from the system.

The use of air film handling to techniques is not always considered. Customars who have used the method have been amply rewarded with the following advantages:

- Very efficient
- Limited in
- Reliable
- Minimal maintenance
- Ergonomic
 - Can be used with equal success indoors and outrioors
 - Long working life
 - Quickly fitted

Source: Why not let your handling problems float away on air? Aerofilms Systems b,v,

Task 12

Scan the extract to find the answers to these questions.

- 1 How many skates do you need to lift two tonnes:
- 2 What pressure of air must the compressor supply?
- 3 What depth is the air film between skate and floor?
- 4 What force is required to pull a load of one tonne?
- 5 Can the system be used outdoors?
- 6 How high, typically, is the load lifted?
- 7 What does the regulator unit do?
- 8 How is the air film formed?

Speaking practice

Task 13

Work in pairs, A and B. You each have a diagram to illustrate the symbols of the International Standards Organisation for pneumatic components. Not all of the symbols are labelled in your diagrams. Your task is to complete the labelling of your diagrams with the help of your partner.

Remember, you must not show your diagrams to each other.

Student A: Your diagram is on page 179. Student B: Your diagram is on page 183.





ve away from the disc.

Fig. 1

Tuning-in

Task 1

- Discuss these questions in your group.
- What forms of transport use brakes?
- 2 What different kinds of brakes are there?
- 3 How do car brakes operate?

Reading Combining skills

Although we have examined the skills separately, in practice we use a mix of skills when we read, depending on our purpose and the level of the text. In the tasks which follow, we will practise skimming, predicting, and scanning,

Task 2

Study the diagram on page 106 to get a general idea of what the text in Task

Skim the text below to find which paragraphs contain information on these

Information

Paragraph

- a The hydraulies of braking
- b Principles on which disc brakes operate
- c The operation of the caliper system
- d Consequences of heat generated in braking
- e Energy conversion in braking

Task 4

lising your answers to Task 3, predict which paragraphs will have the answers to these questions.

- What is the function of the calipers? a. ь
- Why do car wheels have vent holes?
- Where are the brakes mounted? d
- What type of material are brake pads made from?
- What is the difference between the master and the wheel cylinder? What kind of energy does a moving vehicle have?

Task 5

Scan the text to check your predictions in Task 4, and lind the answers to the

Disc brakes

Disc brakes are used on cars and motorcycles. They work by using friction and hydraulic power. The friction is generated when the brakes - stationary pads mounted to the suspension system rub against metal discs turning with the wheels.

- 5 The pads are covered with a high-friction material. The resistance of the pads against the rotating discs converts the energy of the moving vehicle (kinetic energy) into heat energy in the brakes, As kinetic energy is lost, the car slows down,
- This method of braking produces a great deal of heat, so brakes to have to be made from a heat-resistant material, like asbestos. The intense heat also explains why car wheels need vent-holes around the centre: when the car is moving the slots ensure a flow of air over the brakes, helping to cool them down.
- When the driver presses the brake pedal, it pushes down the 15 piston in the master cylinder, so creating pressure in the fluid. The fluid is incompressible. The pressure is transmitted to the wheel cylinder which forces the brake pads against the revolving disc. The master cylinder has a smaller diameter than the wheel cylinder.

Hence, a relatively small force applied on the pedal produces a 20 Jarge force on the brake pads.

The brake pads are held in a clamping device called a caliper. The caliner system ensures that one brake pad is pushed against the inner surface of the disc while, simultaneously, the other pad is pulled against the outer surface. This gives twice the braking

25 power. The action is like squeezing something between forefinger and thumb.

Source: Adapted from 'Inside out: Disc brakes', Education Guardian

Language study Verbs with up and down

In this book, you have studied a number of verbs followed by up or down. For example:

- Transformers step up the voltage from 25 kV to 400 kV for transmission.
- 2 Use as little force as possible to break down a machine into its components.

Task 6

Fill in the blanks in these sentences with either up or down. You have studied these verbs in similar contexts.

- 2 An installation technician connects cables and switchgear.
- A plastic pellet in a washing machine door heats and pushes the lock into position.
- 4 Car wheels are ventilated to cool the brake discs.
- 5 Transformers are used on construction sites to step the mains voltage to avoid accidents with hand tools.
- 6 Students in David's maths class were split into three groups.
- One of Lucy's friends came with the name Swingex-L
- Students should keep with subjects like maths and physics.

Word study Verbs + -en

Can you rewrite this sentence replacing the verb in Italics with another verb or phrase of similar meaning?

The caliper system ensures that the disc is gripped on both sides.

The caliper system makes sure that the disc is gripped on both sides.

Verbs beginning or ending with en often have the meaning of become/make + adjective.

Replace the words in italics in the following sentences with a suitable en verb

ensure	enlarge	harden	lengthen	lessen	lighten
loosen	roughen	sharpen	shorten	soften	strengthen
tighten	toughen	weaken	widen		

- 1 Steel rods are used to make concrete beams strongey.
- 2 A torque wrench is used to make cylinder head bolts tight.
- 3 Thermoplastics can be made soft by heating them.
- 4 After thermosetting plastics become hard, they cannot be softened again.
- 5 A reamer is a tool used to make a hole larger.
- 6 Corrosion makes structures weak.
- 7 Compressive forces will make a beam shorter; tensile forces will make it longer.
- 8 Carbon fibre frames make racing bicycles lighter and stronger.
- 9 Oil can be used to make tight bolts loose.
- 10 Carbon steels are made tough by heating and quenching.

Writing Explaining an operation

Task 8

Link the statements below to explain the operation of a hydraulic jack. Use the diagram to help you.





- 1 The jack is placed under the car.
- The lever is moved up and down.
- 2 The movement is converted into a reciprocating motion. The motion slides the piston back and forwards.
- 3 Each movement of the piston pumps a small amount of fluid. The fluid is pumped from the reservoir through the one-way valve into the main exiltader.
- 4 This action gradually raises the jack. The car is lifted from the ground.
- 5 The car is lowered. This is done by releasing the one-way valve.
- 6 This allows the weight of the car to force fluid from the cylinder back into the reservoir.

The car slowly descends.

Task 9

Divide your explanation into two paragraphs. Include a reference to Fig. 2.

Technical reading Water-based hydraulics

Task 10

Find the answers to these questions in the text which follows.

- Why is oil superior to water as a hydraulic fluid?
- 2 Why were water-containing fluids developed?
- 3 How can the wear of metal parts he reduced in water-based hydraulic equipment?
- 4 What materials should be used where possible for component surfaces in sliding contact?
- 5 Why is sealing difficult with water-containing fluids?
- 6 Why is filtration of sea-water advised?



 Hydraulic power was first based on water. The development of the oil industry meant the ready availability of power transmission fluids with improved characteristics compared to water. Oil has better lubrication ability and increased viscosity which allowed a much higher contact loads to be achieved in the machinery as well

5 much higher contact loads to be achieved in the machinery as well as lower leakage rates.

Water-containing hydraulic fluids have evolved since the late 1940s in response to the fire ignition risks of oil systems. The safety concerns of the steel, mining, and offshore users have played a to maior part here.

Initially, these fluids were 40,60 water/oil mixture but these have been progressively modified into the 955 systems available today. High water-based fluids have to contain additives so that internal components relying on metal upon metal contact can operate to without excession were
Water-powered machinery with its inherently non-polluting media is a very attractive prospect especially because of environmental concerns about the consequences of oil leakages and the disposal of oil residues. In order to engineer effectively for water power, the

- 20 following points need to be considered:
 - Water lacks boundary lubrication. When oil is used as a hydraulic fluid, it provides lubrication and reduces corrosion. Machinery can operate with some rubbing contact without excessive wear. When water is used, component surfaces in sliding contact should be made of corrosion-resistant non-
- metallic materials such as ceramics or polymers.
 - Water has low viscosity. Sealing is more difficult.
 - Corrosion. Metals are significantly affected by water. The use of corrosion-preventing additives or non-corrosive materials is advised
- - Contamination, Using 'raw water' such as sea-water which contains significant amounts of particles and salinity can cause wear and corrosion. Filtration may be necessary.

Source: Adapted from P. Tweedale, 'Beating the fire risk with Water Based

20 Staff engineer



Tuning-in

Task 1

What do these acronyms used in engineering mean?

- I CAD
- CAM
- CIM
- 4 IT
- 5 MRP
- 6 JIT
- 7 PC
- 8 PLC

Task 2

Now read this text to check your answers.

Acronyms and concepts in engineering and process control

The IT industry's talent for reducing everything to alphabet soup is only equalled by manufacturing which you can almost discuss without using any real words at all. But if the only way to avoid jaw-breaking terminology like 'supervisory control and data a acquisition'.

CAD/CAM (Computer Aided Design/Manufacturing): Use of PCs and workstation applications to automate the design and manufacturing processs. Designers use CAD/CAM to prototype designs without redrawing them by hand. Popular PC packages 10 include AutoCad, VersaCad and RoboCad. Workstation systems from IBM, DEC, IPJ, Intergraph, and Computervision. CAM helps in preparation of programs to control robotic and manufacturing equipment.

MRP (Materials Requirement Planning): Breaks down product into 15 list of components needed to build it. Helps manufacturers plan what raw materials they need in stock.

MRP II (Manufacturing Resources Planning): Includes the concept of MRP, but also includes aspects of order processing, distribution, and processing time.

29 JIT LJust-in-Time Manufacturing): Carries on where MRP and MRP II leave off. Means you only make the products you have to in order to satisfy market needs. Process extends from design and MRP to distribution of finished products. JIT-embracing manufacturers try not to hold any stock, either of raw materials or finished products.

25 but make products just in time to fill customer requirements.

CAPP (Computer Aided Process Planning): Systems work out how best to route the production of items that need to go through several different processes.

Scada (Supervisory Control and Data Acquisition): Systems collect 36 data, monitor manufacturing processes, and produce management reports on the effectiveness of manufacturing processes. Are often PC systems and use graphical displays to alert shop-floor staff to problems in a process.

Concurrent Engineering: Concept of developing different aspects of a product concurrently. Products' design, manufacturing, and

- 3. Or a product concurrently, Products design, manufacturing, and documentation are integrated from the start. If design of a new product is changed, this is automatically passed through to the next stages of production planning. Intended to replace traditional linear approach, where each stage has to wait for previous stage to
- 40 be completed. Aim is to reduce time-lag between design and finished product.

EDM (Engineering Data Management): Part of a move towards Concurrent Engineering and CIM (Computer Integrated Manufacturing). Central database stores all documentation related

- 45 to particular products. Product manuals and technical data can be generated from original design information, and engineers should be able to reuse design data from previous projects. One company has halved time between introducing a change request at the design stage and producing complete plans.
- ve PLC (Programmable Logic Control): Small, rugged controllers are programmed via a programming panel to do a particular job in a process. Once programmed, the controllers will do the same job as a full computer system, but at a lower cost. They can be reprogrammed easily to do different iobs.

Source: Adapted from J. Massey, 'On the Make', Personal Computer Magazine

Task 3

- Who do you think this text was written for?
- 2 Some words are missing from the text—the subject of some sentences, articles (the, a, an). Why?
- 3 What are AutoCad, VersaCad, and RoboCad?
- 4 What is the difference between MRP and MRP II?
- 5 What do you think the advantages of JIT are?
- 6 What is the aim of Concurrent Engineering?

Listening

You are going to hear an interview with Edward, a staff engineer. The interview contains some of the acronyms listed in Task 1.

Task 4

Listen to the interview to find these basic facts about Edward.

- 1 What section does Edward lead?
- 2 What does his company do?
- 3 How long has Edward worked for the company?
- 4 How many people started the company?
- 5 What is the company's turnover?
- 6 Why did he become an engineer?
- 7 What qualification does he have?

Task 5

Fill in as many spaces as you can in this extract where Edward is describing CIM. Now listen to the interview again to check your answers and to complete any remaining gars.

Yes. There's a	database in the master 2	in the

factory. It holds specifications for every product the factory makes. Bar

ode 3 read the boards coming down the production

+ and pass the information to the 5 . The robot

says, 'OK, I'm going to build product A', so it pulls the CAD"

from the database, and builds that product. When it's finished, it

7 the controller and passes on to the next * to be

assembled.

Task 6

Answer these questions on the technical information in the interview.

- What sort of tasks can the robots perform?
- 2 What are the robots driven by?
- 3 What do the robots use instead of PLC?

Language study Verbs with on and off

In this book, you have studied a number of verbs followed by on or off. For example:

- 1 JIT carries on where MRP and MRP II leave off.
- 2 When the robot has finished, it informs the controller and passes on to the next product.

Fill in the blanks in these sentences with either on or off. You have studied these verbs in similar contexts.

- Failure means that expensive development costs must be written with no result.
- 2 The alarm goes if a window is broken.

3 When the water is hot, the control unit moves to the next stage of the washing programme.

4 Components which rely metal upon metal contact require lubrication.

- 5 A thermostat causes the gas control valve to shut when the room temperature is correct.
- 6 Feedback is used to check water level, temperature, and drum speeds.

7 A car thief would set the alarm.

8 If a system is needed urgently, there is no question of knocking at the usual time.

9 Power may come from a small turbine engine, running a clean fuel like natural gas.

10 The accident occurred after the plane took

21 Lawn-mower





Fig. 1

- 1 How is the grass cut?
- 2 How is the height of the cut adjusted?
- 3 What is the purpose of the fam?
- 4 How do the cuttings enter the grass box?
- 5 How is power provided?
- 6 How is the motor protected from grass intake?
- 7 What is the function of the hood?



Analyse the functions of a lawn-mower by completing this 'Why and How' diagram using the labels provided below.



Fig. 2 Functional Analysis System Technique (FAST) diagram

- a rotate blade
- b transport cuttings
- c store cuttings
- d use spacers
- e bring grass upright
- f achieve air-flow
- g provide motor
- h position blade height

Reading 1 Predicting

Task 3

You are going to read a text about engineering design. The title is:

FAST, a versatile design tool

Before you read the text, think about the answers to these questions:

- 1 Why do products have a finite life?
- 2 How can too little quality ruin a producer?
- 3 What does a customer require of any product?

Now read the text to check your answers and to find out the answers to these questions.

- 4 What is a 'window of opportunity'?
- 5 What is FAST?
- 6 What does it allow the designer to do?
- 7 How can a design team use FAST to put value into a design?

FAST, a versatile design tool

The task of the engineer is to produce the correct product at the correct cost at the correct time. If a product misses its window of opportunity, the manufacturer can lose up to 33% of the life cycle profits. Lost sales are never made up as chances in the market

5 place and in competitors' equipment mean that any product has a finite life.

The correct product is one which will satisfy the customer's requirements: functionality, quality, affordability, and availability. It must also satisfy the producer's requirements: low manufacturing

- 10 costs, simple guality control, and an identified marketing opportunity. Quality is important to both customer and manufacturer. Too much will ruin the producer, too little will alienate the customer and may also ruin the producer if faulty goods have to be recalled.
- 15. The designer's goal is to get it right first time. To do this a design process must be used which is effective at producing a good design. An important tool in the design process is the Functional Analysis System Technique (FAST) diagram. This enables the designer to understand the functional relationships of the system
- 20 being designed. The example illustrated (Fig. 2) shows the technique applied to the design of a lawn-mower.

The customer's requirement 'Trim lawn' appears in the box to the right of the diagram. Reading from the left, one can ask the question 'Why' of any of the statements contained in the other

25 boxes, and the answers will all lead to the customer's requirement. Starting from the right and asking the question 'How' establishes the reason for the function described.

FAST has many uses - for example, to analyse a competitor's equipment. This tool also enables a design team to put value into a

20 design. The process usually involves combining a number of functions into single parts, thus reducing the number of parts and saving cost in both materials and labour.

Source: Adapted from J. Fox, 'Design tools for speed and guality', Professional Engineering

Reading 2 Grammar links, 2

Study this paragraph from the text. Some phrases have been printed in **bold**. Answer the questions in *italics* which follow them.

The designer's goal is to get it right first uner rol do this? For devising, a deprocess must be used which is effective an erodoring a good design. An important tool in the design process is the Functional Analysis System Technique (FAST) diagram. This (Her Functional Analysis System Technique (FAST) diagram. This (Her Functional Analysis System Technique (FAST) diagram. This (Her Functional Analysis System the technique (FAST) more than the system being designed a farm movee.

In Units 5 and 9 we studied how texts are held together by grammar links and meaning links. The text above contains some common grammar links. Such links may cause problems for the reader who reads sentence by sentence because words seem to disappear or change. For example:

- To do this a design process must be used means To get it right first time, a design process must be used
- 2 This enables the designer to understand means The FAST diagram enables the designer to understand
- 3 The example shows the technique applied to the design of a lawn-mower means

The example shows the Functional Analysis System Technique applied to the design of a lown-mower.

This text has more examples of the links studied here and in earlier units. Answer the questions in the text.

On most movers, a motor with a power of arcsmal 1 kW is used to drive the cutter and finar a vore 6.000 revolutions per minute data with the same [Same what?] as a flast-revering cars. The motor is usually electric but some types [Q] which Q has a flast-revering cars. The motor is usually electric but some types [Q] which Q has a flast-revering cars. The motor is usually electric but some types [Q] which Q has the motor is usually electric but some types [Q] which Q has the motor is the electric but some type [Q] which Q has the motor is the motor is the motor is the electric but some the motor is the motor is the electric but some the electric

Language study Describing functions

To analyse the functions of a machine, we need to be able to answer 'How' and 'Why' questions. We have studied most of these methods in previous units. We will revise them here and introduce some new methods.

1 How questions

Answer this question about the lawn-mower shown in Task 1.

How are the clippings stored?

We can answer 'How' questions like this:

1 With by + -ing. For example:

The clippings are stored by providing a grass box.

2 With used + to verb or used + for -ing when the instrument is given. For example:

A grass box is used to store the clippings. A grass box is used for storing the clippings.

2 Why questions

Answer this question about the lawn-mower.

Why is the impeller rotated?

We can answer 'Why' questions like this:

1 With to + verb

The impeller is rotated to achieve air-flow.

2 With so that + clause

The impeller is rotated so that air-flow can be achieved.

Task 5

Explain these functions of the lawn-mower.

- 1 How are the cuttings transported?
- 2 How is air-flow achieved?
- 3 How is the blade height positioned?
- 4 How is horizontal velocity provided to the blade?
- 5 How is the grass impacted with a sharp edge?
- 6 Why is a grass box provided?
- 7 Why is the grass brought upright?
- 8 Why are spacers used?
- 9 Why is air-flow achieved?
- 10 Why is a motor provided?

Word study Noun + noun, 2: function

Some noun + noun compounds in engineering contain a noun formed from a verb. You studied such nouns in Unit 15. For example:

Verb Noun Compound noun exchange exchanger heat exchanger

Often these compounds explain the function of the object. For example:

A heat exchanger is used to exchange heat. A heat exchanger is for exchanging heat.

Task 6

Explain the function of these objects:

- 1 shock absorber
- 2 signal generator
- 3 speed governor
- 4 battery charger
- 5 pressure regulator
- 6 circuit breaker
- 7 hardness tester
- 8 fuse holder
- 9 engine immobilizer
- 10 temperature sensor

Task 7

What are the names of these objects? Check the spelling in your dictionary.

- reduce the speed (of a motor)
- 2 indicate the level of oil (in a gear box)
- 3 grind the surface (of a metal plate)
- 4 inject fuel (into petrol or diesel engines)
- 5 filter oil (for an engine)
- 6 cut wires
- 7 sense moisture (in an environment)
- 8 count hinary (numbers)
- 9 compress air
- 10 convert digital (signals) to analogue (signals)

Writing Description and explanation

You are going to write a description of a hovermower and an explanation of how it works.

The description will answer these questions:

- 1 What is the hovermower for?
- 2 What are its main components?
- 3 How are they connected?

The explanation will answer this question:

How does it work?

Task 8

Separate these sentences into those which describe and those which explain.

- A hovermower is for cutting grass.
- 2 When the motor is turned on, air is sucked in by the impeller fan.
- 3 There are four main components: an electric motor, a fan, a cutting blade, and a grass box.
- Pressure under the hood rises, which causes the mower to lift on a cushion of 4 uir.
- 5 Some air escapes around the bood, which stabilizes the air pressure.
- 6 The fan is attached to the motor.
- 7 The cutting blade is fixed below the fan.
- 8 After the blades cut the grass, the cuttings are sucked into the grass box by the flow of air to the impeller fan
- 9 The whole assembly is covered by a hood.
- 10 The grass box is situated behind the motor.

Task 9

Form the descriptive sentences into one paragraph and the explanatory contenues into a second paragraph. Give your text a title.

Speaking practice Explaining function

Task 10

Work in pairs, A and B.

Student A: Use the diagram in Task 2 to ask 'How' questions of your partner like this: How does the mower trim the lawn? Answer any questions your partner asks with the help of the diagram.

Student B: Use the diagram in Task 2 to ask 'Why' questions of your partner like this: Why is a grass hor provided? Answer any questions your partner asks with the help of the diagram.





Scanning electron micrograph of a flake of rusty bodywork from a Ford Cortina car, showing a cryatalline area of rust.

Tuning-in

Task 1

Study these titles of recent news items. What do you think the stories are about? Compare your predictions with other people in your group.

- 1 The crumbling monuments of Paris
- 2 Engine bolt failure blamed for air disaster

Now scan the texts to check if your predictions were correct.

The crumbling monuments of Paris

E GRAND PALAIS, completed in 1900 and famous for shows that extract hundreds of thousands of vitilers, needs 200 million in emergency restoration work. The metal frame of the palace's huge glass root has rusted. Emergency repairs were made in the summer after iron bolts fell off but an architect's report has warned that a total collapse is possible.

An estimated £40 million is required to stop rust eating into the city's most visited monument, the futuristic Pompidou Centre, erected in 1977.

Source: Adapted from French art calls in the buildars'. The Guardian

Engine bolt failure blamed for air disaster

EXPERTS have confirmed that the fatal crash of a cargo plane into an apartment block was caused by failure of a boll securing one of the plane's massive engines to the wings. Weakened by corrosion, the bolt aheared after take-off, causing one engine to break loose. Now discuss these questions in your group;

- 1 What problems are caused by corrosion?
- 2 What if there was no corrosion?

Reading Skimming

Task 2

Skim the following text to identify the paragraphs which contain:

- a Conditions in which corrosion occurs
- b Need to consider corrosion in design
- c A definition of corrosion
- d Factors which limit corrosion
- e Effects of rust

Corrosion

A major consideration in engineering design is maintenance. One of the commonest causes of failure in the long term is corrosion. This is any deterioration in the component's appearance or physical properties.

5 Corrosion covers a number of processes whereby a metal changes state as a result of some form of interaction with its environment. It often occurs where water, either as a liquid or vapour in air of high humidity, is present.

In general, corrosion becomes worse when impurities are present in damp conditions. It never starts inside a material, and

there will always be surface evidence that indicates corrosion exists, although close examination may be needed.

A common example of corrosion is the rusting of steel where a conversion of metallic iron to a mixture of oxides and other

15 compounds occurs. This not only changes the appearance of the metal but also results in a decrease in its cross-section.

It is imperative that a design takes into account whether a material will be affected in a particular environment and, if corrosion is likely, at what rate.

- 20 Many factors can intervene in a way to restrain its progress. An example is aluminism and its alloys which perform satisfactorily in many engineering and domestic applications when exposed to air and water. This is due to the rapid production of a tough adherent film of oxide which protects the metal from further attack so that
 - 25 corrosion halts.

Source: 'Types of corrosion, how it occurs and what to look for', Design Enginewing

Task 3

Answer these questions with the help of the text above.

- I In corrosion, why do metals change state?
- 2 Name two factors which encourage corrosion.
- 3 Where can signs of corrosion always be found?
- 4 What is rust?
- 5 Why may rust be dangerous to a structure?

- 6 What must designers consider regarding corrosion?
- 7 Why does aluminium perform well when exposed to air and water?

Language study Cause and effect, 3

Task 4

What connection can you see between the following?

loss of strength reduction in cross-section

Put them in the correct order to show this connection

Cause and effect links like these are common in engineering explanations. You studied them first in Unit 15. You can link a cause and effect when both are nouns or noun phrases, like this:

1 If you want to put the cause first.

ause		Effect
Dampness	causes results in gives rise to brings about	corrosion
	louds to	

is the result of is the effect of is brought about bu is due to

2 If you want to put the effect first. results from

Effect Corrosion

Cause

dampness

Task 5

Study these lists, A and B. Items in list A are causes of those in list B but the items are mixed up. Link the related items. For example:

reduction in cross-section

A

- reduction in cross-section
- 2 insulation breakdown
- 3 overtightening
- 4 overloading a circuit
- 5 carelessness 6
- impurities
- 7 lack of lubrication
- 8 friction
- 9 repeated bending

10 overrunning an electric motor

loss of strength

- B corrosion
- b bearing failure
- e excessive heat
- d shearing in metal
- e loss of strength
- £ shearing in bolts
- g blown fuses
- short circuits
- wear and tear in machinery

Now write sentences to show the link. For example:

Loss of strength results from reduction in cross-section.

Speaking practice Exchanging information

Task 6

Work in pairs, A and B.

Student A: Your information is on page 179. Student B: Your information is on page 183.

Your partner has some information about two of the types of corrosion on the following list. Find out what they are and obtain information from him or her to complete as much as you can of the table below.

Types of corrosion

Common forms of corrosion are:

- general or surface corrosion
- pitting
- galvanic or bimetallic corrosion
- intergranular corrosion
- exfoliate
- demetallification
- stress corrosion
- fretting corrosion
 - crevice corrosion
 - microbiological corrosion

Турс

Technical reading Corrosion of materials

Task 7

Scan the table opposite to find the answers to these questions.

- What colour is the corrosion product on nickel-base alloys?
- 2 Which alloys are most susceptible to pitting?
- 3 What does CRES refer to?
- 4 When is chromium susceptible to pitting?
- 5 What is Inconel?
- 6 Which alloys have the highest resistance to corrosion?
- 7 What is the difference in appearance between corrosion on aluminium alloys and corrosion on copper-base alloy?
- 8 Which CRES is more corrosion resistant?
- 9 What visible signs are there of corrosion in titanium alloys?
- 10 Name two alloys subject to intergranular corrosion.

Natur	e and appearance of corrosion products (Aircr.	aft Engineering)	
Alloys	Type of attack to which alloy is susceptible	Appearance of corrosion products	
Aluminium alloys	Surface pitting, intergranular and exfoliation	White or grey powder	
Titanium alloys	Highly corrosion resistant. Extended or repeated contact with chlorinated solvents may result in degradation of the metals' structural properties	No visible corrosion products	
Magnesium alloys	Highly susceptible to pitting	White powdery snow-like mounds, and white spots on surface	
Low alloy steels (4000-8000 series)	Surface oxidation and pitting, surface and intergranular	Reddish-brown oxide (rust)	
Corrosion resistant steel (CRES) (300–400 series)	Intergranular corrosion (due to improper heat treatment). Some tendency to pitting in marine environment (300 series) more corrosion resistant than 400 series). Stress corrosion cracking	Corrosion evidenced by rough surface; sometimes by red, brown, or black stain	
Nickel-base alloys (Inconel)	Generally has good corrosion-resistant qualities. Sometimes susceptible to pitting	Green powdery deposit	
Copper-base alloy, brass, bronze	Surface and intergranular corrosion	Blue or blue-green powder deposit	
Chromium (used as a wear-resistant plating for steels)	Subject to pitting in chloride environments	Chromium, being cathodic to steel, does not corrode itself, bu promotes rusting of steel where pits occur in the coating	

Source: 'Data briefs: Corrosion of Materials', Design Engineering



Tuning-in

Task 1

Study this diagram of a Maglev train. What differences can you note between this and a conventional train?



Task 2

Now scan the following text quickly to check how many of the differences you have noted are mentioned. Add any other differences you find to your list.

Magnetic levitation train

A MAGLEV (magnetic levitation) train does not run along a track in the normal way. Instead, magnetic fields lift it above the track, so that the train 'floats' along.

Because they have no wheels, axles, suspension, dampers, or brakes, Maglev vehicles are light and compact. They are also

5 brakes, waged venices are ignr and compact. They are too pollution-free, as no fuel is burned within the train, and cheap to maintain.

The Maglev system at Birmingham Airport carries passengers from the terminal to the railway station and the National Exhibition

10 Centre. The cars are made of lightweight fibreglass, carried on an aluminium chassis.

All the electrical equipment which powers the cars is situated under the floors or the seats. Each car can take 32 passengers and their lungage, up to a weight of 3 tonnes. The trains travel at a maximum 15 speed of 42 km/h.

A concrete guideway above the ground supports a T-shaped track for the two-car Magley trains. The train is lifted from the track by magnetic attraction. This is the force by which two opposite magnetic poles attract each other (just as two of the same poles 20 repai each other). Powerful electromagnets at each corner of the

train exert a pulling force which lifts the train upwards so that it floats 15 mm above the track.

As people get on and off, the weight of the train varies. It may drop closer to the track than the required 15 mm, or rise further from it.

25. To keen it at an even distance from the track, the force is varied by a micropropessor.

Each train is driven by an electric motor called a linear induction motor. Electromagnetic windings, or coils, on the train generate a magnetic field in which the magnetic poles shift along the train.

30 The field induces electric current in the track, which in turn generates its own magnetic field. The two fields in the track and the train interact so that the shifting field pulls the floating train along the track.

Source: 'Inside out: Magnetic levitation train', Education Guardian

Reading 1 Inferring



Make a list of the advantages of the Magley train. You may use the text to help you.



Task 4

Now list the disadvantages. You may use the text to help you. Diendunningen

- 2
- 3

- 5

Now think about your lists. You will probably find that most of the advantages are stated in the text. Few of the disadvantages are listed. You had to infor them, to reason them out, from your knowledge of the world and the information in the text.

Not everything we learn from a text comes from the words on the page or screen. Much of it comes from our own head, When we read, we make mental links between what we read and what we already how about the topic. In other words, we link new information and old to understand the text. This kind of prading is called *firstring*.

Reading 2 Dealing with unfamiliar words, 2

Answer this question using the extract from the text below.

Why are Magley trains so light?

Because they have no wheels, axies, suspension, dampers, or brakes, Maglev whicles are light and compact.

In your answer, you may have used the word damper. Do you know what it means? Do you need to know its exact meaning?

We learnt in Unit 14 that we can ignore unfamiliar words which do not help with our reading purpose. Some words we cannot ignore, but often an approximate rather than exact meaning of a words sail that is required. Sometimes we can work out the approximate meaning of a word from its context. For example, we can say that dampers are probably:

- 1 heavy (not light)
- 2 large (not compact)
- 3 part of the undercarriage (same set as wheels, axles, suspension, and brakes)
- Task 5

Try to work out the approximate meaning of any of the words printed in **bold** in this text whose meaning you do not already know. Check your answers with a dictionary.

When first includes?. Hnere motion serve even as a major technological breachtmorgh. However, dissportinging breaking approximation players than break includes?. However, dissportinging breaking approximation players than the server of the server of the server of the server of the server company. Indexects, Wandel enginess are now reardy sead because of problem in historic companying in the server product s-success can use an index or competing the finite means that are breaking server of the server made by written off with no result. Soly, it chousing a player of the product of made by written off with no result. Soly, it chousing a player of the product of many breaking and the server of the server of the server of the product of means and the server of the server of the server.

Language study Prediction

Study this diagram. What will be the result of this action?



Action

Result

They will affinited

Two magnets are held together with opposite poles facing.

When an action is always followed by the same result, we can link them like this:

If /When two magnets are held together with opposite poles facing, they attract ouch other.

or

If/When two magnets are held together with opposite poles facing, they will attract each other.

When an action is always followed by the same result, the statement becomes a general principle or law. (See Unit 15.) Using the law, we can predict what will happen in pericular cases.

Predict the result of the action illustrated here.



Action

Two magnets are held together with like poles facing.

Now write the principle illustrated.

If two magnets

Result

Task 6

Predict the results of each of these actions. Then link each action and result in a sentence.

Action

Result

I A steel bar is subjected to tensile forces. The bar

the har

2 We apply an effort at E.

The block



3 The switch is closed.



4 The switch is pressed.









6 We move the effort by 50 centimetres.



7 The circuit is broken.



8 120 V ac is applied across the primary.



9 We apply an impact load to a brittle body.



10 We apply 24 V ac to the transformer





Writing Explanations

Study this diagram. It shows how a Maglev train is supported without physical contact with the track. Can you explain how this works?



Vehicle weight downwards on magnet

The explanation consists of a series of at least six steps. The first step is:

1 Current flows through the magnet coil.

The last step is:

6 The train is lifted.

Can you think of any of the steps in between?

Explanations consist of a series of steps. Some steps in an explanation have cause and effect links; others have time links. Here are some of the steps which explain how the train is lifted. What kinds of links are there between the stages?

- 1 Current flows through the magnet coil.
- 2 The current creates a magnetic field round the poles.
- 3 The field induces a current in the track.
- 4 The track becomes magnetized.
- 5 The two magnets attract each other.
- 6 The train is lifted.

You can show time links using the structures you studied in Unit 8. You can show cause and effect links using the structures studied in Units 16, 17, and 22, and in these ways:

- 1+2 Current flows through the magnet coil, creating a magnetic field round the poles.
- 3+4 The field induces a current in the track; therefore the track becomes magnetized.
- 5+6 The two magnets attract each other. (thereby) lifting the train.

Thereby can be omitted from the last example.

Task 7

Study these diagrams. They explain how the propulsion system operates.



The train is propelled by a linear-induction motor mounted under the vehicle. The current creates a linear traveling field which constantly reacts with the abumisium secondary track, causing relative motion. To stop the train the current is



Try to complete the blanks in this set of steps which form an explanation of the peopulsion system.

- I Current through the motor coils.
- 2 The current creates fields in the motor.
- 3 The fields currents in the track.
- 4 The track becomes
- 5 The current through the linear motor is changed.
- 6 The magnetic in the motors shift.
- 7 There is and repulsion between the new motor fields and the track fields.
- 8 The motor pulls the train along the to line up the fields.
- 9 The ______ through the coils changes and the process is repeated.

Task 8

Divide the steps into two sets and form each set into one paragraph. Show the links between the steps using whichever method you think appropriate.

Technical reading Motor selection: operating environment

Task 9

What special features would you expect to see specified when rotary motors are being purchased to operate in the following situations?

- 1 In a workshop housing a wood planer.
- 2 In a boiler house which is regularly hosed down.
- 3 In a sewage pump house where the presence of methane gas can be expected.
- 4 To drive a centre lathe used for turning cast-iron components.

Read the text on the following pages to check your predictions.

When choosing a drive motor for a particular application, the following points must be considered:

- 1 Starting torque
- 2 Starting current limitation
- 3 Drive speed
- 4 Operating environment
- 5 Rating and duty cycle

We will consider here the operating environment. Attention must be given to the problem of providing sufficient cooling medium to

10 carry away the heat from the windings but at the same time not allowing that medium to carry into the motor anything which will harm it or block up the cooling ducts. Particularly harmful are oil vapour, carbon, and cast iron dust. Where machines may get wet,

for example on a ship's deck, moisture ingress must be prevented

15 or suitable insulation employed.







Screen protected motor protected against large solid particles.



135

Probably the most commonly found machine is the totallyenclosed, fan-cooled motor (TEFC). The motor winding is totally enclosed in the motor housing which is usually ribbed on the outside. A fan is mounted on the shaft external to the housing and

20 is protected by a shield. This fan blows air over the casing removing heat from the motor. In larger sizes, there is also a fan inside the casing blowing air over the windings transferring heat to the casing.

Where motors are required to operate in explosive situations, the motor must be of flame-proof construction. This means that it must be enclosed in such a manner that any explosion which may occur

- within the motor must be contained within the motor. Often it is easier to prevent explosive gases entering the motor. Ventilated motors are used which draw air from an uncontaminated area. This
- 30 is pumped into the motor which keeps its internal pressure above that of its surroundings.

Fig. 1 illustrates a variety of protected motors.

Source: Adapted from D.W. Tyler, Electrical Applications, 3

24 Computer Aided Design (CAD)

Tuning-in



Task 1

Study the example of Computer Aided Design in Fig. 1. Answer these questions about the diagram.

1 What structure does it show?

Listening

- 2 Apart from the design, what other information does the drawing provide?
- 3 What do you think the top row of words are for File, Edit, Constrain, etc.?

sk 2

You are going to listen to an interview with a designer of car engines. He describes some of the advantages of CAD over traditional approaches to design – for example, drawing and modelling. Before you listen. Jist any advantages you think CAD has over these traditional approaches.

Task 3

Study the following extract from the tapescript of the interview. It covers the interviewer's first question and answer. Fill in the gaps before you listen. One word is missing from each gap. Then listen to this part of the interview to check your answers.

		Interviewer:	What do you like about designing on computer?			
		Designer:	The fact that you 7	get into three dimensi	hree dimensions	
			immediately. You don't 2 to imagin		e how a	
			component will 3	from two-dimensional	drawings.	
			You can put your though	ts into the solid without 4		
			to go via paper. You can s	ee. in the mind's 5		
			exactly how the compone	nts fit together or *	fit.	
		and you can modify, replace, and generally tailor pa		ice, and generally tailor part	s very	
			quickly as ideas 7	to you.		
Task 4	E	with others in	your group to make as fu	ntages of CAD. Combine you Il an answer as possible. Wh ith the list you made in Task	ten you	
Task 5	0.0	Work in pairs	A and B. Listen to the wi	tole tape again.		
		Student A: Student B:	Note any disadvantages of drawing in the table below. Note any disadvantages of modelling in the table below.			
		Now compare	e notes to complete both sections of the table.			
		Disadcantas	and the second se			

.

Modelling

Task 6

The designer mentions these components of a design cycle. Put them in the correct sequence.

study results, modify design, stress analyse, design, stress analyse

Language study Necessity: have to and need (to)

Study these examples from the interview.

- You don't have to imagine how a component will look from two dimensional drawings.
- ... at the end of the day models have to be converted back into drawings for manufacture.
- 3 Normally one needs to go round the circle at least four times.
- 4 With CAD, you need not describe such a feature more than once.

Have to and need (to) can both be used to express necessity. In this sense, they are similar to must. Must is a modal auxiliary verb and has no other forms, whereas have to and need (to) have the same range of forms as other verbs.

The table opposite shows ways of expressing necessity and no necessity in the present.

	+ necessity	 necessity 	r			
	have to need to must	do not have need not or	e to do not need to			
	Fill in the blan table above.	ks in these sen	itences with ap	opropriate 6	orms of the verb	os in the
1	Designers who	work with CA	D	produce d	lrawings on pap	HETE.
2	The production machining		ase the comput done.	ter model to	calculate what	
	One problem in converted into			models is th	at they	be
ł	With traditiona from a two-din			magine a th	aree-dimensiona	al shape
5	With CAD, des	gners can put ise paper.	their ideas into	o solid shap	es without	
5	In engineering	drawing repea	ated features		be drawn agai	n each
	time but with 0	AD they	be ree	drawn.		
	Making cars lis	hter	mean ma	king them f	limsier or less sa	ife.

Task 7

139

25 Supercar



Tuning-in



Study the following recent Volkswagen survey on the car of the future. Decide in your group which developments in the survey are important to you. One person should report the group's views to the rest of the class.

What changes would you like to see?

We've suggested a few possible developments. Please think carefully about which ones would make a real difference to you and tick the boxes to let us know.

Design

- The opportunity to use alternative fuel sources like hybrid (petrol and diesel) or hydrogen power.
- A car that is an office away from work, with facilities such as a fax machine and video-conferencing.

Safety

- Speed limiters that vary to give you the safest possible drive for the weather and road conditions.
- A computer sensor to tell you if you're driving at a safe distance from the vehicle in front.
- Automatic engine and fuel supply cut-out in the unfortunate event of an accident.
 - All-round airbags.

Security Engine immobilizer which makes it virtually impossible for anyone else to drive your car away. A tracking device which allows the car to be located fast if it is stolen. Audio systems built into the chassis or engine of the vehicle to prevent theft. Sports car performance combined with fuel economy. A computerized route finder which tells you the quickest way to get to your destination. Servicing by mobile units to save lengthy visits to a garage. Source: V.A.G. (UK) Ltd What do you think will be different about cars in the next ten years? Think Task 2 about the following points. Compare your ideas with other groups. materials design - power - fuel Read this title and introduction to a text. Try to guess the answers to the Task 3 questions which follow. Supercar test for industry Matthew L. Wald on the technical issues the President's environmentally-friendly car faces ... Who is the President? 2 Who is Matthew L. Wald? 3 How can a car be environmentally-friendly? 4 Why might a car be called a Supercar? 5 What test does industry face? Now read the first paragraph of the text. Does it help you to answer the questions? The 10-year co-operative project between government and Detroit for an environmentally-correct supercar will require radically new technologies for solving the car industry's problems: air pollution, over-reliance on imported oil, and loss of market share to imports.

		Reading Predicting: using first sentences
		In earlier units we studied how reading the title and using diagrams can help you predict the contents of a text. As we saw above, reading the first paragraph can also be very helpful.
		A final way to get a good idea of the contents of a text is to read the first sentence of each of the other paragraphs.
Task 4		Read these first sentences: then note down what you think the main points of the text are.
	1	Some say it cannot be done but others say various components could be pulled together to do the job: electric motors with batteries, fuel cells or flywheels to deliver electricity, plus lightweight, acrodynamic car bodies.
	2	Instead of steel, some other type of material would be necessary for the 'supercar' body, some kind of composite or carbon fibre,
	3	Safety is another issue but lighter need not mean flimsier.
	4	Reducing body weight and wind resistance will make any car more efficient.
	5	Electronics can however
	6	Four possible power sources are being investigated.
	7	Another possibility is fuel cells, which combine oxygen from air with hydrogen to make electricity.
	8	Yet another approach would be a flywheel, an electrical generator consisting of free-spinning wheels with magnets in the rims that can produce a current.
	9	A fourth possible power source for the national supercar would be a small turbine engine, running on a clean fuel like natural gas.
	_	

Task 5

Read one of the following texts as your teacher directs: A. B. C. or D. Note in this table any information you find on solutions to the problems of designing the Supercar.

Text		Solution	Reason(s)
A Materi	als		
B Shape			
C Power			
D Power	source	Problem	
1			
2			
3			
4			

Now share your information with others in your group to complete the table.

Text A

Some say it cannot be done but others say various components could be pulled together to do the job: electric motors with batteries, fuel cells or flywheels to deliver electricity, plus lightweight, aerodynamic car bodies.

- Instead of steel, some other type of material would be necessary for the 'supercar' body, some kind of composite or carbon fibre. Such materials are available now, but are not considered cost competitive with steel. But a research centre in Colorado claims that composites can 'emerge from the mould virtually ready to
- 10 use". The result would be fewer parts and less labour than current car body construction and, therefore, less cost.

Safety is another issue but lighter need not mean filmsier. The centre points to Indy 500 drivers who routinely survive 230-mph crashes in composite vehicles.

Text B

Aerodynamic drag accounts for more and more of the energy required to move the car as speed rises. The car makers already know how to cut drag sharply. General Motors' *impact* has about half the drag of a typical car. The *Impact* has a rounded front and a

s tapered back. It is also small to present less frontal surface to the wind.

Text C

Reducing body weight and wind resistance will make any car more efficient. But roughly equal to the wind in eating up the car's energy is braking, and internal combustion engines cannot do much about that.

5 Electronics can, however, Nearly all electric designs use regenerative braking. When the driver hits the brake the motors become generators, converting the mechanical energy of the slowing wheels into electricity. That capability virtually guarantees that a super-officient car will have an electric motor.

Text D

Four possible power sources are being investigated. The simple one is batteries. But if a super-efficient car is to have an attractive cruising range, it cannot carry hundreds of pounds in batteries.

Another possibility is fuel cells, which combine oxygen from air s with hydrogen to make electricity. But current fuel cells operate steadily, and a car cell would have to handle widely varying demand for energy: zero, while stopped at traffic lights, or several times that consumed by an average house, while accelerating.

Yet another approach would be a flywheel, an electrical generator consisting of free-spinning wheels with magnets in the rims that can produce a current. An early application of flywheels might be in a race car built for a twisting course, where frequent braking means high fuel consumption in conventional cars.

A fourth possible power source for the national supercar would be a small turbine engine, running on a clean fuel like natural gas. It

would run at a constant speed, generating electricity for driving the vehicle or for feeding a bank of batteries, storing energy for later use.

Task 6

Read the whole text yourself. How much did the first paragraph and the first sentences of the other paragraphs help you to predict the main points of the whole text? Which first sentences were not very helpful? Why not?

Language study Certainty

Study these statements. What is the difference between them? Can you put them in order of certainty?

- 1 A supercur will have an electric motor.
- 2 A supercar might have a flywheel.
- 3 It is likely that a supercar will have a rounded front.

The difference between the statements is how certain the writer is about each development. Study this list of certainty expressions.

Yes	Certain	Fairly certain will probably	Uncertain
		be + likely + vb	may
		be + probable that	could will possibly
No	will not	be + unlikely to + vb	be possible that

Task 7

Comment on how likely these predictions are for the next decade, using an appropriate expression from the table above. For example:

- A human powered vehicle (hpv) will exceed 100 km/h. It is possible that an hpv will exceed 100 km/h.
- 2 A perpetual motion machine will be invented. A perpetual motion machine will not be invented.
- 3 More factories will be fully automated. It is likely that more factories will be fully automated.
- 4 Driverless trains will link major cities. Driverless trains might link major cities.
- 1 Electric cars will become common.
- 2 Most bicycles will have carbon fibre frames.
- 3 A more efficient petrol engine will be developed.
- 4 More people will travel by public transport.
- 5 Robots will be used in homes.
- 6 Fewer engineers will be required.
- 7 Diesel engines will replace petrol engines for cars.
- 8 Most waste materials will be recycled.
- 9 An ideal electric motor will be invented.
- 10 Physicists will reach absolute zero (-273°C).

Study these statements. Why is will used in the first sentence and would in the second?

- 1 A supercar will have an electric motor.
- 2 A possible power source would be a turbine engine.

In sentence 1 the writer feels certain this will happen. In sentence 2 the writer feels this is only a possibility because it depends on circumstances.

We use would to describe future events which can only happen if certain conditions are met. Study these examples from the text.

Another approach would be a flywheel. (If a supercar were built.)

The result would be fewer parts and less labour. (If moulded composites were conf.)

Task 8

- What would happen if these conditions were met?
- 1 If all cars were made of plastic
- 2 If all cars had diesel engines
- 3 If powerful, lightweight batteries were developed .
- 4 If all cars were fitted with flywheels
- 5 If speed limits were reduced

Task 9

What conditions are necessary for these events to happen?

- 1 All car parts would be recyclable.
- 2 Cars would travel 40 km/litre of fuel.
- 3 Cars would cost much less to produce.
- 4 Cars would not require painting.
- 5 Cars would not require lubricants.

Writing Summaries

The best way to make a summary of a text is to write down the main points in note form and then link them clearly in your own words. If you are summarizing for others, make sure you do not over-summarize, that is, reduce the text to the point that no one but you can understand what it means.

Task 10 Study these notes which summarize the Supercar text. Solution Reason(s) Materials composite, carbon fibre fewer parts, less labour Shane rounded front, tapered back, small reduce drag c. Power electric motor allows recencrative braking D Power source Problem 1 batteries

2 fuel cells cannot cope with varying demand

- 3 fly wheel
- 4 gas turbine with generator

Now convert each section of the notes into one or two sentences. Use the certainty expressions you studied in this unit. For example:

The Supercar will have an electric motor because only electric motors allow regenerative braking.

If you think that your reader will not understand particular terms, define them. For example:

The Supercur will have an electric motor because only electric motors allow regenerative braking, that is, converting braking power back into electrical energy.

Finally, link your sentences into paragraphs. You will need at least two.

- materials, shape, and power - possible power sources

You will also need to add a brief introductory paragraph stating the objectives of the Supercar project.

26 Graphs

Tuning-in

In engineering, graphs and charts are a common way of giving information. They allow a great deal of data to be presented easily in visual form.



Label the following graphic displays with the correct term from this list:

graph pie chart bar chart bar chart

bar chart (column chart)





Study the graph opposite which shows typical daily load curves for a power station. Answer these questions about the graph for weekdays.

- 1 When is the peak load?
- 2 When is there least demand?
- 3 When is the load 65% of capacity?
- 4 What is the load at 1 p.m.?


Describe changes in load for these periods:

- 5 Between 6 a.m. and 10 a.m.
- 6 Between 7 p.m. and midnight.
- 7 Between 3 p.m. and 5 p.m.

Language study Describing graphs

Look at the period 6 a.m. to 10 a.m. We can describe the change in load in two ways:

- 1 The load rises.
- 2 There is a rise in load.

We can make our description more accurate like this:

- 3 The load rises sharplu.
- 4 There is a sharp rise in load.

Study this table of verbs and related nouns of change. The past form of irregular verbs is given in brackets.

Direction	Verb	Noun
Up	climb go up (went up) increase rise (rose)	increase rise
Down	decline docrease dip drop fall (fell) go down (went down)	decline decrease dip drop fall
Level	not change remain constant	no change

These adjectives and adverbs are used to describe the rate of change:

Adjective	Adverb
slight	slightly
gradual	gradually
steady	steadily
steep sharp	steeply
sudden	suddenly
fast	fast

Study this graph which shows the load at weekends.



Write sentences to describe the load during these periods.

- Saturday, 8 a.m. to noon.
- Saturday, 6 p.m. to 10 p.m. 2
- Saturday, noon to 5 p.m.
- Saturday, noon to 1 p.m. 4
- Sunday, 2 a.m. to 8 a.m.
- Sunday, 8 a.m. to 9 a.m. 6
- Sunday, 5 p.m. to 10 p.m. 8

Task 4

Look at Fig. 1 and Fig. 2. Make comparisons of these periods. For example:

Sunday, 4 a.m. to 8 a.m./weekdays at the same time.

On Sunday the load remains constant between 4 a.m. and 8 a.m. but on weekhnes it rises sharply.

- Sunday, noon to 3 p.m./Saturday at the same time.
- 2 Weekdays, 10 p.m. to 11 p.m./Saturday at the same time.
- Saturday peak load/Sunday peak load. 3
- Sunday, noon to 1 p.m./the rest of the week at the same time. 4

Word study Common verbs in engineering

Study this list of common verbs in engineering which you have studied in this hook. They all have the sense of 'make something happen'.

lower	make low
raise	make high
heat	make hot
release	make free
compress	make smaller volume
reduce	make smaller
increase	make larger

Task 5

Fill in the blanks in these sentences with suitable verbs from the list above.

- 1 When thermoplastics are . they soften.
- 2 If a gas is . it heats up.
- 3 Refrigeration preserves food by its temperature.
- 4 A heater the temperature of the water.
- 5 The rising piston the fuel mixture.
- 6 Designers try to the weight of a structure.
- 7 When the push button is ______, the valve spring pushes up the spool.
- 8 Pumping fluid into the main cylinder gradually the jack.
- 9 Aerodynamic design wind resistance.
- 10 The motor starts up slowly, then gradually speed.
- 11 At intermediate substations, power is to 11 kV for light industry.
- 12 When the child the handle, the seat swings back under the weight.

Writing Describing a graph

An important mechanical test of a metal is the tensile test to destruction. Increasing loads are applied to a specimen of the metal until it breaks. For a mild steel specimen, a graph of load against extension looks like this:



Task 6

The following sentences describe the most important stages of the test. With the help of the graph:

- put the stages in the correct sequence to form a text describing the graph.
 fill in the missing references (0, P. E. Y. U. Ft.
- fill in the missing references (0, P. E. Y. U, F).
- a From to the specimen extends in direct proportion to the load applied.
- b This rapid extension continues until point , the maximum load, is reached.
- c From there is a rapid increase in length for each increase in load,
- d At the specimen finally fractures.
- e After the specimen lengthens further but the load falls.
- f Soon after P the material reaches its elastic limit, marked on the graph as point

Task 7

Add this extra information to your text.

- Up to the elastic limit, the steel will regain its original length when the load is removed.
- b Up to U there is no change in the cross-section of the steel.
- e After the elastic limit, the steel will not regain its original length.
- d After U the specimen undergoes 'waisting'.
- e Y is the yield point.

Task 8

Refer to each of these figures at an appropriate place in your text. Use expressions such as these:

As shown in Figure A. See Figure A.

Technical reading Properties and applications of carbon steels

Task 9

Study the diagram below which shows how tensile strength, hardness, and ductility vary with the percentage of carbon in carbon steels. Answer these questions:

- 1 What percentage of carbon gives the greatest tensile strength?
- 2 What happens to ductility between 0.08% and 0.87% carbon?
- 3 How does increased carbon affect hardness?
- 4 What is the effect on tensile strength of increasing carbon beyond 0.84%?
- 5 What happens to ductility beyond 0.87% carbon?



Task 10

Now study the diagram below for extra information and answer these questions.

- I What is high carbon steel?
- 2 How much carbon does tool steel contain?
- 3 Compare the properties of mild steel and hard steel.
- 4 What kind of steel is tin plate made from?
- 5 What kind of steel are car springs made from?



Properties and applications of carbon steels





American new news manage of the balance areas have contain over one multiple cares.

ui-eninuT

You me going to real a fact on crycling doubles (fact me mini components of relates are given in the let below. Listing your knowledge of recovered for relation relations and what use could be made of the materials recovered your resolution of factals will obtain your one of the materials recovered by our relations of letting recovered and what we have a second provide the relation of the provide of the materials recovered to the relation of the relation of the provide of the materials recovered and the relation of the r

Laber	Sterrotem offegato	speram subtrained
Ferrous metals	SSEP	SMISELA

Yow report your solutions to the rest of the class. Be prepared to answer questions and defend your ideas.

Task 1

Z MSBT

Task 3

Read the text below to see how the solutions proposed by your class compare with those used in the experimental plant described.

Recycling domestic refuse

The consumer society produces more and more refuse. A number of solutions to this problem have been proposed. In some countries refuse is burnt to generate electric power. In Germany, producers must take back unwanted packaging for recycling. In other

5 countries, householders are asked to separate out refuse so that it can be recycled more easily. This text describes an experimental plant in Holland designed to recycle domestic refuse.

The rubbish collected from households consists of a mixture of organic materials such as kitchen waste, and inorganic materials such as glass and plastic bottles, tin cans, and packaging.

The rubbish is first passed through a hammer mill to shred it. The mill consists of rotating steel arms which break up any large items to reduce them to a more manageable size. Any items which may cause damage later in the process are rejected at this stage.

15 The shredded mixture passes under an electromagnet which removes ferrous metals. Much of this is tin cans. Almost all ferrous metals are recovered in this way.

After that, the residue is carried by conveyor beit to an air classifier. A stream of air is blown through the classifier, which has a zig-zag shape. Low density materials such as plastic, paper, and some

- 20 shape. Low density materials such as plassic, jumple, and some organic substances rise to the top of the classifier. Higher density materials such as glass and non-ferrous metais fail to the bottom and are discarded. These could be further separated out using a range of processes. For example, an eddy current mechanism
- 25 could screen out aluminium waste. Froth flotation techniques could recover glass.

The low density portion is carried to a rotating drum where it is screened. Fine organic materials pass through the screen leaving a mixture which consists mainly of plastic and paper. The organic residue can be used for compost or to make bricks.

The next stage is to separate the plastic from the paper. This was initially a problem as both are similar in density. The solution is to wet the mixture. The paper absorbs water and as a result becomes denser than the plastic.

35 In the final stage, the wetted mixture is passed through a second air-classifier where the lighter plastic leaves from the top and the denser wet paper from the bottom. The recovered paper could be fed to put mills for further recycling.

The remaining plastic is a mixture of thermosets and

40 thermoplastics. It is not easy to separate these out but the mixture can be melted and formed into insulating materials for building.

Reading Transferring information, making notes



Using the information in the text, complete the labelling of the flowchart, Add these labels:



Task 5

Study these notes on the first stage of the recycling process. They contain information on location (Where?), action (What happens?), reason (Why?), and method (How?). Read the text again to complete the notes for the other stages.

Stage 1

Where?	hammer mill
What happens?	the waste is shredded
Why?	to reduce it to a manageable size
How?	using rotating steel arms to break up any large items
Stage 2	
Where?	
What happens?	
How?	by magnetism
Stage 3	
Where?	
What happens?	high and low density materials are separated
How?	by a current of air which carries low density materials the top while high density materials fall to the bottom
	by a current of air which carries low density material

Stage 4	
Where?	
What happens?	the low density portion is screened
Why?	
Stage 5	
What happens?	
Why?	to give the paper and plastic different densities
Stage 6	
Where?	
What happens?	
How?	by a current of air which carries low density plastic to the top while wet paper falls to the bottom

Language study Possibility: can and could

Answer these questions about the text.

- 1 Does this plant screen out aluminium waste?
- 2 Does it recover glass?

Task 6

- 3 Is recovered paper fed to pulp mills?
- 4 Is recovered plastic melted and formed into insulating blocks?
- 5 Is organic residue used for compost and bricks?

The answer to questions 1, 2, and 3 is No. The answer to questions 4 and 5 is Yes/Maubr. How do we know? Look at the text.

- 1 An eddy current mechanism could screen out aluminium waste.
- 2 Froth flotation techniques could recover glass.
- 3 The recovered paper could be fed to pulp mills for further recucling.
- 4 The mixture can be melted and formed into insulating materials for building.
- 5 The organic residue can be used for compost or to make bricks.

We use could in examples 1, 2, and 3 to show that something is possible but is not in fact done. The reasons why nothing is done in these examples may be expense or lack of demand. We do not know.

We use carr in examples 4 and 5 to show that something is possible and may in fact be done.

Fill in the gaps in this text with either our or could. Be prepared to justify your answers.

With present technology we recycle almost all domestic refuse.

But in practice market forces determine what is worth recycling.

- Successful plants in a number of countries show that refuse ______ be used as a fuel in power stations.
- 3 If we recycled most of our refuse, the increasing problem of waste disposal be solved.

155

- be produced from old plastic bottles. A company in the 4 Sweaters United States converts the waste plastic into polyester yarn. It takes twenty-five two-litre bottles to make a sweater.
- At present we not easily separate thermosetting plastics from thermoplastics.

Writing Describing a process. 4: reason and method

In Units 13 and 15 we learnt how to sequence and locate the stages in a process. In this unit we will study ways to describe and explain what happens in each stage.

Look again at the notes on Stage 1.

Stage I Where?

hammer mil

What harmens?

the waste is shredded to reduce it to a manageable size Why?

using rotating steel arms to break up any large items

Note how we can combine information on sequence, location, process, peason, and method. For example:

Sequence + location

The weste first passes to a hammer mill

The waste first passes to a hammer mill, where it is shredded

The waste first passes to a hammer mill, where it is shredded to reduce it to a manageable size

+ method

The specie first passes to a hammer mill, where it is shrolded to reduce it to a manapuble size using rotating steel arms to break un anu large items.

Task 7

Combine information on the other stages in the same way to make a full description of the recycling process. Note that you can help your reader understand the sequence by carrying information from one stage to the next. For example

- The wuste is shredded. Stage 1
- The shredded waste Stage 2
- Stage 5 The mixture is method
- Stage 6 The wetted mixture





Tuning-in

Task 1

Together, try to write a definition of a robot. Compare your answer with the definition of an industrial robot given on page 36 of the Answer Book.

Reading 1 Revising skills

In the tasks which follow, we will revise some of the reading skills you have studied.

Task 2

Study this diagram which shows the components of an industrial robot. What do you think the functions of the three components shown are?



Fig. 1 The components of an industrial robot

The manipulator

This is the bit which actually does the mechanical work, and in this case it is anthropomorphic (i.e. of human-like form), resembling an arm.

The power supply

For heavy-duty hydraulic or pneumatic machines this will be a

5 compressor. In smaller, lightweight versions which use electrical stepper motors rather than hydraulics or pneumatics, this would be omitted.

The computer

The controlling computer is fitted with appropriate interfaces. These may include digital inputs, digital outputs, ADCs lanalogue-

10 to-digital converters), DACs (digital-to-analogue converters), or stepper motor control ports. These control the various compressors, stepper motors, and solenoids, and receive signals from the manipulator's sensors.

Task 4

Read the following text to find the answers to these questions.

- What is the work volume of a manipulator?
- 2 What is the work volume of a human?
- Why is the work volume of a human greater than that of an industrial robot?
- 4 What are 'degrees of freedom'?

Work volume

Robots are multifunctional so an important design issue for the manipulator is its 'work volume'; the volume of space into which it can be positioned. The greater the work volume, the more extensive the range of tasks it can be programmed to carry out.

- 5 As a human being, your work volume consists of all the places your hands can reach. Most industrial robots have a much more limited work volume because they are blotted to the floor. Even with the same limitation applied, however, the human body is a very flexible machine with a work volume described – very
 - 10 approximately by a cylinder about 2.2 m high with a radius of about 1.8 m and a domed top.

Degrees of freedom

In order to achieve flexibility of motion within a three-dimensional space, a robot manipulator needs to be able to move in at least three dimensions. The technical jargon is that if requires at least to three degrees of freedom. Figs, 2 a-d show a number of the more common types of robot manipulator mechanisms. Each has the requisite three degrees of freedom, allowing either linear or rotational movement.

Reading 2 Transferring information

Task 5

Study the text and accompanying diagram (Fig. 2a) below and note how the information has been transferred to Table 1.

Fig.	Туре	Degree	rotational	Work volume
a	Cartesian or rectilinear	3	0	cube
be bd				

Table 1

Common types of manipulator

Fig. 2a is the simplest. Its three degrees of freedom are all linear and at right angles to each other, so they correspond to the three Cartesian co-ordinates. Diving it presents no mathematical difficulties, since each degree of freedom controls a single Cartesian co-ordinate without affecting the others. Fairly obviously,

the work volume of the Cartesian manipulator is a cube.

Fig. 2a Cartesian or rectilinear manipulator

Task 6

Work in groups of three. Your teacher will select a text for you. Read the text and diagram to complete your section of Table 1.

Text 1

The second type of manipulator, shown in Fig. 2b, is called a cylindrical manipulator because of the shape of its work volume. It has one rotational and two linear degrees of freedom. Because of the rotational aspect, however, the maths needed to position it becomes more involved, which means that for a given response

s becomes more involved, which means that for a given response speed a faster processor is necessary.



Text 2

Fig. 2c shows the spherical manipulator which has two rotational and one linear degrees of freedom. The work volume is indeed a sphere, and once again the complexity of positioning the device increases.



Fig. 2c Spherical or polar manipulator

Text 3

The final type of manipulator has three rotational degrees of freadom. This is the most complex type to control, but it has increased flexibility. Fig. 2d shows this type of manipulator – the anthropomorphic arm. The work volume of a practical manipulator

antitiopointo joint is shown in Fig. 3. You will notice that it is basically spherical but has missing portions due to the presence of the arm itself and because the rotations cannot achieve a full add obgrees. The scallops on the inner surface are caused by constraints imposed by the joints.



Fig. 3 The work volume of an anthropomorphic manipulator

Task 7

Now exchange information with the others in your group to complete the table.

Task 8

Complete the blanks in this text.

Mechanical wrist

It is worth prioriting.¹ Dut a human arm has for more Peedon ² the institution three degrees of chocking, ariging very sense Health by increms.¹ positioning, path taken, sufficiently approach loves without a write, the redundant degrees of feedom of the ² body would allow you to carry our motion around operations. Any of the basic manipulators shown.² Fig. 2 = 4, on the other ³ could be write urulally uselase as the stand. Although they could get to any parsition, they² only approach objects from a single single.

To take an * . removing a screw would be impossible *

the manipulator could not align a screwdriver to fit the screw properly. Even if it was able to, it still would ¹⁰ be possible to carry out the necessary rotating action.

A wrist is therefere added to most basic manipulations to ¹⁰ the required mechanical facibility to ¹⁰ real jobs. In general, for total facibility the wrist inceller equations there decrease of freedom, threely bringing the grand total up to six. The ¹¹ common set of the set of



Fig. 4 A typical mechanical wrist

Language study Concession: even if and although

We can use if (see Unit 11) to link two statements like this:



1 The switch is on.

2 The lamp lights.

If the switch is on, the komp lights.

When statement 1 is true, statement 2 is also true.

When statement 1 surprisingly has no effect on statement 2, we can use even if or although. For example:



The switch is on.

2 The lamp does not light.

Even if the switch is on, the lamp does not light. Although the switch is on, the lamp does not light.

Task 9

A car is fitted with a seat belt warning light. The light operates under these conditions:

Seat occupied	Ignition	Belt	Light
Yes	On	Closed	Off
Yes	On	Open	On
Yes	Off	Closed	Off
No	IIO	Closed	Off

Study these examples of normal and faulty operation:

Normal

If the seat is occupied, the ignition on and the belt closed, the light is off.

Faulty

Even if the belt is closed, the light stage on.

Although the belt is closed, the light stays on.

Give other examples of normal and faulty operation of this circuit.

Technical reading Stepper motors

Task 10

Read the text which follows to find the answers to these questions, then complete the table.

- 1 Why would you use a stepper motor to position the head of a disk drive unit?
- 2 Name two components that are present in other electric motor types but absent from stepper motors.
- 3 For accuracy in positioning, would you select a stepper motor with a large or a small step angle?

Туре	Advantages	Applications
Variable reluctance	No detent torque	
	High dynamic torque at low speed	
Hybrid type	Good speed/torque characteristics	-
	Can be made very small, very efficient	

Stepper motors are useful wherever accurate control of movement is required. They are used extensively in robotics and in printers, plotters and computer disk drives, all of which require precise positioning or speed. In a plotter, for example, by using two motors

⁶ running at 90 degrees to each other, they can be used to drive a pen an exact distance in all directions. In robotics, they are used to position manipulators exactly where required. A stepper motor does not run in the same way as a normal DC motor, i.e. continuously rotating. Instead, it runs in a zeries of measured steps. These steps are triggered by pulses from a computer, each pulse making the motor turn either in a forward or areverse direction by an exact interval, typically 18, 25, 35, 375, 375.

15, or 30 degrees. Accuracy is within 3% to 5% of the last step.



Fig. 5a

The rotor in a stepper motor is constructed from several permanent is mapness with north and south poles. The station is wound into a series of electromagness, usually four, which can be switched on and off, Figs. San do il liustrate the operation of a permanent magnet-type stepper motor. When current is applied to the stator colls, it creates the pole arrangement shown in Fig. Sa. Poles I and

Fig. 5b

30 2 are north. Hence, the rotor south pole is attracted to both of them and sattise in the mid position as show. When the stator currents are changed to produce the pole arrangement shown in Fig. 8b, pole 1 has south polarity. This repeis the rotor which moves to the new position as shown. Each polarity change on the stator causes 3 the rotor to move (in this case) 45 degrees.

Stepper motors can be divided into two groups. The first one works without a permanent magnet. The second one has a permanent magnet, usually located on the rotor.

Variable reluctance motors form the first group. As there is no 30 permanent magnet, the variable reluctance motor has practically no detent torque. The rotors prins freely and gives good acceleration and high speed if lightly loaded. Applications include micropositioning tables.

The second group comprise the permanent magnet motor, the 36 hybrid motor, and the disc magnet motor. The permanent magnet type offens high dynamic torque at low speed and large step angles. This is a low cost motor used extensively in low inertia applications such as computer peripherals and printers.

The hybrid type combines features of both types mentioned above. to It has good speed/torque characteristics and micro-stepping capability. Steps of 1.8 degrees are possible.

Disc magnet motors can be made very small and are very efficient. One of their first applications was in quartz-controlled watches.







Tuning-in

Task 1

List some of the jobs in engineering. Combine your list with others in your group.

Task 2

Work in groups of three, A, B, and C. Scan your section of this text, A, B, or C. How many of the jobs in the combined list you made in Task 1 are mentioned in your section?

Jobs in engineering

A

Professional engineers may work as:

Design engineers: They work as part of a team to create new products and extend the life of old products by updating them and finding new applications for them. Their aim is to build quality and

5 reliability into the design and to introduce new components and materials to make the product cheaper, lighter, or stronger.

Installation engineers: They work on the customer's premises to install equipment produced by their company.

Production engineers: They ensure that the production process is efficient, that materials are handled safely and correctly, and that

faults which occur in production are corrected. The design and development departments consult with them to ensure that any innovations proposed are practicable and cost-effective.

Just below the professional engineers are the technician

15 engineers. They require a detailed knowledge of a particular technology - electrical, mechanical, electronic, etc. They may lead teams of engineering technicians. Technician engineers and

Test/Laboratory technicians: They test samples of the materials and of the product to ensure quality is maintained

Installation and service technicians: They ensure that equipment sold by the company is installed correctly and carry out

Production planning and control technicians: They produce the

25 manufacturing instructions and organize the work of production so that it can be done as quickly, cheaply, and efficiently as possible.

Inspection technicians: They check and ensure that incoming and outgoing components and products meet specifications.

Debug technicians: They fault find, repair, and test equipment and ap products down to component level.

Draughtsmen/women and designers: They produce the drawings and design documents from which the product is manufactured.

The next grade are craftsmen/women. Their work is highly skilled and practical. Craftsmen and women may work as:

25 Toolmakers: They make dies and moulding tools which are used to punch and form metal components and produce plastic components such as car bumpers.

Fitters: They assemble components into larger products

Maintenance fitters: They repair machinery.

(a) Welders: They do specialized joining, fabricating, and repair work.

Electricians: They wire and install electrical equipment.

Operators require fewer skills. Many operator jobs consist mainly of minding a machine, especially now that more and more processes are automated. However, some operators may have to 45 check components produced by their machines to ensure they are

accurate. They may require training in the use of instruments such as micrometers, verniers, or simple 'go/no go' gauges.

Source: Adapted from S. Moss & A.S. Watts, Careers in Engineering. 3rd edition

Task 3	Combine answers with the others in your group. How many of the jobs listed in Task 1 are mentioned in the whole text?
Task 4	Who would be employed for 12 tool out of the second of the second of the second of the 13 tool out who is a new deteromics assembly does not work? 14 produces a would for a care body part 14 sec that the correct test equipments is available on a production line? 15 find a checyper way of manufacturing a careakshult?

- 6 repair heating systems installed by their company?
- 7 see that a new product is safe to use?
- 8 commission a turbine in a power station?

Reading Inferring from samples

In Task 5 below and in the Listening (Task 7), you are asked to infer from a small sample of text information which is not clearly stated. Use the clues in the samples and the knowledge you have gained from the text *lobs* in engineering.

As a group, try to identify the jobs of these workers from their statements.

Task 5

We perform standard chemical and physical tests on samples, usually as a result of a complaint from inspectors on the production line. We are an important part of production. We have the authority to stop the line if we find something seriously wrong. It's interesting work, and we're able to 5 move around from test to test and chat. Sometimes, admittedly, the work

 move around from test to test and chat. Sometimes, admittedly, the work gets a bit repetitive.

2 All machinists can be difficult. The older blokes especially don't like me telling them their work ian't good enough and instructing them to do it again. One or two of them seem to think the inspector is always out to get to them. I'm constantly having to calm things down.

3

We measure up the components to see that they are the right size and shape, and we make any minor adjustments ourselves with hand tools or power tools. All along, parts will need adjusting slightly and you have to check things at each stage with measuring instruments and gauges. You is have to are fare for it-performer have to be just right. Toharviss things the struct our step for it-performer have to be just right. Toharviss things and the struct our step of the struct our step of the step of the

15 nave to get a reel for it – clearances have to be just right. Otherwise things won't fit together.

I find my job a very satisfying one. It's never easy to say exactly why one likes a job. I think the basic thing I get out of my profession at the moment is the creativity that is involved in design work. You start from square one

20 with a plain sheet of paper. You draw a component. You design something and perhaps a few months later you can see the end product. And you get told whether or not your design works! I think it's that aspect that I find most satisfying.

Lenjoy my job. I really like doing the same thing every day-exactly the same job. You know what to look for and how things should be. You know how the machine -- or the machines -- run, when a machine is working properly and when there is something wrong with it. I really like the routine. I don't have drams of becoming a supervisor or anything like that. I'm isotontert running my machines.

6 30 My company makes desalination equipment. It takes the salt out of sea water so it can be used for drinking and irrigation. A lot of our customers are in the Middle East. Have to go there whenever new equipment is being set up to make sure it's properly installed and everything is running OK.

Source iquotations 1-5i: T. May, People at Work: Working at a light engineering plant

Speaking practice Role play

Task 6

Work in pairs, A and B. Each of you has profiles of three workers in a light engineering plant which supplies car electrical components such as starter moters, fuel pumps, and alternators.

Play the part of one of these workers and be prepared to answer questions from your partner about your work. Your partner must try to identify your job from your replies.

In turn, find out about your partner.

Do not give your partner your job title until he or she has found out as much information as possible and has made a guess at your occupation. Try to find out:

- 1 Age
- 2 Education
- 3 Qualifications
- 4 Nature of work
- 5 Who he/she is responsible to
- 6 What he/she feels about his/her work

Before you start, work out with your partner useful questions to obtain this information.

Student A: Your profile is on pages 179/80. Student B: Your profile is on page 183.

Listening Inferring from samples

Task 7

Listen to these workers talking about their jobs. Try to match each extract to one of these jobs.

- a Methods engineer
- **b** Systems analyst
- c Toolmaker
- d Machine tool development fitter
- e Foreman/woman
- f Applications engineer

30 Applying for a job

	Tuning-in
Task 1	What sort of engineering job do you do at present or would you like to do in the fature? What are the attractions of the Job? Compare answers with others in your group.
	Pooding the second second

Task 2

Answer the questions below about this job advertisement.

AAA > Castleton Airport

As a highly successful part of AAA plc, we handled approximately 5 million passengers last year. Further expansion of the airport facilities has created a career opportunity for the following:

Engineering Technicians c.£13,000

In this multi-skilled role you will carry out corrective and preventative maintenance on a variety of electrical, electronic, and mechanical plant. You will use computer-based monitoring systems for effective control, fault diagnosis, and operation or plant and equipment.

Applicants-should have a recognized HNC or National Certificate in Electrical / Electronic Engineering and have served a recognized apprenticeship. Experience in the operation and maintenance of electromechanical plant utilizing electronic system control including experience of HVA C plant and systems, electronic PLC systems, bolier control systems, positional and electronic speed control systems including hydraulise, pump, and hot exchangers would be desirable.

This demanding position requires effective communication skills together with a flexible attitude.

A clean current driving licence is essential.

In return you can expect an attractive salary and benefits package.

Please forward a comprehensive CV to Denise Dickens, Personnel Department, Administrative Block A, Castleton Airport, Castleton CS2135L. Closing date for receipt of completed applications is 31 December.

- 1 Which company is advertising?
- 2 Where are the jobs based?
- 3 At what professional level are the jobs available?
- 4 Applicants from which branch of engineering are eligible?
- 5 What qualifications are required?
- 6 In addition to qualifications, what must the applicants have completed?
- 7 List some of the areas in which experience is sought.
- 8 Might you be considered for the job without this experience?
- 9 In addition to qualifications and experience, what characteristics should applicants have?
- 10 Which non-professional qualification is essential?

- 11 What might a benefits package include?
- 12 What are PLC systems?
- 13 What does HVAC mean?
- 14 What is a CV?

Task 3

Fiona Weaver decides to apply for one of the posts. Study her CV below Answer these questions.

- What is her highest educational qualification?
- 2 Why do you think the education and experience sections of her CV start with the most recent events?
- 3 Why does she give two references?
- 4 Why has she chosen these people to be her referees?
 - 5 Why does she include interests and activities?

CURRICULUM VITAE Personal details Date of birth: 7 April 1974 Marital status: Single Education and qualifications Faraday College of Further Education, Newcastle - National Certificate in Electrical and Electronic Engineering George Stephenson Secondary School, Newcastle I hold a clean driving licence. I have been driving for three years. Work experience - Responsible for checking incoming components and completed computer-based record systems. Travel, modern dance, swimming Head of Department Electrical Engineering 3 & T (UK) Ltd

Faraday College North Street Cornallis Road

NEWCASTLE NC14 71L NEWCASTLE NC2 304

Study this letter of application which accompanied the CV. What information does it add to the CV2

15 December 19-

Tack A

Rs Benise Dickens Personnel Department Administrative Block A Castleton Airport Castleton CS21 335.

Dear Ms Dickens,

Ro) Engineering Technicians

I would like to apply for the post of Engineering Technician as advortised in today's issue of the Tribune. I enclose my Cy with the names of two referees.

You will note from my CV that I have a National Cortificate in Ninetrical and Electronic Explanmening and considerable experience, My work at 0.4.1 (UR) mean that I an familiar with WAC plant and systems including electronic system control. As an imposed no technician, I have experience of a wide range of systems for product testing and component evaluation.

I enjoy my work at 1 s t has weald like new in broaden my experience, empotially in the area of maintenance I feet that I can bring considerable skill to the post together with the ability to work well in a team. I an also interested in further improving my multifications by studying for an BMC, part (ine-

I look forward to hearing from you. Yours sincerely

Flana Weaver

Piona Meaver

Speaking practice Role play

Weaver if you wish.

Task 5	Imagine you are Ms Dickens of Castleton Airport. List Fiona's strong points and weak points. Plan questions to ask her at her interview.	
Task 6	Now divide into pairs so that you are working with another student. Act on the interview with one being the applicant and the other the personnel offic	
	You can change Ms Dickens to Mr Dickens and Fiona Weaver to Michael	

Writing Writing a CV and letter of application

Task 7

Study the advertisements on the following pages. Select suitable jobs for which these applicants could apply.

- Technician engineer, 27, HNC in Electrical Engineering, with two years' sales experience.
- 2 Professional engineer, 35, with five years' experience in the automotive industry.
- 3 Design engineer, 42, BSc in Mechanical Engineering, with experience in managing projects both in-house and subcontracted.
- 4 Technician, 24. National Certificate in Mechanical Engineering, two years' shop floor experience.
- 5 Electrical engineer, 50, HNC, long experience in maintenance of high voltage plant.
- 6 Mechanical engineer, 46, HND, experience in maintenance.

7 Yourself.

SALES ENGINEER

Sinclair is one of the UK's largest private engineering groups, with an international reputation. The sealing systems operation requires a Technical Sales Engineer to seil the world-renowned Chesterfield range of products throughout the Midlands.

You should have previous sales and mechanical engineering experience with a bias to maintenance products and mechanical engineering.

The successful candidate will ideally be between 30 and 46 years of age living in the Midlands with a mechanical engineering background.

The company offer a good basic salary, commission and company car. Apply in writing, with full cv to: J. FORD

SINCLAIR SEALING SYSTEMS LTD.

16 CANYON ROAD, NETHERTON INDUSTRIAL ESTATE, BIRMINGHAM 82 0ER Closing date 17 December 19-

SINCLAIR

PROJECT/DESIGN ENGINEER

We are a long established medium/ heavy engineering company (Liverpool area) specializing in mechanical handling equipment and require to appoint a project/design engineer for our basy draving office.

The applicant should be apped between 25 and 40 and must have a sourd and practical engineering tox/ground. Identify he's dashadd be a time server draughtpersons, capable of running projects trons initial concept, through design and detail including to final initialities. II-E/be's should have experience in fork truck attachments, illing beams, and concept prospens initialities and the server proteomers, initialities and have with proteomers, initialities and have with proteomers.

Please reply in writing with full cv in the first instance to Box 1383, The Herald, Liverpool L1 IOP.

ь

SUBCONTRACT MANAGEMENT

INTERNATIONAL MECHANICAL/ELECTRICAL PROJECTS £NEG AND GENEROUS BENEFITS

John Blair Engineering, part of the Nelson House Group, is a UK and International leader in power and process engineering. Continuing success in gaining new contracts world-wide has resulted in the ongoing growth of our Operations Division. This has created opportunities for additional Senior Subcontract Personnel.

Your prime responsibilities will involve:

- the award and management of subcontractors working on major turnkey projects;
- the administration of change control procedures;
- identification of liabilities and risk assessment;
- cost forecasting.
- variation management.

To be successful in this challenging position you will be qualified to degree level in a Muchanical, Electrical, or Quantity Surveying discipline and have 10 years experience at a Senior level preferably with a large, successful organization. Good communication and interpersonal skills are an essential requirement.

Salary is negotiable at a level attractive to high calibre individuals and in addition to the career prospects you would expect from a Company of our stature, we offer an attractive range of benefits, substantial pension provision, free life assurance, permanent health insurance, and generous relocation expenses where appropriate

To apply please send a full cv stating current salary to: Planning and Development Manager, John Blair Engineering Limited, Dumbarton Road, Clydeside, Dumbartonshire G52 1YA, guoting reference number: 86/46/12.

JOHN BLAIR

ENTERPRISE THROUGH ENGINEERIN

с

Senior Electrical Engineer A MAJOR ROLE FOR A DEDICATED PROFESSIONAL

The Semiconductor UK plant at Knutsford covers over 300,000 square feet, over 100,000 square feat of which is devoted to clean rooms. We are currently investing some \$90 million in new equipment and buildings and the upgrading of plant and fecilities.

In this high tech environment devoted to the design and manufacture of semiconductors, efficient and effective electrical supply and distribution systems are escribal. We now have take full responsibility for the management, use and engineering of the electrical supply and distribution on the site. Your expertise will be alled upon during electrical enhancement, upgrades, and maintenance work. You will also entry management generation and entry management dysoner work. Qualified to degree level and preferably holding professional status you will have excellent knowledge of and expertise in the design of HV and LV distribution and control systems, gained ideally during your time in a manufacturing and operational/maintenance environment.

This important role carries an excellent salary and generous benefits including free private health care, life assurance, contributory pension scheme, and a progressive relocation package if necessary.

To apply, please write with full C.V. to: Brian Williamson, Human Resources Department, Semiconductor UK plc, Larkspur Industrial Estate, Knutsford WA16 8QT.

Semiconductor UK



Part of the N & S Group, one of the world's major suppliers of automotive components, PREMIER VANDERBILTLTD is a market leader in the

OUALITY ENGINEER - c.£16k

Our manufacturing facility at Wycliffe Valley Bathgate, commenced production in early 1992 and require a Quality Engineer to join us.

Reporting to the Quality Assurance Manager, policies and objectives.

Educated to at least HNC level in mechanical engineering, experience in quality improvement in advantage. A working knowledge of SPC, FMEA, DOE, and problem solving techniques is essential.

are those which can be expected from a progressive organization. There will be excellent opportunities

To apply, please send a cy stating current salary, to, Stuart P. Alexander, Human Resources Manager, Premier Vanderbilt Ltd, 10 Stonehouse Road, Wycliffe Valley Industrial Estate, Bathgate, Berks BG202FW Closing date for applications is Wednesday'S January

MECHANICAL FITTER and PROJECT ENGINEER FOR MECHANICAL HANDLING

We require young. enthusiastic people in the maintenance department to work in conveyoring and specialist machinery for the Glass Container Industry. Applicants should have previous experience working on a shop floor with minimum supervision and be willing to work shifts with overtime, Annual salary will be not less than £13,500.

Please apply in own handwriting enclosing CV to:

Mrs M Ramsav GLACIER GLASS PACKAGING LTD 1 Grayshill Road, Westfield Industrial Estate Bristol BS68 9HO.

(Only applicants selected for acknowledgement within the next 3 weeks.)

NEWCASTLE

ENGINEER O R S A LES S

C£16.500 + CAR

Whether customers are looking for induction motors or datacomms technology, the engineers who make up our sales team can be confident that the solution is in our catalogue. As the country's leading distributor of electronic, electrical, and mechanical engineering products, we can supply customers with some 40,000 different items-all within 24 hours of an order being placed.

If anything we have even more to offer engineers who would like to build on their expertise in sales. If you hit your targets-and we'll give you all the training you need to ensure that you do-you can look forward to high earnings and opportunities to develop your career further.

You'll visit customers in your area, selling them SB products and services, then feeding the information back via written reports, so you'll need to be able to impress decision makers with your technical ability, deciding priorities and motivating yourself to succeed.

This is a role that calls for proven sales experience and a background in electronic/electrical engineering (HNC essential). Bring us that and we can offer you the environment and scope to achieve your

All in all, there have never been better reasons to breakout (with or without the box). For more information and and application form, please send your full CV quoting ref E530H to Julia Beckett, Personnel Officer, SB Components Ltd, PO Box 26, Retford, Northants NN32 9RS.

SB Components Limited

Task 8

Task 9

Write your CV and a letter of application for one of the posts advertised in Task 7. You may invent suitable qualifications and experience if you are still a student.

Technical reading Company structure



Fig. 1

Complete the blanks in this text using information from Fig. 1.

The head of an engineering company in the UK is the ' or the Orde Executive Officer (UR). If it is an American subaliary, the head may be known as the Vice Presiden. Unless the person at the up is the Chairman of the company, or the owner, he or she will be responsible to a ' , or, in the case of at Stabisbary, the Presiden. In turn, the Chairmant or President is responsible to the company shareholders.

The managers of the various departments which are vital to a company report directly to the Managing Director. These managers may be referred to as the Management Team. They are required to advise the Director on the consequences of any decision made by the Board in terms of cests, personnel, materials, time, plant, etc. They also have to brief the Director on any matters which should be taken to the Board for decision.

The	, with the support of the Mechanical. Electronic, and
1	Sections, is responsible for the introduction of new products. The
5	decides how the new products will be produced. The
*	and Industrial Engineer Manager report to this member of the

Management Team.

The "______ ensures that the products are fault-free and that the components and materials used in their manufacture meet company standards. The '_____ handles market research, promotion, and sales. The Field Service Manager is responsible for the installation and maintenance

of the company's products wherever required.

The structure shown in Fig. 1 is common to most engineering companies but there can be differences in reporting channels. For example, in some companies the Field Service Department may report through Marketing, through Quality, or even through a separate Product Assurance and Support Group.

Albucgh the company structure above managers for each separate dopartment, dopartments are interdependent. For example, the Development Manager would not start the alogies of a new product without first discussing regular meetings with other departments to ensure that it fitted the customers, requirements, and the cost aregars would be net valued alocely discting and the customers' and the start of the start of the start of the discussion of the start of the start of the start of the start of the discussion of the start of the start of the start of the start of the discussion of the start of the start of the start of the start of the discussion of the start of the start of the start of the start of the discussion of the start of the start of the start of the start of the discussion of the start of the start of the start of the start of the discussion of the start of the start of the start of the start of the discussion of the start of the start of the start of the start of the discussion of the start of the start of the start of the start of the discussion of the start of the discussion of the start of the discussion of the start o

Task 10

Read the text again to find the answers to these questions.

- What is the US equivalent of the Managing Director?
- 2 Who is the Chairman of a company responsible to?
- 3 Who comprise the Management Team?
- 4 In what way might companies differ in structure from the example given?
- 5 Which department would advise on whether a new product would meet customers' requirements?

Student A Speaking practice

Unit 4





Unit 12

Task 10

Use this text and diagrams to help you. Your partner has the same diagrams but without the text. Make sure your instructions are simple and clear.

Adjusting the distance between the saddle and the handlebars

It is important that the distance between the saddle and the handlebars should suit the rider.

Place the elbow at the point of the saddle and stretch out your arm and hand. The distance between the handlebars and the fingertips

5 should be approximately 5 cm. If necessary, slide the saddle forwards or backwards after loosening nuts A.

When re-tightening, make sure the saddle remains in an almost horizontal position and see that it is properly centred.

After re-tightening, ensure that the saddle is secured firmly and 19 cannot be moved.



This diagram will help you to understand your partner's explanation.



Unit 14



Complete the missing design specifications.



Unit 18

Task 13



Unit 22

Ŧ

Pitting describes the form of corrosion where localized grains of metal are consumed, leaving small, irregular, but possibly deep, holes.

Although the amount of material removed may be small, the metal may be perforated.

Galvanic corrosion results where two dissimilar metals are connected in the presence of moisture producing an electrolytic cell. The more active metal becomes the anode and corrodes away, while the less active will be protected.

ask 6	1	Choose from one of these three profiles.			
		Age	22		
		Job title	Machine tool development fitter.		
		Education	College of Technology, full Technician's Certificate by day release over 4 years.		
		Dutles	Works on automatic machines in the machine tool development department, one of 17 millers, turners, and grinders. Responsible for maintenance of machines, making jps. and fixtures for specialist jobs and for building and commissioning new machines.		
		Responsible to	Foreman		
		Likes/dislikes	Likes the job because of the variety of work.		
	b	Age	42		
		Job title	General foreman/woman		
		Education	Technical college. City & Guilds Certificate by day release.		
		Duties	Is in charge of 26 people - machine tool operators, tool setters etc. Based on the shop floor. Controls everyday production jobs		
		Responsible to	Superintendent		
		Likes/dislikes	Doesn't like having to sack people.		

Unit 29

с	Age	22		
	Job title	Applications engineer		
	Education	Technical college. City & Guilds Certificate by day release over 4 years		
	Dutles	Works in applications department – around 30 people. Responsible for liaison between the company and the customer. This to ensure that the customer's requirements can be met by the company's products. Carries out tests on the products and sends results to the customer on how the product performs.		
	Responsible to	Department manager		
	Likes/dislikes	Gets a lot of job satisfaction because he/she gets to see an end result. Finds the systems in the factory a bit cumbersome. They can hold up the work of the section.		

2 Your partner is one of these workers:

Methods engineer Systems analyst Tool maker

Student B Speaking practice

Unit 4

Task 7



Unit 12

Task 10

Use this text and diagrams to help you. Your partner has the same diagrams but has no text. Make sure your instructions are simple and clear.

Adjusting the handlebar height and tilt

A comfortable position is the best test. Different heights and angles of the handlebars should be tried until you find the position which most suits you.

To adjust the height, unscrew the expander bolt A by three or four turns. Give a sharp blow to the bolt head to loosen the handlebars. Re-tighten once the proper height is obtained.

Make sure the handlebars stem is not pulled too far out of the frame tube. The stem must remain at least 65 mm engaged in the front fork. The grooved part of the expansion slits should not show.

10 To tilt the handlebars, loosen bolt B.

After all adjustments have been made, make sure both bolts are firmly secured with the correct tools. The handlebars should not twist when the front wheel is held firmly between the knees.



This diagram will help you to understand your partner's explanation.



Unit 14

Task 6

Complete the missing design specifications,



Unit 18



Unit 22

Unit 29

Task 6

Task 6

Task 13

Demetallification is the effective removal of one metal from an alloy, such as zinc from a copper-zinc alloy.

Although the metal remaining after attack retains similar dimensions to the original, it lacks mechanical strength and is porous.

Microbiological corrosion is more often found in hot countries, but it also occurs in tanks, such as fuel tanks. Fungus enters through the ventilation system or with the fuel and grows inside the tank. This leads to leakage and can result in structural failure.

i.	Choose from one of these three profiles.		
•	Age	28	
	Job title	Methods engineer	
	Education	FE College, Higher National Diploma, (a sandwich course – 6 months work, 6 months study), University, BSc (Eng).	
	Duties	Part of a team which plans new components and how they are to be manufactured. Also responsible for specifying or recommending new equipment and new machines. If there is a problem with production or materials used for a project, the team has to sort it out.	
	Responsible to	Production engineering manager	
	Likes/dislikes	Enjoys working as part of a team and solving problems.	

183

b

Age 24

Job title Systems analyst

Education Polytechnic, BA in Business Studies

Duties

Assistant analysis in management services department. Part of a team composed of analysis and programmers. When a department has a problem, he/she has to analyse it and come up with a solution. If it is a solution which can be solved by a computer, the team design, write, and lets a computer program for the problem. If it goes well, the program is put into use. This may involve training a 'user' it hen ever system.

Responsible to Section leader

- Likes/dislikes Enjoys working with so many departments. Doesn't like it when a user changes his/her mind about something after hours have been spent designing a system.
 - Age 23

Job title Toolmaker

Education College of Technology, City & Guilds sandwich course

Duties One of 50 who work in the tool room – fitters, turners, millers, grinder, jig borers. Spends time on each kind of machine – surface grinders, lathe, mill.

Responsible to Foreman/woman

Likes/dislikes Likes working with his/her hands.Enjoys getting experience with different kinds of machines.

2 Your partner is one of these workers:

Machine tool development fitter Foreman/woman Applications engineer

Glossary of engineering terms and abbreviations

The definitions in this glossary refer to words only as they are used in this book. The meanings of certain words will vary according to context. As the texts in this book are authentic and come from a variety of sources, some inconsistency in hyphenation and spelling is inevitable.

The unit and task numbers indicate where the word first appears.

Abbreviations used in the text

R = Rending section SP = Speaking practice T = Task TS = Tapescript U = Dnit W = Writing section

n = noun adj = adjective v = verb

A

A-frame / ct frem/ n [U10, T5] a structural frame in the shape of the letter A

ac /et/si/ #[U23, T6] alternating current aerodynamic /,corooda/nemik/ afj [U12, T3] designed to reduce wind

air classifier /'es ,klassfaus(r)/ n [U27, T3] a machine which uses air to segregate materials by size and weight

alarm /a/locm/ # [U11, T3] a means of attracting attention utilizing either sound or vision

alloy / whi n [U12, T3] a metal formed by mixing together other metals and elements

alternator / cdtanetta(r)/ n [U17, T3] a type of generator producing alternating current

amplifier / empliface(r) / n [U16, T8] an electronic device which converts small signal changes to large

anthropomorphic / an0ropo'mo:fik/w [U28, T3] of human-like form

armature / acmafb(r)/ n [U6, T2] the moving part of an electric motor which comprises a piece of iron with loops of wire running round it: the current through the wire is reversed to provide the changes in magnetic fields required to make the motor run

В

bearing / bearing /n [U2, T4] a device to reduce friction and wear between a rotating shaft and a stationary part; may contain bulls or rollers

bimetallic corrosion / baunotalık koʻraoga'n [U22, T6] avr gahranic corrosion

block diagram / blok, datogram / n [U11, T3] schematic drawing showing different functions in a system or stages in a process

body scanner / 'bodi skame(r)' n [U1, T4] a medical electronic device for building up an image of the internal organs of a potient

brittle / britl/ adj [U3, T2] describes a material which tends to break easily. e.g. glass

brushes //brs/tz/n [U6, T2] spring-loaded carbon blocks which carry the electric current to the commutator of an electric motor buoyancy / boons/ n [U5, T3] the upthrust exerted by a fluid buzzer / b.za(r) n [U7, T5 TS] a device

which uses an electric signal to produce a buzzing sound

C

CAD /kaed/ n [U20, T1] Computer-Aided Design

CAM /kem/ n [U20, T2] Computer-Aided Manufacture

Gam /kæm/n[U4, T7] a specially profiled part which is fitted to a rotating shaft to produce linear motion

capillary tube /ka'pdari (tju:b/ n [U15, T2] a tube with a very small diameter bore CAPP /kæp/ n [U20, T2] Computer-

Aided Process Planning

carbon fibre /'ko:ba ,faibə(r)/ n [U25, T5] high-strength fibre made from carbon atoms

carburettor / ka:bo'reta(r)/ n [U17, T3] a device where air and petrol are mixed in an internal combustion engine

Cartesian co-ordinates /ka.,ti:gn kou's:dmats/ u[U28, T6] information about the position of a body in space using distances measured from three intersecting planes

chain wheel /'t[em witl/#[U12, T1] a toothed pulley or sprocket used for transmitting torque by a chain

charger / (foxtys(r)) in [U15, T4] a device which contains a unit for converting mains power to direct current at a suitable voltage for charging batteries

chisel /'tftzl/n [U18, T3] a steel tool with one end formed into a cutting edge

CIM /sm/ n [U20, T1] Computer-Integrated Manufacturing: describes a series of processes or activities coordinated by using a computer.

circuit breaker/'ss:kit.breaks(r)/ n [U21, T6] an electrical switch fitted with an overload protection cut out

closed loop / kload/lup/ # [U11, T3] a system where part of the output of a system is fed back into the input to modify the output

commutator /'komju:,tests(r)/n [U6,T2] the part of the armature of an electric motor which is in contact with the brashes; it reverses the flow of current through the armature compact disc / kompackt 'disk/ n [U13, T2] plastic disc used to store high quality sound recordings or computer data on its surface

component evaluation /kom,pouncest wae)ju/eifn/n [U30, T4] the testing of a component to ensure it conforms to specifications

composite /'komposit/ n [U25, T4] a tibre-reinforced plastic material

compressed air /kam.prest'eo(r)/ n [U18,T1] air at higher than atmospheric pressure; used to power pneumatic devices such as drills

compression /kam'prefn'n [U4, T4] the effect of forces which act to squash a structure

computer model /kem*pju:ta.modl/m [U24, T7] a representation of a design created in 3D on a computer using a CAD programme

computer-based /kem/pjuta ,bast/afj [U30, T3] describes a system which relies on the use of a computer

condenser /ken/dense(r)/ n [U15, T2] a unit where vapour is converted back into a liquid

conductor /kan'dskta(r)' n [U3, T3] n material which will transmit electricity or heat

constraint /kan'streamt/ n [U28, T6] limit imposed by the nature of a mechanism

cooling duct / kucing dikt/ n [U23, T9] a passageway to allow air to pass to a bot surface. for example, in a motor

corrosion-resistant /ks/rsoga rizistant/ ak/[U3, T3] describes a material which can be used in environments where longterm strength or appearance is important, e.g. staindess stred

corrosive (ka'rrosw/ ai) [U9, T1] describes a substance which corrodes (eats or wears away), usually by chemical action

crankshaft / krænk Jo: fu/m [U4, T2] the muin shaft of an engine which carries the cranks for the pistons

crevice corrosion / knews ka, raoga/ n [U22, T6] corrosion in cracks or crevices in pipes carrying liquids

cylinder head "silnda ,hedi n [U3, W] a plate which seals the ends of cylinders on internal combustion engines: it contains the valves

D

- damper //dxmpo(r)/w[U23, T2] a device litted between the chassis and axle of a vehicle to remove spring effects and smooth travel
- database //dentabers/w[U20, T2] a bank of information stored in a computer for easy access
- de /di: 'sic/ n [U6, T6] direct current
- debug/,di:'bxg/vt [U29, T2] detect, locate and correct faults
- degrees of freedom (d), griz av 'frixdam'n (U28, T4) the movements achievable by a robot in three-dimensional space
- desalination /,di:setrinefnin [U29, T5] production of fresh water from sea water die /dav/n [U13, T7] a specially shaped
- block of metal used as a mould for other materials
- die-cast /'daiko:st/al/[U12, T6] produced from moulds
- disc brakes //disk breiks/ a [U19, T2] brakes in which a caliper clamps brake pads onto a disc connected to the wheel of the vehicle
- diverter valve (du/vs.ta (valv/ n [U8, T6]) a valve used in central heating to redirect the flow of hot water from radiators to water heating and vice versu.
- documentation / dokjomen'terfn' n [U30, T9] the complete description of a product in words and drawings at every stage in its manufacture
- ductile //dsktad/wh/[U3,T3] describes a material which can be strutehed and yet retain its strength, e.g. copper

ductility /dsk/uht/ n [U26, T9] quality of being ductile

E

- EDM / J: dl: 'em/ n [U20, T2] Engineering Data Management
- elastic limit // hestik , limit/ # [U26, T6] the point at which a material will no longer return to its original shape after trasile forces are released
- elasticity //kes/tisiti/n [U5, T3] the property of a material to stretch and then return to its original state
- encapsulation /ng.kepsjo/leifn/n [U3, T3] the process of completely embedding a component in a resin as protection from the environment

- engine / endyn/ n [U3, W] a device which coverts fael into work
- equilibrium / ekw/ hbrum/ # [U5, T3] balance (a structure is in equilibrium when all the forces on it are stable and there is no movement)
- escalator / eskolenta(r) / n [U4, T2] moving stairs
- evaporator n'væporens(r)' n [U15, T2] a unit in which a liquid is converted into a vapour
- exfoliate corrosion /eks/faolint ka;rao;m/n[U22, T6] when flakes of metal are displaced due to corrosion
- extrusion /ik/stragn/m[U13, T7] a manufacturing process whereby a material in its plastic state is forced through a die, e.g. to make plastic pipes

F

- feedback / fidback / n[U11, T3] a signal responding to the output of a system which is returned to the input to modify the output
- field magnet / fi:ld_magnet/n [U6, T2] a magnet for producing and maintaining the magnetic field in a generator or electric motor
- friction / frik[n/n [U5, T2] the resistance experienced when two bodies rub against each other
- fuel cell //fjool sel/n [U25, T4] a cell which converts the chemical energy of a fuel to electrical energy
- fulerum / folkram/ n [U5, T6] the pivot point of a system of levers, e.g. the screw in a pair of scissors

G

- galvanic corrosion (gel'vanik ka,raugn/n [U22, T6] the corrosion which results when two dissimilar metals are connected in the presence of moisture
- gears (goz/ n [U12, T1] an arrangement of toothed wheels which mesh together to change the speed or direction of movement
- goggles /'gogslz/ n [U9, T7] protective eye wear completely surrounding the eyes granules /'grenicolz/ n [U13, T7]
- material, e.g. plastle, in the form of small grains

grinder / gramds(r) / n 1 [U9, T3] a machine with a rotating disc of abrasive material used for sharpening tools and removing rough edges [U29 SP [A]] a grinding machine operator

guard /go:d/ n [U9, T3] a device to safeguard the operators of moving machinery

hammer mill / hæno mil/ n [U27, T3] a crushing machine using impacts from rotating arms

hazard /'hizzad/ n [U9, T2] danger heat oxchanger /'hittiks,tjend32(r)/ n [U8, T3] the part of a boller where the water is heated

heat-resistant //hit m/astant/ alj [U3, T3] describes a material which will withstand exposure to high temperature hinge /hundy/ n[U5, T6] a flexible

mounting for doors and lids

hydraulic /ha/drs:hk/ adj [U19, T2] describes a system using cylinders and pistons and driven by a fluid

ignition /ig'mfm' n [U28, T9] the circuit which allows high-tension current to pass to the sporking plogs in an internal combustion engine

insulator ("msjo, kuta(r)" a [U3, T3] a substance which will not transmit electricity or brui

interface / miefers/ n [U28, T2] hardware and software to enable a computer to communicate with the device to be controlled

intergranular corrosion / integranjolo ko'rou ya/ n [U22, T6] corrosion at the boundaries of the crystal grains of a material

IT /m 'tic/ n [U20, T1] Information Technology

jig /dpg/n [U29 SP (A)] a work-holding derice made for a specific component, e.g. to hold it for drilling

JIT /,dzei ai 'ti:/ n [U20, T2] Just-In-Time manufacturing

laser / Teizə(r)¹n [U13, T2] Light Amplification by Stimulated Emission of Radiation

LCD /,el si: 'di:/ n [U16, T6] Liquid Crystal Display

load cell / lood sel/ n [U16, T5] a loadmeasuring element using an electrical strain gauge as the measuring device malleable / ministrat/ afj [U3, T3]

describes a material which can be stretched without breaking apart, e.g. copper manipulator /ma'nupjo,leats(r)/ n [U28, T2] the part of a robot which carries out the work

methods engineer "m:0sdz endy,ms(r)" n[U29, T7] someone concerned with establishing the best production method and equipment for making an article

micrometer /mai/kromats/r/) /n [U29, T2] a U-shaped gauge used for precise measurement of thicknesses the gap between the measuring faces is adjusted by rotating a screw thread encased in a graduated skerev

microprocessor / maikras/process(r)/ n [U16, T6] integrated circuit chip at the centre of a computer for controlling the system and processing the data

mill /mil/ a [U29, SP (8)] a milling machine: uses multi-toothed cutters to shape metals and plastics

miller / mila(r)/ n [U29, SP (A)] a milling, machine operator

MRP /,em. a: 'pi:/ n [U20, T2] materials requirement planning

pedal /'ped(a)l' n [U12, T1] foot-operated lever, e.g. the accelerator pedal of a car

pendulum / pendjolam/ n [U4, T2] the swinging weight used for time control in some clocks

pilot light / pailst last/ n [U8, T2] a small flame used to ignite the main burners in a gas-fired heating boller

pitch /pitf/ n [U28, T8] angular displacement along the lateral axis

pitting "pitas/n [U22, T6] correston due to localized chemical reaction

plant /plant/n [U8, T7] the machines in a factory and all the buildings

PLC /,pi: el 'si/ n [U20, T2] Programmable Logic Control/controller: the system/derice by which a microprocessor controls a stage in a morcers automatically

pneumatic drill /njw.metik 'dri/ n [U18, T3] a drilling machine using compressed air for power

pressure regulator / prejs regjulents(r)/ n [U21, T6] a device for adjusting or maintaining pressure levels

prototype / prooto_taip/ n[U10, T2 TS] the first working model

pulley / polit a [U10, T5] a grooved wheel over which a rope passes

R

reaction /ri:'ack [n/n [U5, T3] the force which opposes an applied force

- reamer (rims(r)) a [U19, T6] a tool for enlarging a drilled hole to a precise diameter
- recycling / ri: sakluj / n [U27, T1] extracting from waste all materials that can be reprocessed to be used again
- refrigerant /m frsdprent/m [U16, T2] a substance which changes easily from a liquid to a gas and which can be used in refrigeration to remove heat energy and transfer it to the surroundings
- regenerative braking /ridgenzetav /brekup/ n [U25, T6] a method of braking electric motors where the motor becomes a generator converting the energy of the slowing wheels into electricity
- remote control /n,most ken'trool/n [U11, T3] a device for controlling something from a distance
- respirator /'respa_rosta(r)/n [U9, T7] a mask worn over the nose and mouth to filter air

resultant /rrixsitant/ n [U5, T2] the single outcome of a number of different vectors revolve /rrixslw/ w [U5, T7 TS] turn.

- robotics /roo'botiks/ n [U28] the study or production of machines which perform tasks in a manner similar to humans
- roll /rool n [U28, T8] angular rotation about a longitudinal axis

rotor /'routo(r)/ n [U17, T2] rotating part of a generator

S

- scallop //skolop/n[U28, T6] fan-shaped
- scratch-resistant /skræt[n.zistant/al] [U3, T3] describes a material which retains its appearance when exposed to abrasion
- sensing device //sensin/di/vais/ # [U7, T5 TS] a device which insonitors the operating environment and is sensitive to change
- shock absorber // Jok ab, zobs(r)/ n [U11, T2] a device for absorbing shocks and vibrations

- signal generator / signal ,dyenarena(r)/ n [U21, T6] electronic device which produces various signals used in tests and measurements.
- solenoid /soolanad/w[U11,T2] a coll with an iron core which is pulled into the coll by a current passing through the coll
- solenoid valve / sodonoid .vælv/ n [U11, T2] a valve operated by a solenoid
- spanner /'spans(r)' n [U6, T7 TS] a tool, or level, for applying force to nuts and bolts
- speed governor /'spid,gavana(r)('n [U21, T6] a device litted to an engine to limit its speed to a pre-set level
- spring balance / spring 'buckers' n [U5, T3] a measuring device in which the force applied is calculated by the extension of a spring.
- sprocket/sprokat/n[U12, T10] a toothed wheel over which a chain passes stator /stens(r)/n[U17, T2] stationary
- part of a generator
- strain gauge ("strem geidy' # [U16, T5] a device for measuring strain in a structure
- switchgear / swit[gao(r)/ n [U1, T5] switches and associated equipment for controlling large electrical currents
- systems analyst / sistemz_analist/ n [U29, T7] someone responsible for examining a problem to see whether it is suitable for a computer application

τ

- tachogenerator / tackoo, dycaorena(r)/ n [U11, T4] a sensor for measuring the sneed of rotation
- TEFC / ti: i: ef 'si:/ adj [U23, T9] Totally-Enclosed Fan-Cooled (motor)
- tension / tenfn' n [U4, T4] the effect of a pulling force which tends to stretch a body
- thermoplastic //tecmso.plastik/ n [U3, T1] a plastic which softens when brated and hardens when cooled
- thermosetting plastic / (scmscoletin) 'plastik' # [U3, T3] a plastic which retains its shape and rigidity at high temperatures
- thermostat / %cmastat/ #[U8, T3] a control device which operates at a pre-set temperature
- throttle / 'tentl/ n [U18, T3] a valve for controlling the supply of a gas or liquid (e.g. fael) to an engine
- thrust/Brast/n[U12, T6] force of propulsion

tooling /tuchn/m[U13, T10] all

manufacturing equipment required for the manufacture of a product

toxic/teksik/aft[U9,T1] peisonous transformer/transforma(r)/a[U6,T6] a device for stepping up or down the voltage of an alternating current

- treadle /tredl n [U4, T6] a linkage used to convert oscillating into rotary movement and vice versa
- turbine //tzcham/n[U17, T9] a machine which produces power when steam, gas, or what is passed over the blades attached to the rotating drive output shall
- turbulence /'txbjolans/n[U12, T6] violent or uneven movement of air
- turner /'ticno(r)/ # [U29, SP (A)] a lathe operator

U

undercarriage / and/a kaendy/ in [U23, R2] the supporting framework of a vehicle comprising wheels, axles, suspension, etc.

v

vapour./voipe(r)/n [U15, T2] a gas that can be liquefied by increasing its pressure vernier./vcmso(r)/n [U29, T2] a measuring gauge fitted with an auxiliary scale which allows the operator to read the main scale with an accuracy of one tents of a division

W

waisting / wesstap/ n [U26, T7] deformation which brings about narrowing of the section of a rod or material under transien

wave power /'werv _paso(r)/m[U17, T9] a method of generating electricity by using the movement of waves in water

work volume / wark, voljacm/ n [U28, T4] the space volume into which the manipulator of a robot can be positioned: hence the volume where useful work can be done

Y

yaw /p:/ n [U28, T8] angular rotation about a vertical axis

yield point / jild point/ n [U26, T7] the point where the elastic limit is reached

Oxford English for Electrical and Mechanical Engineering

This course is intended for students of Electrical Engineering and Mechanical Engineering in universities, colleges, and technical schools, and for technicians and engineers. It can be used for self study in conjunction with the Answer Book

Student's Book

The thirty units contain authentic reading and listening passages from a wide variety of sources. The topics have been chosen to cover areas that are common to both Electrical Engineering and Mechanical Engineering. The course aims to develop all four skills through a series of tasks that encourage students to combine their knowledge of English with their technical knowledge. The Student's Book contains a comprehensive glossary of important technical terms.

Cassette

The cassette contains interviews with people studying Engineering or working in the engineering industry

Answer Book

The Answer Book contains a key to the tasks and exercises, the tapescripts, and useful unit-by-unit teaching notes.



ver photograph

ot welding of a body shell on the Rover production line owley near Oxford by James Holmes